



ACT
Government



LOWER COTTER CATCHMENT

RESERVE
MANAGEMENT
PLAN 2018



ACKNOWLEDGEMENTS

The ACT Government acknowledges the Traditional Custodians of the ACT, the Ngunnawal people. We respect their continuing culture and the unique contribution they make to the life of this area.

This Reserve Management Plan for the Lower Cotter Catchment has been developed by Conservation Planning, ACT Parks and Conservation Service, in the ACT Environment, Planning and Sustainable Development Directorate (EPSDD).

EPSDD acknowledges the many people who provided advice and assistance in the preparation of this Reserve Management Plan.

The draft plan was available for public comment from 16 January 2017 to 10 March 2017. All submissions received have been considered in this final plan.

© Australian Capital Territory 2018

ISBN: 978-1-921117-50-3

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without the written permission of the Environment, Planning and Sustainable Development Directorate, PO Box 158, Canberra ACT 2601. Website: www.environment.act.gov.au

Note: All references in this plan to Traditional Custodians refer to the Ngunnawal people.

Disclaimer: Any representation, statement, opinion, advice, information or data expressed or implied in this publication is made in good faith but on the basis that the ACT Government, its agents and employees are not liable (whether by reason of negligence, lack of care or otherwise) to any person for any damage or loss whatsoever which has occurred or may occur in relation to that person taking or not taking (as the case may be) action in respect of any representation, statement, advice, information or data referred to above.

Maps: Maps within this document are produced using ACT Government spatial data from ACTMapi © Australian Capital Territory 2018. Please see www.ACTMapi.act.gov.au

Disclaimer: While all care is taken to ensure accuracy, the ACT Government does not warrant that the maps are free from errors.

Maps are drawn in Map Grid of Australia Zone 55s (Geodetic Datum Australia 1994)

Printed on: 100% recycled paper.

ACCESSIBILITY

The ACT Government is committed to making its information, services, events and venues as accessible as possible. If you have difficulty reading a standard printed document and would like to receive this publication in an alternative format, such as large print, please phone Access Canberra on 13 22 81 or email the Environment, Planning and Sustainable Development Directorate at epsddcomms@act.gov.au

If English is not your first language and you require a translating and interpreting service, please phone 13 14 50.

If you are deaf, or have a speech or hearing impairment and need the teletypewriter service, please phone 13 36 77 and ask for Access Canberra on 13 22 81.

For speak and listen users, please phone 1300 555 727 and ask for Access Canberra on 13 22 81.

For more information on these services, visit www.relayservice.com.au.

Enquiries: Phone Access Canberra on 13 22 81.

A large teal geometric design consisting of two thick diagonal lines meeting at a point on the right side of the page, and a thin line extending from that point towards the bottom right corner.

LOWER COTTER CATCHMENT

RESERVE
MANAGEMENT
PLAN 2018

CONTENTS

Ministerial Foreword	v	CHAPTER 5	
VISION for the		Water resources	31
Lower Cotter Catchment	1	5.1 Primary management objective	32
Management Plan Aim	2	5.2 Background	32
		5.3 Hydrology and water management	34
CHAPTER 1 Introduction	3	CHAPTER 6	
1.1 Management plan purpose and scope	4	Landscape and ecological values	41
1.2 Statement of significance	5	6.1 Primary management objectives	42
1.3 Regional setting	6	6.2 Background	42
1.4 Climate	6	6.3 Landscape and habitat connectivity	42
1.5 Geography of the Lower Cotter Catchment	6	6.4 Geodiversity	43
1.6 Cotter Dam and reservoir	8	6.5 Native vegetation	44
1.7 Brief history of land use in the Lower Cotter Catchment	8	6.6 Native animals	46
1.8 ACT Auditor General's performance audit report	9	6.7 Management issues	50
1.9 Implementation	9	6.8 Landscape recovery	55
		6.9 Research and monitoring	59
CHAPTER 2		CHAPTER 7	
Significant challenges in the Lower Cotter Catchment	13	Fire management	61
2.1 A new approach to managing the Lower Cotter Catchment	14	7.1 Primary management objective	62
2.2 Protecting water quality	14	7.2 Background	62
2.3 Conserving the natural environment	16	7.3 Fire history in the Lower Cotter Catchment	62
2.4 Adapting to climate change	17	7.4 Current fire planning	64
2.5 Managing fire	17	7.5 Protecting water resources	65
2.6 Caring for cultural heritage	17	7.6 Fire ecology	65
2.7 Providing opportunities for low-impact recreation	18	7.7 Planned burning	67
		7.8 Fire access	68
		7.9 Blue Range	68
CHAPTER 3		CHAPTER 8	
Management framework	19	Cultural heritage values	71
3.1 ACT Legislation	20	8.1 Primary management objectives	72
3.2 Commonwealth legislation	20	8.2 Background	72
3.3 Land planning in the ACT	21	8.3 Protection of cultural heritage	72
3.4 Responsibilities for management of the Lower Cotter Catchment	21	8.4 Aboriginal heritage	73
3.5 Key desired outcomes for the management plan	22	8.5 Contemporary Aboriginal connection to Country	74
		8.7 Historic heritage	76
		8.8 Management considerations and issues: Historic heritage	78
CHAPTER 4		CHAPTER 9	
Zoning and access	23	Recreation	79
4.1 Reserve zoning	24	9.1 Primary management objective	80
4.2 Access	26	9.2 Recreational activities	80
4.3 Boundary rationalisation	28	9.4 Management considerations and issues	88
4.4 Uriarra Village boundary	28	9.3 New recreational activities and facilities	89

CHAPTER 10

Community participation	91
10.1 Primary management objectives	92
10.2 Interpretation, education and community participation	92
10.3 Community participation in management	92
10.4 Neighbours	93
10.5 Community participation: management considerations	94

CHAPTER 11

Environmental protection and management operations	95
11.1 Primary management objectives	96
11.2 Introduction	96
11.3 Environmental impact assessment	96
11.4 Management operations	97
11.5 Resource extraction	97
11.6 Commercial forestry	97
11.7 Compliance and enforcement	98

APPENDICES

	99
Appendix 1: Table of Actions	100
Appendix 2: ACT legislation relevant to the management of the Lower Cotter Catchment.	104
Appendix 3: ACT Government strategies and plans relevant to the Lower Cotter Catchment	105
Appendix 4: Sites of geological significance in the Lower Cotter Catchment	106
Appendix 5: Interesting, uncommon, threatened, and rare species of the Lower Cotter Catchment	107
APPENDIX 6: Lower Cotter Catchment risk treatment plan – reconciliation with reserve management plan	108
Appendix 7: Fish management plan references	111
GLOSSARY	112
REFERENCES	115

TABLES

Table 1.1	Statement of significance	5
Table 4.1	Lower Cotter Catchment management zones	24
Table 4.2	Management policies for defined management zones in the Lower Cotter Catchment related to visitor experience, access and infrastructure	26
Table 4.3	Road categories in the Lower Cotter Catchment	27
Table 6.1	Pest animals in the Lower Cotter Catchment – status and control programs	53
Table 9.1	Summary of policies for recreational activities and permitted/prohibited activities in the Lower Cotter Catchment	88

FIGURES

Figure 1:	Location of the Lower Cotter Catchment	7
Figure 2:	Lower Cotter Catchment Land Use Timeline	10
Figure 3:	Lower Cotter Catchment - Key Issues and Challenges	15
Figure 4:	Management zones in the Lower Cotter Catchment	25
Figure 5:	Uriarra Village – Area of Public Land subject to Land Management Agreement	29
Figure 6:	Diagram showing the warming of the future climate (ACT Government 2016)	51
Figure 7:	Vegetation map	57
Figure 8:	Soil erodibility 2006 (ACT Government 2007a)	66
Figure 9:	Location of Blue Range and the Lower Cotter Catchment	69

Ministerial Foreword



The ACT Government acknowledges the Ngunnawal people as the Traditional Custodians of the ACT, and respects their continuing culture and the unique contribution they make to the life of our region.

The waters of the Cotter River sustained the Ngunnawal people for thousands of years before European settlement of our region. Ongoing connection to Country holds spiritual, social, historical, cultural and economic importance to Indigenous peoples. This plan recognises the importance of active engagement in land management programs for maintaining the cultural identity of the Traditional Custodians.

The potential for water supply from its mountain catchment was an important factor influencing the choice of the site for Australia's capital. When Canberra was proclaimed the national capital in 1913, the Federal Government and planners showed great foresight in setting aside the whole of the Cotter River to supply water to the new city.

For over 40 years, the Cotter Reservoir was Canberra's only water supply, until Bendora and Corin Dams were built upstream of it in the 1960s. These became the primary source of supply, supplemented more recently by Googong Reservoir on the Queanbeyan River in New South Wales.

In response to the devastating 2003 bushfires and the preceding prolonged drought, Cotter Reservoir was again accessed for domestic water in 2004. Between 2009 and 2013, a new, higher dam wall was constructed, increasing the capacity of the reservoir from 4 gegalitres to 79.4 gegalitres—an increase of 35% in water storage capacity for Canberra.

Drawing water again from the Cotter Reservoir is a significant and continuing change in Canberra's water supply, and has led to a renewed focus on water quality and improved catchment management.


The 2003 fires caused significant damage to the catchment. Almost all of the vegetation was burnt and soil erosion became a significant management challenge. The area is now rapidly rehabilitating, assisted by native tree planting and weed management carried out by dedicated community groups. Over time, the native plants and animals of the catchment will return and the beauty of the Cotter River landscape will be restored to a fully functioning natural ecosystem.

The Lower Cotter Catchment also offers a range of recreational activities for Canberra residents and visitors alike. It is important that those using the reserve appreciate the importance of ensuring that their activities do not compromise water quality or adversely impact the recovering vegetation.

This Reserve Management Plan sets out how the ACT Parks and Conservation Service will protect the water resources and other natural and cultural values of the Lower Cotter Catchment over the next ten years, while at the same time welcoming visitors and enriching the life of the Canberra community. The ACT Government recognises the significant role that volunteers play in helping to meet these objectives.

A stylized, handwritten signature in black ink, likely belonging to Mick Gentleman.

Mick Gentleman MLA
Minister for Environment and Heritage



VISION for the Lower Cotter Catchment

A recovering landscape, the Lower Cotter Catchment provides a reliable supply of clean water for the region while contributing to nature conservation, research, and recreational and educational opportunities for all.

Management Plan Aim

To actively promote regeneration of the Lower Cotter Catchment to a fully functioning natural ecosystem and protect it from activities that may have adverse impacts on water quality.

This Plan outlines:

- » what is important about the Lower Cotter Catchment – its values
- » what the land manager aims to achieve – the objectives, and
- » how the objectives will be delivered – policies and actions.

This Plan will provide direction and guidance to the land manager, to utility operators, to volunteers, visitors, neighbours and the general public about how this important area of public land will be managed.



CHAPTER 1

Introduction

Pierces Creek Falls at junction with Cotter Reservoir (Mark Jakobsons)

1 INTRODUCTION

1.1 Management plan purpose and scope

This Reserve Management Plan has been prepared as required by the provisions of the *Nature Conservation Act 2014* and the *Planning and Development Act 2007*. The Nature Conservation Act describes the process for preparing the plan, and the Planning and Development Act (Schedule 3) establishes the planning and development management objectives for the reserve.

The management objectives defined for a reserve set aside for the protection of water supply are:

1. to protect existing and future domestic water supply
2. to conserve the natural environment
3. to provide for public use of the area for education, research and low-impact recreation.

This management plan identifies the values of the reserve and describes how the objectives will be implemented and promoted in the reserve. The plan provides direction and guidance to the land manager, utility operators, volunteers, visitors, neighbours and the general public about how the Lower Cotter catchment will be managed over the next ten years. When finalised, the Lower Cotter Catchment Reserve Management Plan will give statutory effect to the policies and actions outlined in this plan.

NOTE: this plan does **NOT** include the Cotter Reserve picnic area below the dam wall or Cotter Campground. These areas are included in the Murrumbidgee River Corridor Plan of Management.

1.2 Statement of significance

A place's natural significance and cultural significance (aesthetic, historic, scientific, social or spiritual value) should be acknowledged in any management document, and ideally presented as a statement of significance. A statement of significance sets out why a place is important. (Australian Heritage Commission 2003).

Table 1.1 Statement of significance

Value	Significance
Water Resources	The project to enlarge the Cotter Dam has delivered an increase of 35 % to the total water storage available to Canberra and Queanbeyan. As Canberra grows and faces the uncertainties posed by climate change, delivery of a reliable supply of high quality water from the Lower Cotter Catchment will be one of the keys to a long-term solution for Canberra's water supply.
Natural Heritage	<p>The native vegetation remaining along the Cotter River, together with remnant and regenerating vegetation to the south of Cotter Dam, provides an important wildlife movement corridor linking the northern part of Namadgi National Park with the Murrumbidgee River. Blundells Flat contains the lowest elevation bog and fen wetlands within the region. Several rare and threatened plants occur in the area, and the Cotter River and reservoir support populations of threatened aquatic fauna.</p> <p>The extensive areas burnt in the 2003 bushfires, including former pine plantations, are slowly recovering with predominantly native species, and nature conservation values are likely to increase over time.</p>
Cultural Heritage	<p>The northern Brindabella Ranges have abundant archaeological evidence of Aboriginal occupation since the last ice age, more than 25,000 years ago. The nearby peaks of the Tidbinbilla Range were recorded by early Europeans as initiation sites for young men. Aboriginal people have an ongoing connection to their Country that links past, present and future. The Traditional Custodians have a continuing sense of responsibility to preserve the spirit and stories of their ancestors throughout the landscape.</p> <p>European settlement and land use is represented by hut ruins and other remains that relate to early pastoral and later forestry activities and provide the basis for telling the story of struggling pioneers and successive changes in use of the area.</p>
Recreation	While the area was popular for a range of activities including fishing, four-wheel driving, trail-bike and mountain bike riding, to protect the water supply, the future emphasis will be on low-impact recreational activities.
Research and Education	The LCC has a long history as a site for research and education, with substantial research undertaken to support the enlarged Cotter Dam project, and other research conducted since the 2003 bushfires. The LCC provides further opportunities to study catchment behaviour following fire (particularly vegetation rehabilitation and the movement of water and pollutants within the catchment), as well as climate change impacts and threatened aquatic species.

1.3 Regional setting

The potential for water supply from the forested mountain catchment of the Cotter River was an important factor influencing the choice of the site for Australia's capital city. When Canberra was proclaimed the national capital in 1913, the government and planners showed great foresight in setting aside the whole of the Cotter River to supply water to the new city. Three dams have been constructed on the river—Corin Dam on the upper Cotter and Bendora Dam on the middle Cotter, built in the 1960s, and Cotter Dam on the lower Cotter, built in 1912.

The Cotter River catchment is well protected, with no farms or houses and restrictions on recreation activities to protect the quality of the water. The majority of the catchment, including Corin and Bendora dams, lies within Namadgi National Park. Shortly after exiting the Cotter Dam, the Cotter River enters the Murrumbidgee River at Casuarina Sands. The Murrumbidgee River feeds into the Murray Darling river system and under the Murray Darling Basin Plan the ACT is obliged to meet the Murray Darling Basin-wide environmental objectives for water dependent ecosystems and water quality (ACT Government 2014c).

The Lower Cotter Catchment is bounded to the south and west by Namadgi National Park and the adjoining Tidbinbilla Nature Reserve and represents the northernmost end of a string of protected areas covering more than 1.6 million hectares, stretching south almost to Melbourne. This area, known as the Australian Alps National Parks, includes Namadgi National Park in the ACT, Kosciuszko National Park in New South Wales and the Victorian Alpine National Park. Uriarra Village adjoins the northern boundary, while the site of the former Pierces Creek settlement (destroyed in the 2003 fires) lies just outside the eastern boundary.

1.4 Climate

The Canberra climate is typically continental with occasional extreme summer temperatures and winter minimums frequently below freezing. Rainfall is highest in winter, with snow melt contributing to stream flows. The Lower Cotter Catchment averages about 800 mm rainfall per annum which is higher than the Canberra average of 636 mm. Regional drought is a common feature, nine significant droughts having occurred since 1940. The mean annual maximum temperature at Uriarra is 19°C (ACT Government 2007a). Cold air drainage and cold winters inhibit the growth of woody vegetation in low-lying depressions (frost hollows).

The more extreme features of the local climate are of importance to management of the LCC, namely:


- » occasional heavy rainfall that causes localised flooding of Condor Creek and Cotter River and erosion on steeper and poorly vegetated slopes resulting in run-off into waterways; and
- » summer heatwave conditions, with hot, dry north-westerly winds that quickly cure forest and grassland fuels, resulting in periods of high to extreme fire danger.

1.5 Geography of the Lower Cotter Catchment

The Lower Cotter Catchment, depicted in Figure 1, totals 6350 hectares of the 19,000 hectares of the Cotter River catchment below Bendora Dam in the ACT. The balance of the catchment is within Namadgi National Park and is managed under the Namadgi National Park Plan of Management (ACT Government 2010a).

The LCC is essentially a bowl of undulating topography draining into the Cotter Reservoir, primarily via the Cotter River, which dissects the reserve into western and eastern halves. The Cotter River is approximately 74 km long and drains a forested montane catchment of 482 km², which has been managed to protect water quality since the early 1900s.

Figure 1: Location of the Lower Cotter Catchment



1.6 Cotter Dam and reservoir

For over 40 years following its completion in 1912, the Cotter Reservoir was Canberra's only water supply, until Bendora and Corin Dam were built upstream on the Cotter River in the 1960s. These became the primary source of supply, (with the Cotter used only as an emergency back-up supply), supplemented more recently by Googong Reservoir on the Queanbeyan River in New South Wales. In response to the 2003 bushfires and the prolonged drought of the late 1990s and early 2000s, Cotter Reservoir was accessed again for domestic water in 2004. Between 2009 and 2013 a new, higher dam wall was constructed, increasing the capacity of the reservoir from 4 gigalitres to 79.4 gigalitres—an increase of 35% in water storage capacity for Canberra.

Before 2004, the Cotter Reservoir had not been used for domestic water supply for more than 30 years. Drawing water again from the Cotter Reservoir is a significant and continuing change in Canberra's water supply, and there is a renewed focus on the reliability of water resources in the surrounding catchment.

1.7 Brief history of land use in the Lower Cotter Catchment

From approximately 25,000 years ago until the 1820s, Aboriginal people utilised the landscape by exploiting seasonal food sources such as Daisy Yam, wattle seed, fish, crayfish, yabbies, platypus, water fowl, terrestrial mammals and Bogong moths in the summer months. Aboriginal people were displaced from their Country in the 1820s to the 1850s when settlers arrived and established farms in the area. Native vegetation was cleared from the lower slopes to allow the grazing of sheep and cattle. For almost a century the pastoral land use, along with the effects of rabbit plagues, denuded most of the vegetation and left the soils vulnerable to severe erosion.

Declaration of Canberra as the site for the national capital in 1911, and the need to set aside land for a water supply catchment, resulted in compulsory acquisition of the pastoral leases within the Lower Cotter Catchment area. Removing livestock grazing, replanting cleared areas to pine plantations and closing large areas of the catchment to general public use were among measures taken to ensure the protection of the catchment for the future.

The Cotter Dam was completed in 1915 and concerns over the high levels of sediment entering the dam led to the commencement in 1926 of pine plantations on the eroding areas within the LCC. Initially, the plantation areas were focussed around the reservoir but by 1931, had extended into the native forested areas.



Cotter Reservoir (Mark Jekabsons)

Forestry camps were set up at Blue Range, Condor, Mountain View, Laurel Camp, Uriarra and Pierces Creek to house the forestry workers.

An extensive network of forestry roads and firebreaks was constructed throughout the catchment to allow for forestry maintenance activities and rapid fire suppression.

From 1951 to 1961, in the post war period, a building boom in Australia saw an increase in the areas of catchment planted to pine. Concerns were raised over increased turbidity from the road network and further clearing of native forests was prohibited in 1961.

Construction of the Bendora Dam in 1961 and the Coring Dam in 1968 meant that the Cotter Dam was no longer Canberra's only source of drinking water. Access restrictions to the catchment were eased and the extensive road network attracted people to the area. Facilities such as lookouts, picnic sites and walking trails were developed in the mid to late 1960s to provide for public use of the area. Weekend driving and car rallies along with orienteering and cross country running became popular activities in the catchment.

By the early 1970s, the pines were maturing and the establishment of local saw mills supported the construction of new homes in Canberra with timber from the Lower Cotter Catchment. The harvested areas were replanted with pines and thinning of the second rotation had commenced by 1992. Between 1950 and 2003, the 4,200 hectares of LCC plantations produced over 2 million tonnes of pine log.

The fires of 2003 destroyed almost all of the vegetation in the LCC and a review of rural land use determined that commercial pine plantations were no longer an appropriate land use. A massive restoration program of replanting the catchment to native plants commenced almost immediately after the fires and focussed on the areas closest to the reservoir and the highly erodible areas. Soil erosion works were undertaken and many of the former forestry roads were closed to the public.

In 2008 the LCC was reserved for the primary purpose of water supply catchment and restrictions on recreational use of the catchment were imposed.

1.8 ACT Auditor General's performance audit report


In 2015, the ACT Auditor General undertook a review of the effectiveness of management strategies employed by the ACT Government and Icon Water in the management of the Lower Cotter Catchment (ACT Government 2015a). Twelve recommendations, all of which were accepted by Government, sought to focus the need to improve public land management of this important water catchment. A copy of the Auditor General's report is at www.audit.act.gov.au/reports2015.htm.


One of the recommendations was that a cross-agency risk management plan be developed cooperatively by the key stakeholders. The risk management plan identified 13 risks that require further treatment through the reserve management plan. These risks and how they have been addressed in this reserve management plan are listed in Appendix 6.

1.9 Implementation

The actions identified in each chapter of this plan are consolidated in the Table of Actions at Appendix 1. The table includes priorities and responsibilities for implementing the actions, and will form the basis of a separate implementation plan to be developed by the land manager. The plan will include evaluation methods and key indicators to measure the progress and success of implementation. A report on implementation will be provided to the Minister five years after this reserve management plan is approved.

Figure 2: Lower Cotter Catchment Land Use Timeline





CHAPTER 2

Significant challenges in the Lower Cotter Catchment

Cotter River from from Vanitys Crossing Road (Mark Jekabsons)

2 SIGNIFICANT CHALLENGES IN THE LOWER COTTER CATCHMENT

2.1 A new approach to managing the Lower Cotter Catchment

The LCC has traditionally supported land uses such as agriculture, plantation forestry and recreation. From late 1996 to mid-2010, Canberra, along with much of southern Australia, experienced a prolonged period of dry conditions, known as the “millennium drought”. In 2003, the bushfires that devastated parts of Canberra swept through the Lower Cotter Catchment, destroying more than 4000 hectares of pine plantation and extensive areas of native vegetation in a single afternoon. Rain events immediately following the fires scoured gullies, roads and trails, and lead to elevated levels of turbidity in streams leading into the Cotter Reservoir.

The 2003 bushfires triggered a resetting of priorities in natural resource management in the ACT, and this was evident in the Lower Cotter Catchment. The fires, the resulting loss of vegetation and a long period of drought, increased concerns about the potential impacts of climate change and the security of water supplies in the face of a growing population. In addressing water security, the ACT Government made an investment of over \$500 million to enlarge the Cotter Dam and ensure the LCC becomes a major contributor of reliable and high quality water for Canberra.

In 2007, the ACT Government recognised water as the primary value of the Lower Cotter Catchment and in 2008 changes to the Territory Plan established the Lower Cotter Catchment as a reserve with the primary purpose of protecting Canberra’s water supply. The change of land use in the Territory Plan triggered the requirement for a statutory management plan for the Lower Cotter Catchment, with the protection of water resources the priority focus. The priority placed on the value of the LCC as a catchment has had implications for other land management programs in the LCC, especially fire management and recreation.

Following the 2003 fires, the decision made by the ACT Government to restore the Lower Cotter Catchment to native vegetation to ensure the protection of water quality in Cotter Reservoir into the future will also have significant benefits for other environmental and social values.


As the area recovers and functioning natural ecosystems are restored over the longer term, it is intended that the Lower Cotter Catchment will be incorporated into Namadgi National Park, completing the comprehensive protection of the entire Cotter catchment and safeguarding Canberra’s supply of clean, high quality water into the future.

2.2 Protecting water quality

The primary risk to water quality in the Lower Cotter Catchment is increased turbidity from sediment produced as a consequence of the area’s highly erodible soils, combined with the loss of vegetation from the 2003 fires and the extensive network of ex-forestry trails. To maintain water quality, it is important to maintain vegetation cover and limit activities that can lead to increased erosion. Trails have been identified as a major source of sediment. Over 100km of trails have already been closed and rehabilitated, and motorised vehicle access has been limited. The trail network will be kept under review over the life of this plan.

Risks of water contamination by micro-organisms and other pathogens, chemicals or other pollutants will be minimised through actions such as prohibiting all recreational activities in the reservoir, and prohibiting or restricting some recreational activities throughout the catchment. Native and pest animals will be carefully managed and stock, domestic animals and the use of chemicals and other potential contaminants strictly controlled. Further information on protecting water quality is in Chapter 5.

Figure 3: Lower Cotter Catchment - Key Issues and Challenges



2.3 Conserving the natural environment

Although the reserve has a history of disturbance from human activity, including clearing for grazing, planting with pines and severe fire damage, the Lower Cotter Catchment retains significant natural values. It provides important landscape-scale connections for wildlife movement, supports a number of rare and uncommon plant species and communities, and provides habitat for some declining woodland birds, several species of threatened and protected fish and crayfish, as well as other native fish and invertebrates.

The plan proposes that remaining commercial pine plantations will be returned to native vegetation over time and once their commercial value has been realised. Continuing restoration of native vegetation in the catchment will increase the availability of habitat for woodland birds and other fauna, and enhance the resilience of native species and communities to climate change.

Restrictions on fishing, including prohibition of all bait fishing, together with other management interventions such as the provision of fishways, will help to conserve populations of threatened native fish.

Control of weeds, including St Johns Wort, blackberries, and especially pine wildlings, is an ongoing management issue. Control of blackberries will improve habitat for threatened species and prevent incursions into adjoining areas, particularly Namadgi National Park.

With the support of community volunteers, extensive revegetation is continuing and in the long term, the reserve will be restored to a fully functioning landscape of native vegetation, producing clean water, conserving natural and cultural values, and providing low impact recreational opportunities for Canberra residents and visitors. The Traditional Custodians will be consulted on how they can be actively involved in restoration activities. Further information on conserving the natural environment is in Chapter 6.



Lees Creek (Mark Jekabsons)

2.4 Adapting to climate change

Predictions about the impact of climate change in the ACT region point to a hotter and possibly drier climate in the future. A consequent increase in fire frequency and intensity is likely and water inflows into the Cotter catchment may be reduced by up to 50%. Climate change is a cross cutting issue that will potentially affect the full range of values and uses of the Lower Cotter Catchment. Minimising the impact of climate change on water resources, biodiversity and other values is best achieved by building the resilience of natural ecosystems through restoring native vegetation, enhancing habitat connectivity across environmental gradients and reducing the impacts of other stressors such as weeds and pest animals.

2.5 Managing fire

The objectives for fire management in the LCC are to reduce the risk of large scale wildfires impacting on all assets including the water supply. Fire management activities are undertaken in a manner that considers all attributes across the landscape and can include promoting the recovery of native vegetation in order to reduce erosion and improve water quality, and protecting threatened and fire-sensitive species and ecological communities.

Management of fire in the reserve will continue to be consistent with the current Strategic Bushfire Management Plan for the ACT, the Cotter Regional Fire Management Plan and Bushfire Operational Plans. These documents together identify all fuel management that is to be undertaken in the LCC and surrounds.

Planned fire will continue to be an important tool in reducing the risk of wildfire in the catchment, and will be carefully managed and undertaken in accordance with the ACT Government's Ecological Guidelines for Fuel and Fire Management Operations (2012b). Where possible, a Water Quality Protection Area (WQPA), comprising a vegetated buffer strip adjacent to the impounded waters in Cotter Reservoir, will be maintained when conducting fire management operations in the catchment. Traditional Aboriginal cultural burning will be incorporated into fire management activities. Further information on fire is in Chapter 7.

2.6 Caring for cultural heritage

The Lower Cotter Catchment has extensive evidence of Aboriginal occupation over thousands of years, including scarred trees, rock shelters and artefact scatters. All Aboriginal sites are of cultural significance to the Ngunnawal and other Aboriginal groups of the region. The plan provides for their protection and interpretation in collaboration with Traditional Custodians and Aboriginal Representative Organisations. Ongoing connection to Country is important to the well-being and cultural identity of Aboriginal people, particularly Traditional Custodians, and the plan provides opportunities for their involvement in interpretation and cultural site management.

Some evidence of early European settlement and historical forestry activities also remains. Cultural heritage will be managed in accordance with best practice principles set out in the Australia ICOMOS Charter for the Conservation of Places of Cultural Significance (the Burra Charter). Further information on cultural heritage is in Chapter 8.



Water supply catchment advisory sign

2.7 Providing opportunities for low-impact recreation

Consistent with the primary objective of protecting water supply, it is intended that recreational use of the LCC remains low-key, with a matching level of facilities. The reserve management plan identifies three management zones within the reserve and sets out which activities are permitted or not permitted within each zone.

Some historical uses are not compatible with protecting the water supply. Since 2007 restrictions have been introduced on activities such as motor sport events, horse riding and trail-bike riding, and previous controls on camping, lighting fires and firewood collection remain in place. Swimming is not permitted anywhere in the reserve and all recreational activities are prohibited in the Cotter Reservoir. Fishing is only permitted in the Cotter River and tributaries upstream of the junction with Condor Creek to Bendora Dam.

Driving (2WD and 4WD) and trail bike riding are only permitted on roads and management trails that are publicly accessible. Walking is permitted everywhere. Cycling (including mountain bike riding) is permitted on management trails and publicly accessible roads. Horse riding is allowed on management trails west of Brindabella Road with a permit.

Four-wheel driving and trail-bike riding on closed roads and illegally created trails remain significant management issues in the reserve, particularly erosion and potential impacts on water quality. Wherever possible, a public relations and education approach will be adopted to highlight appropriate behaviour.

Recreational activities in the reserve will continue to be monitored to ensure that they do not adversely affect water quality or other catchment values. Further information on recreation is in Chapter 9.



Fishing at Vanitys Crossing (Mark Jekabsons)

CHAPTER 3

Management framework

Cotter Reservoir near Pierces Creek inflow (Mark Jekabsons)

3 MANAGEMENT FRAMEWORK

The management of land in the ACT is underpinned or influenced by a wide range of legislation, agreements, and government planning and policy documents.

3.1 ACT Legislation

The *Planning and Development Act 2007* governs land use in the ACT. The Act establishes the Territory Plan; provides for the identification of Public Land and its reservation for defined purposes; defines management objectives for each category of Public Land; and provides for environmental impact assessment.

The *Nature Conservation Act 2014* is the chief legislation for the protection of native plants and animals in the ACT, including the declaration of threatened species and ecological communities. The Act prescribes the process for preparing reserve management plans for conservation reserves and includes provisions that apply to managing recreation activities in reserves, and offences and penalties for clearing and damaging land in reserves, and for damaging infrastructure.

The *Emergencies Act 2004* establishes requirements for fire management in the ACT, including the preparation of the ACT Strategic Bushfire Management Plan. The *Heritage Act 2004* establishes a system for the recognition, registration and conservation of natural and cultural heritage places and values.

The *Human Rights Act 2004* is an Act to respect, protect and promote human rights. The Act acknowledges that Aboriginal and Torres Strait Islander peoples hold distinct cultural rights and must not be denied the right to maintain, protect and develop their culture. The Act recognises their material and economic relationships with the land, waters and other resources.

Other key Territory legislation related to managing land in the LCC is shown in Appendix 2.

3.2 Commonwealth legislation

The main Commonwealth legislation relevant to management of the Lower Cotter Catchment is the *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act). This Act provides for environmental impact assessment of proposals that may impact on matters of national environmental significance, which include Commonwealth-listed threatened species and ecological communities.

The *Commonwealth Water Act 2007* requires the ACT to manage surface water and ground water consistent with the Murray Darling Basin Plan. The MDBP also places obligations on the ACT in relation to water use and water quality.



3.3 Land planning in the ACT

Planning in the ACT occurs at different scales:

Land use planning: determines in a broad sense which areas of land will be used for what purpose (National Capital Plan, Territory Plan).

Reserve management planning: once land use has been determined, management plans determine how reserved areas such as the LCC will be managed to achieve statutory objectives.

Site planning: deals with the design of a particular area or facility (for example, design of picnic areas). This detailed planning may be done in a 'concept plan' or 'master plan', and in subsequent design documentation for the construction of new facilities as part of specific capital works projects.

All the land in the Lower Cotter Catchment is Territory Land as defined in the *Australian Capital Territory (Planning and Land Management) Act 1988* (Commonwealth). Its management is the responsibility of the ACT Government; however, it is still subject to the policies of the National Capital Plan as well as those of the Territory Plan.

Within the National Capital Plan, the LCC is included in the General Policy Plan for the ACT, in the Mountains and Bushland land-use category of the National Capital Open Space System (NCOSS). The latter involves a linked system of 'open space' areas aimed at protecting the visual backdrop and landscape setting of the National Capital and protecting both its nature conservation values and Canberra's existing and future water supply.

In the Territory Plan, established under the *Planning and Development Act 2007*, the LCC is included in the Non-Urban Zone: NUZ5 – Mountains and Bushland (Territory Plan Vol. 1 ACTPLA 2008). General objectives for this zone cover protection of the environment (including water supply), scenic and landscape character, opportunities for education and research, and ensuring any development is unobtrusive. The Non-Urban Zones Development Code contains additional planning, design and environmental controls, including restrictions on use.

3.4 Responsibilities for management of the Lower Cotter Catchment

The **ACT Parks and Conservation Service** (PCS) is the contemporary custodian of the land within the Lower Cotter Catchment, and is responsible for managing the area to meet the statutory objectives to protect existing and future domestic water supply, conserve the natural environment, and provide for public use of the area for education, research and low-impact recreation.

The **ACT Emergency Services Agency, Rural Fire Service** has responsibility for fire suppression in the LCC. PCS is responsible for all other aspects of fire management, including fire access maintenance, prescribed burning and other fire fuel management.

The **Environment Protection Authority** (EPA) within the ACT Government regulates the taking of water and the provision of environmental flows from the dam under the provisions of the *Water Resources Act 2007*.

Water supply infrastructure and the use of water stored in Cotter Reservoir are managed by **Icon Water Limited**, which is an unlisted public company, owned by the **ACT Government**, with assets and investments in water, sewerage and energy services and operations. Icon Water is responsible for providing and maintaining water supply and storage infrastructure, dam safety, the water distribution network, reservoir drawdown, treatment for drinking purposes, and monitoring of water quality. However, Icon Water does not have regulatory powers to control land use in the catchment. A site management agreement between Icon Water and the Conservator of Flora and Fauna has been adopted for inspection and maintenance works on **Controlled Land** which includes the LCC.

The **Directors-General Water Group**, which comprises senior representatives from across the ACT Government with responsibilities relating to water, has the strategic oversight for high level coordination of Lower Cotter Catchment management. All land managers with an interest in the LCC meet regularly to coordinate management activities and decision making and provide progress reports to the Directors-General Water Group.

3.5 Key desired outcomes for the management plan

Key desired outcomes for the ten-year life of the management plan are:

Water Values

Water quality benefits from improved catchment stability and appropriate controls on recreational use.

Natural Values

Natural processes of recovery from past disturbance continue and are enhanced by active management where necessary to re-establish a native vegetation cover, stabilise soils, and restore naturally functioning ecosystems, where possible.

Research and Monitoring

A coordinated program of research and monitoring assists in the achievement of management objectives focussed on catchment health, water quality and protection of natural and cultural values.

Cultural Values

Cultural values are better understood, conserved, considered in management actions, and interpreted to visitors. Traditional Custodians are actively engaged in the protection and conservation of tangible and intangible Aboriginal cultural values.

Recreation

Recreational use is managed in a manner that is compatible with achieving water quality objectives.

Fire Management

The approach to fire management recognises the need to manage fire fuels within the context of a wider catchment and a recovering natural landscape.

Community Participation

Active programs of community engagement and education are conducted to encourage an understanding of the inherent values of the LCC, the objectives for management, and appropriate use of the area. Community groups remain active in restoration works within the LCC.

CHAPTER 4

Zoning and access

Pierces Creek Forest (Mark Jekabsons)

4 ZONING AND ACCESS

4.1 Reserve zoning

Zoning is a system of defining what activities can occur in which locations within a reserve, both to protect reserve values and to separate potentially conflicting activities.

The Lower Cotter Catchment is covered by existing land use zones identified by agencies with specific functional responsibilities. Key among these are:

- » the Territory Plan, which zones the entire LCC as being for the purpose of protecting water supply. Adjoining areas are identified as P4 Plantation Forestry and Pb National Park
- » the ACT Strategic Bushfire Management Plan, which currently identifies areas within the LCC as either Strategic Fire Advantage Zone or Landscape Fire Management Zone.

The main purpose of management zoning in this Reserve Management Plan is to specify the appropriate levels and forms of use and access (particularly for recreation), having considered the risks of the activities and associated facilities on reserve values, and management priorities of the area. Management and recreation policies are applied to each zone. Further information on recreational access is in Chapter 9.


The management zones for the LCC are described in Table 4.1 and shown in Figure 4. These zones have similar intent to those defined in the draft LCC Recreation Strategy (ACT Government 2010c), but their geographic extent has been updated to take account of changed access controls, particularly the location of locked gates. They also align with zones in the adjoining areas of Namadgi National Park, while giving more emphasis to protecting water quality due to the proximity of easy access to the water impoundment of Cotter Reservoir.

While key values are identified for each of the management zones, particular high-value attributes (for example, presence of threatened species or significant cultural heritage places) can occur anywhere in the LCC and require appropriate protection and management, whether or not they are identified as a key value for the zone in which they occur.

Table 4.1 Lower Cotter Catchment management zones

Zone	Description	Values
Core Catchment – Zone 1	The area surrounding the impounded waters of Cotter Reservoir, creeks flowing directly into it and the Cotter River and tributaries.	Key value is preservation of water quality. Other values are biodiversity, scenic, cultural heritage and scientific.
Road Corridors – Zone 2	Roads available for public vehicle access. The width of the road corridors is generally defined as the width of the road formation plus the maintained verges on each side.	Key value is preservation of water quality. Other values are recreation and scenic.
Restricted Access – Zone 3	The area consisting of the Cotter Dam and associated infrastructure and the water body of the Cotter Reservoir.	Key values are water supply, protection of threatened species, and public safety. Public access is prohibited.

Figure 4: Management zones in the Lower Cotter Catchment



4.2 Access

Management policies for access in each zone in the LCC are set out in Table 4.2. An extensive road and trail network relating to earlier forestry use remains in the LCC, despite some rationalisation after the 2003 fires. As restoration of the catchment progresses, some of the access roads currently required for management activities, such as weed and erosion control, may no longer be required.

The ACT Parks and Conservation Service reviewed the LCC road network and prepared a Road Network Improvement Plan in 2017. Criteria for the review included hazard reduction, fire suppression and emergency response, land management operational needs and recreational access (ACT Government 2017b). The management of illegal access will continue to be a challenge, and the road network will be kept under review with the aim of closing roads and trails that are not required for management purposes.

Table 4.2 Management policies for defined management zones in the Lower Cotter Catchment related to visitor experience, access and infrastructure

Policy Item	Zone 1: Core Catchment	Zone 2: Road Corridors (refer Table 4.3)	Zone 3: Restricted Access
Visitor Experience	Suitably prepared visitors (pedestrians and cyclists) can enjoy recreational experiences in natural settings with scenic and spectacular views from higher elevations. Recommended routes are on roads, or management trails. Encounters with other visitors generally low.	Driving and motor bike riding on publicly accessible roads through recovering landscapes. Encounters with other visitors low to moderate for term of this plan.	Public access prohibited.
Access	Public access by foot permitted. Bicycle access permitted on management trails only. Motorised access on management trails is only permitted for management vehicles and specific authorised purposes (for example, research and volunteer work).	Motorised access on publicly accessible roads for registered vehicles only. Other public access by foot or bicycle.	Public access prohibited. Management and specific authorised purposes permitted.
Management Trails	Existing trail network to be kept under review and rationalised subject to management and emergency requirements.	Existing trail network to be kept under review and rationalised subject to management and emergency requirements.	N/A
Walking Tracks	Walking along existing management trails and off track is permissible.	Walking along existing management trails and off track is permissible. New walking tracks may be developed.	N/A
Public Facilities	No facilities.	Limited low-key facilities.	No facilities.

Table 4.3 Road categories in the Lower Cotter Catchment

Type of road	Description	Example	Comment
Publicly accessible road	Sealed public road or unsealed management trail.	Brindabella Road, Blue Range Road, Bullock Paddock Road.	Access is generally unrestricted.
Restricted access road	Formed (management) trail beyond locked gate (or signposted as closed).	Vanitys Crossing beyond locked gate.	No public vehicular access beyond gate or signpost.

The ACT Parks and Conservation Service may, from time to time, implement seasonal road closures of some roads and management trails to ensure that the integrity of water quality in the LCC is maintained. The closures may be required for operational reasons such as during wet weather conditions, during periods of high or extreme fire danger, to allow restoration works on roads or vegetated areas, or to facilitate vertebrate pest management programs. For up to date information regarding public access to the LCC, Notifiable Instruments under the *Nature Conservation Act 2014* should be referred to.

If roads are required to be permanently closed for management reasons, some of the roads currently included in Zone 2: Road Corridors will change to Zone 1: Core Catchment and will no longer be publicly accessible to vehicles.

For the purposes of recreation management and the application of a zoning system, the hierarchy of roads in the LCC is described in Table 4.3.

All people entering the LCC, including other agencies, need to be made aware of the catchment role of the LCC, as there are many points of access.

Organisations that officially carry out work or approved research beyond locked gates will be issued with a key to access management trails where necessary. These organisations include Icon Water and affiliated businesses (for example, Ecowise), research institutions such as the Water CRC, Australian National University and University of Canberra, and all emergency management vehicles for the Emergency Services Agency.

The above organisations may also be granted access to the waters of the Cotter Reservoir for specific approved purposes but general public access is prohibited.

Occasionally, event organisers may be issued with a gate key to access trails beyond locked gates for special purposes such as in emergencies or to remove waste and equipment.

Access by Traditional Custodians for cultural purposes to restricted areas beyond locked gates will be in accordance with cultural access guidelines (under development) and considered on a case by case basis with the permission of the Reserve Manager.

MANAGEMENT OF ACCESS

OBJECTIVE

- » Access is effectively managed to protect catchment values.

POLICY

- » The road and trail network will be kept under review, with the aim of closing roads and trails that are not required for management purposes.
- » Seasonal road closures will apply when required for management purposes.

ACTIONS

1. Monitor and assess the use of roads and trails by management and other organisations, and maintain strict oversight of the issue of keys for locked gates.
2. Ensure that roads and trails are maintained to appropriate standards.
3. Manage the construction, maintenance and use of roads and trails to minimise impacts such as erosion, the spread of weeds or other factors that may adversely affect reserve values.

4.3 Boundary rationalisation

For the purposes of day-to-day management of the Lower Cotter Catchment, it is an advantage if the boundaries of the reserve follow easily identified features on the ground, especially roads and trails. There are several instances in the LCC where the boundary follows the watershed and is close to, but not coincident with, nearby roads and trails. It is intended to change these through amendments to the Territory Plan.

4.4 Uriarra Village boundary

The public land boundary of the Lower Cotter Catchment overlaps the southern portion of the Uriarra Village leased area (see Figure 5). The overlapping area is subject to a Land Management Agreement between the village and the Territory and the provisions of this management plan do not apply.

Dogs are permitted on-leash on the fire trails indicated in Figure 5.

BOUNDARY RATIONALISATION

OBJECTIVE

Boundary amendments improve management efficiency in the Lower Cotter Catchment.

POLICIES

Reserve boundaries will be adjusted where necessary to assist management operations.


ACTIONS

4. Request amendment/s to the Territory Plan to establish an identifiable boundary for the LCC.



Locked gate on Vanitys Crossing Road (Mark Jekabsons)

Figure 5: Uriarra Village – Area of Public Land subject to Land Management Agreement



CHAPTER 5

Water resources

Cotter River above Vanity's Crossing (Mark Jekabsons)

5 WATER RESOURCES

5.1 Primary management objective

The hydrological condition of the Lower Cotter Catchment is maintained and where possible improved to ensure a continuing high quality and cost effective water supply for the ACT.

5.2 Background

The Cotter water supply was protected from 1914 by legislation that restricted land use in the catchment. Authorities resisted proposals for reducing controls on recreational use, grazing and mineral exploration. Eventually this vigilance was relaxed and hardwood logging and clearing of native forest for softwood plantations were permitted, until they were prohibited in 1960 (Higgins 1994) and 1961 (ANU 1973) respectively, because of concerns for catchment protection.

The initial reforestation (pine planting) by 1931 to control erosion on previously grazed areas was extended to the clearing of native forest areas from 1931 to 1961. To protect pine forests from fire and facilitate management of the pines, an extensive network of roads and fire breaks was constructed. Concern was expressed about the impact of forestry operations on turbidity in the untreated water supply as early as 1930, and increased at intervals after 1934 (Teakle 1962a). In 1925, Lane Poole had reported rapid silt deposition at the head of the reservoir after the Cotter Dam had been in operation for just 10 years. The level of the dam was raised in 1951, and within five years an estimated 170 acre feet (about 210,000 m³) of sediment had been deposited at the head of the reservoir, with additional fine material in lower and deeper parts of the impoundment (Teakle 1965).

Land use in the Lower Cotter Catchment affords a high degree of protection to ensure a high quality raw water source for potable supply to the ACT population. Increased storage capacity from the enlargement of the Cotter Dam in 2013 is intended to meet demand from the growing population, projected to be 405,000 in 2017 and potentially 500,000 by 2032. Consequently, the ACT Government is now necessarily focused on the reliability of high quality raw water resources across the Territory, including the LCC.

Restrictive management of the Cotter Catchment does not guarantee that water quality issues will not arise in the future. Major disturbances, such as the 1983 and 2003 bushfires, can severely compromise water quality. During storms after the 2003 fire, the highly erodible western slopes of the Tidbinbilla Range deposited massive volumes of sediment into streams and then into the Cotter River reservoirs. The water quality in the Cotter Reservoir suffered from these inputs after the 2003 fire, demonstrating that only managing recreation in the LCC is insufficient to deliver pure, clean water.



Aerial view of new Cotter Dam wall under construction



Upper Cotter River at Cotter Flats, Namadgi National Park
(Mark Jekabsons)

In response to the 2003 fires, the ACT Government reviewed non-urban land use and management practices over much of the north-west of the ACT (ACT Government 2003). Following the review, in 2007 a strategic management plan was prepared specifically for the Lower Cotter Catchment with a primary focus on clean water and restoration to a natural landscape. The plan was accepted by government in 2008 and recommended that:

- » no further commercial or broadacre pine plantations be established in the LCC
- » those pines that had been planted post-fire (approximately 1000 hectares) be removed progressively and replaced with native plants
- » native species regeneration would be favoured and restoration measures implemented such as weed management, direct seeding and planting with native species
- » decisions about the management of the existing plantations be made on the basis of catchment management principles rather than commercial return from the sale of timber
- » erosion control measures, including decommissioning of roads, continue to be implemented with a priority on erosion hotspots and in areas with highly erodible soils (ACT Government 2007a).

Today, water for Canberra and Queanbeyan is supplied from the Cotter, Murrumbidgee and Googong catchments. The total area of land managed by the ACT for catchment purposes (including Googong Foreshores) is now more than 53,000 hectares. The three Cotter storages (Corin, Bendora and Cotter) have a combined storage capacity of approximately 160 gigalitres since the enlargement of the Cotter Dam, while Googong Reservoir has the capacity to store almost 122 gigalitres. The enlarged Cotter Dam has increased the impoundment capacity of the reservoir from 4 gigalitres to 79.4 gigalitres. The enlargement increases the relative importance of the Cotter Catchment in maintaining Canberra's water supply.

5.3 Hydrology and water management

The Cotter River is fed by numerous small streams and soaks originating in the Brindabella, Tidbinbilla and Hardy Ranges. Within the lower catchment, small floodplains occur in the riparian zones of the river and larger streams, while significant wetlands in the form of a bog/fen complex occur at Blundells Flat and Shannons Flat. Blundells Flat, on Condor Creek, is in a part of the catchment that is fed by reliable springs and the wetland systems at Blundells Flat slow and absorb surface flow, filter the water and allow sustained release into the creeks below. Shannons Flat, on Wombat Creek, likewise reduces and filters surface and groundwater flows from the slopes above (Butz 2009). Bog or fen complexes are important structures as they release water slowly following rain events.

Flow in the Cotter River is regulated by releases and diversions from the Corin, Bendora and Cotter Dams (ACT Government 2007a). The ACT is a signatory to the Murray Darling Basin water reforms and is obliged to keep its water use within the limits defined in the Basin Water Sharing Plan and to provide for environmental flows downstream. To meet this requirement, the ACT is required to release water into the Murrumbidgee River in ways designed to maintain the health of downstream aquatic ecosystems and significant aquatic species.

The Murray Darling Basin Plan requires the identification of Indigenous cultural and spiritual values in future water planning and management. **Cultural flows** are defined as ‘water entitlements that are legally and beneficially owned by Indigenous Nations of a sufficient and adequate quantity and quality, to improve the spiritual, cultural, environmental, social and economic conditions of those Indigenous Nations’ (MLDRIN, Echuca Declaration, 2007).

The ACT Water Resource Plan is being developed in consultation with the Traditional Custodians to identify opportunities for recognising and strengthening the protection of cultural water values and uses. This will require consideration of water-related sites in the ACT including the Cotter River.

HYDROLOGY AND WATER MANAGEMENT

OBJECTIVE

The LCC delivers high quality raw water to Cotter Reservoir, which provides a clean, safe, reliable and cost-effective domestic water supply.

POLICIES

The protection of water resources is the primary consideration for all decisions and activities occurring in the catchment.

Restoration and natural regeneration will continue to be a major activity within LCC.

Any works within LCC will minimise site disturbance.

ACTIONS

5. Work with Icon water to continue releases of environmental flows to maintain the health of downstream aquatic systems, timed to have maximum ecological benefits, particularly to assist with recruitment and sustainability of threatened fish populations.
6. Work with Traditional Custodians to achieve their objectives for cultural flows and incorporate into relevant management practices.
7. Control and minimise road and trail runoff and active erosion.
8. Review the current condition of wetlands and riparian areas and prepare and implement appropriate management responses to protect them.
9. Undertake risk-based assessments for any works and events that pose a contamination risk to the reservoir or streams in relation to pathogens, chemicals, or erosion and sediment delivery.

5.3.1 Water quality

Contaminants of most concern in water supply catchments are:

- » micro-organisms (in particular organisms that are pathogenic or harmful to humans)
- » suspended material (soil and organic debris)
- » excess nutrients (in particular, phosphorus and nitrogen)
- » chemicals (including pesticides, herbicides and hydrocarbons).

5.3.2 Micro-organisms

The most common and widespread health risk associated with drinking water is contamination, either directly or indirectly, by human or animal excreta and the micro-organisms contained in faeces (NHMRC, NRMCC 2011). Micro-organisms (bacteria, viruses and protozoa) and helminths (parasitic worms) are found in most aquatic environments, and some are pathogenic (disease-causing) or otherwise harmful to humans. It is not feasible to regularly monitor water bodies for all potential pathogens, and therefore an indicator measure (faecal coliforms) has been developed to use as a guideline.

The presence of faecal coliforms in a water sample may be an indication that human or animal faeces have contaminated the water and that harmful, less easily detectable pathogens such as *Cryptosporidium* or *Giardia* may be present (ACT Government 2008). The first barrier to the entry and transmission of pathogens to the water supply system is to protect the catchment from contamination by human and animal faeces. Feral animals may also be sources of pathogens potentially transmissible to humans. Faecal contamination from kangaroos and other native animals presents a lower risk to humans because humans are well separated from these animals in an evolutionary sense.

Recreation

Recreational use of water supply catchments and reservoirs has the potential to impact adversely on microbiological water quality, and access is generally prohibited or controlled. This consideration has guided the use of the LCC since the introduction of the Cotter River Ordinance in 1914. Recreation activities and policies are discussed in Chapter 9.

There are considerable water quality benefits in retaining water in Cotter reservoir before its use in water supply. Direct contamination in the impoundment, especially adjacent to the off-take, may pose a more serious threat than similar contamination higher in the catchment. For this reason, recreational activities are prohibited in or on the waters of the Cotter Reservoir.

Livestock grazing

Grazing has not been permitted in the Lower Cotter Catchment since leases were terminated in 1911. Livestock are sources of pathogens potentially transmissible to humans, and faecal contamination from sheep and cattle is potentially a high risk to water quality. *Cryptosporidium* is an example of a micro-organism carried by cattle. In addition, where livestock have direct access to streams, they cause significant damage to riparian zones (ACT Government 2007b). However, grazing is used in other areas of the ACT to physically reduce fire hazards, and in future may be required for this purpose. No suitable stock fencing remains within the LCC, and any new grazing would require temporary fencing to be erected.

In the light of its potential to impact on microbiological water quality, stock grazing in the LCC will only be allowed when it is clearly the most feasible option in relation to management actions such as fire fuel reduction, asset protection or weed management. Any grazing will be short-term and strictly managed (for example, through stocking rates, and avoiding riparian areas, streams and highly erodible soils) so that it does not adversely affect water quality or vegetation of high conservation value.

WATER QUALITY: MICRO-ORGANISMS

OBJECTIVE

Water in Cotter Reservoir will meet applicable microbiological standards and guidelines for raw water quality within the framework of the National Water Quality Management Strategy.

POLICIES

Control of the potential for contamination by harmful micro-organisms will be given high priority in managing the LCC, with particular attention given to human access and recreation within a catchment still recovering from the 2003 bushfires.

Recreational use of the LCC will be managed to minimise impact on water quality and recreational access to the reservoir is prohibited.

ACTIONS

10. Restrict recreational activities in the Core Catchment Zone and prohibit recreational access in the Restricted Access Zone (in or on the waters of the Cotter Reservoir).



Highly turbid water in the Lower Cotter Catchment following heavy rain

5.3.3 Turbidity and suspended solids

Turbidity (the amount of suspended material in water) is an important public health consideration, as bacteria and pollutants are often attached to the surface of suspended material. Suspended solids comprise organic and inorganic particles of varying sizes, ranging from fine clay soil particles (common in the Canberra region) to coarse plant materials, such as leaves.

Elevated turbidity levels commonly occur after storm events as a result of increased sediment transport. In water bodies this can also be due to re-suspension of sediments from shallow areas in windy conditions or result from mechanical disturbance, such as from wash and propellers of powerboats. Turbidity can also derive from roads and stream crossings. A range of activities have the potential to initiate soil erosion in the catchment, including road works, storms, forestry operations and vegetation removal by burning or grazing. The effects of high intensity fire in exposing soil and removing organic matter will result in increased turbidity following rainfall.

Vegetative cover in the LCC is vital to providing high quality water, as most of the reserve consists of a highly erodible soil type. Prior to the 2003 fires, water from Cotter Reservoir had turbidity levels ranging between 1 and 5 Nephelometric Turbidity Units (NTU) with occasional peaks of up to 20 NTU. However, since the 2003 bushfires, turbidity levels have been in the range 10–120 NTU, with one peak level briefly reaching 200 NTU.

While post-bushfire turbidity in Bendora Dam returned to around 2 NTU in just two years (ACT Government 2007a), turbidity levels in Cotter Dam remained high. The difference between the two adjoining catchments can be attributed to soil type, resilience of the native vegetation at Bendora, and its minimal road network. Although management can do little about soil type, it can influence and alter the type of vegetation, the amount of vegetative cover, and the extent and stability of the road and trail network.

The peaks in turbidity in Cotter Reservoir well exceed the design parameters of the newly installed treatment plant at Stromlo, which is intended to cope with a maximum of 15 NTU (White et al, CRES undated). As turbidity increases, the throughput of the plant decreases and the cost of treating the water increases. If revegetation and other remediation work in the LCC enable a sustained reduction in the turbidity of Cotter water to levels akin to those from Bendora, then these additional costs can be avoided.

To mitigate the quantity of sediment entering the Cotter Reservoir and reduce the severity of gully erosion following rain, a significant number of erosion and sediment control structures were installed in the LCC immediately after the 2003 fires. A condition and functionality assessment audit of these structures was conducted in 2016. The intent of the audit was to inspect 21 gabion structures, 11 sediment dams and assess their stability and effectiveness in catching sediment (Landloch 2016). The condition of the sediment control structures was found to be good and generally fit for purpose, although some structures had failed due to tunnel erosion.

As a result of the audit, remedial works were undertaken in 2016 and 2017. Ongoing monitoring of the structures will be undertaken to ensure they remain effective. Remedial works and new erosion control structures will be undertaken as required and as resources permit.

Minimising ground disturbance, controlling overgrazing, maintaining vegetation cover, slowing overland flow, restricting activity in erosion-prone areas, and filtering runoff from bare areas (roads and management trails) are management responses that will help to reduce impacts on water quality. An additional measure to prevent sediment and organic matter entering the water impoundment during management operations, especially controlled burning and earthworks, will be the identification of a vegetated buffer around the Cotter Reservoir (Water Quality Protection Area) in Operational Plans. Further information is in s. 7.4 Current fire planning.

Overgrazing by native and feral animals

As well as direct water quality effects, management of the numbers of native and feral animals is important in terms of grazing pressure and loss of ground cover. Overgrazing by kangaroos and soil disturbance from feral animals such as pigs and deer, can expose soils to erosion and cause a loss of biodiversity. Further information on pest animal control is in s 6.7.2 (Pest plants and animals). Kangaroo densities in the Lower Cotter Catchment are managed in accordance with the *Eastern Grey Kangaroo: Controlled Native Species Management Plan, 2017* (ACT Government 2017).

WATER QUALITY: TURBIDITY AND SUSPENDED SOLIDS

OBJECTIVE

Water in Cotter Reservoir meets applicable turbidity standards and guidelines within the framework of the National Water Quality Management Strategy.

POLICY

Control of the potential for contamination of Cotter reservoir by soil erosion and transport of materials will be given high priority.

Populations of native and feral animals in the LCC will be controlled to minimise direct and indirect impacts on water quality.

ACTIONS

11. Monitor the effectiveness of existing erosion control structures and undertake stabilisation and erosion control measures in areas that show evidence of active erosion.
12. Develop and implement a long term erosion control plan for the LCC.
13. Manage grazing pressure from native and feral animals to limit loss of ground cover and consequent erosion.

5.3.4 Excess nutrients

Nutrients are a natural component of all water bodies, but increases in their supply often have undesirable effects, including the eutrophication of aquatic ecosystems (ACT Government 2008). Eutrophication is the presence of an abnormally high quantity of plant nutrients. This can lead to excess algal growth, including algal blooms that have recreational, ecological and public health implications. Cyanobacteria (blue-green algae) are of particular concern, as they can produce toxins that are poisonous to people and animals. Blue-green algae counts typically increase during summer. This may necessitate extra measures in the water treatment process or suspension of the use of the water if counts are too high.

Phosphorus is an essential nutrient in aquatic ecosystems, but high concentrations (especially filterable phosphorus) can result in algal blooms and consequent serious water quality problems. In the ACT region, phosphorus is the nutrient that commonly determines the amount of algae that can occur—described as a ‘limiting factor’ (ACT Government 2008). The LCC does not contain major point sources of phosphorus (for example, sewage treatment plants or intensive agriculture). Similar to the rest of the upper Murrumbidgee Catchment, phosphorus most likely comes from subsoil material derived from channel erosion (Starr 1999). Inputs to the reservoir are therefore directly related to catchment condition and management.

WATER QUALITY: EXCESS NUTRIENTS

OBJECTIVE

Nutrient levels in the LCC are maintained below levels that result in nuisance or toxic algal growth and conform to applicable nutrient standards or guidelines within the framework of the National Water Quality Management Strategy.

POLICY

Control of the potential for contamination of Cotter Reservoir by nutrient inputs will be given high priority in managing the LCC.

ACTIONS

14. Identify and manage sources of excessive nutrient input as far as practicable.
15. Minimise nutrient inputs by restricting visitor activities such as camping.



Spraying blackberries in the Lower Cotter Catchment

5.3.5 Chemicals and hazardous materials

A wide range of compounds can be present in raw water and may be naturally occurring (such as mineral salts) or derive from the use of chemicals in the catchment. Pesticides, herbicides and hydrocarbons are the main products considered here, as these chemicals are the ones most likely to present a risk to water quality in Cotter Reservoir. Potentially hazardous materials include asbestos building materials, synthetic mineral fibres, and polychlorinated biphenyls (PCBs).

Pesticides and herbicides

For the purposes of the Australian Drinking Water Guidelines (NHMRC, NRMCC 2011), pesticides and herbicides are grouped with other agricultural chemicals as 'pesticides'. Pesticides are an example of contaminants that can be introduced to water storage by improper use or by accidental spillage in a catchment area. Pesticides and herbicides are used in the LCC, mainly for control of plant and animal pests. Their use, handling, transport and storage will be in accordance with standards or guidelines and relevant legislation. The use of pesticides and herbicides in the ACT is regulated under the *Environment Protection Act 1997*. Amphibian species are particularly susceptible to herbicides and other chemicals, such as fire retardants, and these chemicals should not be used adjacent to the reservoir, streams or wetlands.

Hydrocarbons

Potential entry of hydrocarbons (in particular fuels and oils) to Cotter Reservoir is mainly related to the use of internal combustion engines in the area. This potential is limited by the prohibition of public use of petroleum-fuelled powerboats. However there is an intensive road and trail network and a history of dumping cars in the LCC, which poses a threat to water quality.

Disturbance during fire management operations

In addition to the normal concerns about minimising soil disturbance impacts in a managed catchment during fire operations, the Ecological Guidelines for Fuel and Fire Management Operations (ACT Government 2012b) have been developed for application in the ACT, to minimise adverse impacts on ecological values. The Guidelines will be applied to fire management operations in the LCC.

WATER QUALITY: CHEMICALS AND HAZARDOUS MATERIALS

OBJECTIVE

Chemicals and hazardous materials in the LCC are managed in accordance with the *Environment Protection Act 1997* so that they present minimal risks to reservoir water quality, human health and aquatic species, consistent with the standards within the framework of the National Water Quality Management Strategy.

POLICIES

Chemical use within the LCC will be kept to the minimum necessary to undertake management functions.

Control of the potential for chemical contamination of Cotter Reservoir will be given high priority in managing the LCC.

Chemical use will be minimised in areas adjacent to the reservoir, streams or wetlands.

Chemicals and hazardous materials will be transported, stored, handled and applied in compliance with Australian standards and legislative requirements, including those for occupational health and safety and for avoidance of pollution.

The handling and use of chemicals and hazardous materials is to be undertaken only by suitably qualified and trained personnel.

All operations where there is potential for fuel, oil or chemical spills must have spill kits available, and any spillage must be cleaned up as soon as possible. Pollution incidents that could cause environmental damage are to be reported to the ACT Environmental Protection Authority and, in cases of emergency, the ACT Fire Brigade.


ACTIONS

16. Apply the Ecological Guidelines for Fuel and Fire Management Operations (ACT Government 2012b) to all fire management operations.
17. As far as practicable, use chemicals outside an appropriate buffer distance from the reservoir and away from catchment drainage lines and wetlands. Strictly control the use of chemicals for weed control in riparian and shoreline areas to minimise contamination of the water body, and advise Icon Water when chemicals are in use.

CHAPTER 6

Landscape and ecological values

Ribbon Gum (*Eucalyptus viminalis*) (Michael Maconachie)



6 LANDSCAPE AND ECOLOGICAL VALUES

6.1 Primary management objectives

The ecological condition of natural systems in the LCC is improved.

The connectivity value of the Cotter River is enhanced.

Populations of threatened species are maintained.

Research and monitoring inform improved management of a recovering landscape.

6.2 Background

The LCC has been subject to significant disturbance as a result of human activity. Up to half the area (3000 hectares) was cleared during the early period of settlement in the Canberra region to create grazing land. As early as 1918, overgrazing had resulted in serious soil erosion, which was further exacerbated by the effects of rabbits. To stabilise the landscape, a program of tree planting was established, with 3000 hectares of pines (*Pinus radiata*) planted by 1931. Over time the plantation area grew substantially to finally total 4300 hectares prior to the bushfires in 2003. Eucalypt forest was cleared for pine plantations from 1931 to 1961, although this practice eventually ceased because of community pressure and concerns about the impacts on water quality in the Cotter Reservoir. Virtually all of the vegetation in the LCC was severely burnt in the 2003 wildfire. The former pine plantations and the open forest areas are now undergoing natural regeneration and assisted restoration. About 448 hectares of pine plantations remain, and pine wildlings have spread to many areas within the LCC.

6.3 Landscape and habitat connectivity

The distant mountain ranges, bushlands and river corridors to the west of the Murrumbidgee River are part of the National Capital Open Space System. This visual background contributes significantly to the landscape setting of Canberra (NCA 2008). Dry forest occupies the steeper slopes, ridge tops and the Cotter River valley. Two thirds of the area is either existing or former pine plantation.

The native vegetation along the Cotter River, together with remnant and regenerating vegetation to the south of the Cotter Dam, provides a wildlife corridor

of regional significance linking the northern part of Namadgi National Park with the Murrumbidgee River. Recent analysis of Birdlife Australia data has indicated that the Murrumbidgee–Namadgi link is a significant cross-over point between at least three wildlife movement corridors recognised as important on a national scale:

- » the Great Eastern Ranges corridor that runs from Victoria to North Queensland generally along the coastal escarpment
- » the Australian Alps corridor
- » the Southern Flyway—a connection of woodland vegetation across the southern slopes and central west.

Maintaining and enhancing ecological connectivity is a key approach to implementing conservation at the landscape scale. The resilience of natural areas—their ability to persevere and adjust despite disturbances and changes in land use and climate—depends on the continuity of ecological processes such as energy flows, nutrient cycles, hydrological cycles and food webs. Natural areas should become more resilient if they are larger and better connected, helped by abatement of threats (for example, through control of weeds and pests) and by maintenance of ecological processes and intact native vegetation.

Research by CSIRO shows that most animals of southern Australian woodlands and forests will usually not cross a canopy gap of more than 100 metres, nor travel more than 1.1 kilometres away from a suitably sized patch of living habitat of at least 10 hectares (Doerr et al 2010). Encouraging the development of connected areas of habitat will be important in restoring ecological function to the recovering vegetation of the LCC. Ecological function (or landscape function) generally relates to the ability to retain resources such as soil, water and nutrients within the ecological system (Butz 2009).

LANDSCAPE AND HABITAT CONNECTIVITY

OBJECTIVE

The scenic quality of the Lower Cotter Catchment is maintained and recovered, and landscape function is restored.

POLICIES

Management activities, works and structures that have potential to interrupt or modify significant landscape elements such as skylines, ridgelines and major view-fields will be assessed for visual impact, and adverse impacts will be mitigated. Modification, relocation, screening and removal are options to be considered in mitigating or avoiding impact.

Vistas will be maintained at strategic locations to enable appreciation of the landscape values of the surrounding hills.

Connectivity across the area will be enhanced through improving habitat condition and size of woodland and forest remnants and by ensuring there is canopy connection between patches.

ACTIONS

18. Prioritise habitat connectivity in landscape rehabilitation activities in the LCC.



Erosion gully in Pierces Creek

6.4 Geodiversity

The terrain of the Lower Cotter Catchment is hilly with some steep slopes. Ridges generally run in a north-south direction. Altitude ranges from 500 metres within the valley of the Cotter River up to 1050 metres on the ridges.

The western upper slopes and ridges are composed of Ordovician sediments, deposited in a deep marine environment between 460 and 445 million years ago. These ancient sediments consist of thick sequences of sandstone, shales and quartzite, and form steep and rugged terrain and shallow soils of varying erosion susceptibility.

Dacites from Late Silurian (424–428 million years ago) volcanic activity underlie the middle section of the LCC, while slightly younger rhyolites occur in the eastern third of the area. Soils derived from these volcanics are variable and may form deep sandy and gravelly topsoils over thick and compacted clay subsoils (Abell 1992)

The majority of the area is considered to have high to very high erosion potential, particularly on the slopes and ridges (URS 2009). This has implications for fire management, roading, revegetation and works that involve soil disturbance. There is some localised soil erosion from plantation areas, trails and firebreaks (ACT Government 2005b). Further information on soil erosion and remediation is in s. 5.3.

GEODIVERSITY

OBJECTIVES

Soils across the Lower Cotter Catchment are stabilised.

Features of geological significance are protected from unnecessary disturbance.

POLICIES

The potential for activities (such as recreation and fire management), works and developments (including rehabilitation works) to impact upon geodiversity values and stability of soils will be assessed as part of planning, approval and management processes.

ACTIONS

19. Continue to regenerate hill slopes with suitable native species, stabilise gullies, and remediate erosion from roads and trails.



Pale Flax Lily and Anchor Plant

6.5 Native vegetation

The slopes above and in the vicinity of the Cotter River support relatively intact native forest dominated by Red Stringybark (*Eucalyptus macrorhyncha*), Brittle Gum (*Eucalyptus mannifera*) and Broad-leaved Peppermint (*Eucalyptus dives*). The vegetation community is described as Western Southern Tablelands Brittle Gum–Stringybark–Peppermint Dry Grass/Shrub Forest. The understorey has a diverse shrub layer. Common shrubs include Sticky Cassinia (*Cassinia* spp.), Giant Hop Bush (*Dodonaea viscosa*), Austral Indigo (*Indigofera australis*), and Woolly-head Pomaderris (*Pomaderris eriocephala*). Common groundcover plants include Kangaroo Grass (*Themeda triandra*), Native Raspberry (*Rubus parvifolius*), Many-flowered Mat Rush (*Lomandra multiflora*) and Golden Everlasting (*Xerochrysum bracteatum*).

Small areas of riparian forest dominated by River She-oak (*Casuarina cunninghamiana*) or Ribbon Gum (*Eucalyptus viminalis*) occur on flats associated with the Cotter River and along Condor Creek. On flats in cold air drainage areas, forest or woodlands of Black Sallee (*Eucalyptus stellulata*) and Candlebark (*Eucalyptus rubida*) occur.

Sugarloaf Mountain, on the eastern boundary of the area, was intensively burnt in 2003 and supports a recovering open forest dominated by Red Box (*Eucalyptus polyanthemos*) and Red Stringybark. The understorey is similar to that found in the vicinity of the Cotter River with Red-stemmed Wattle (*Acacia rubida*) and Fringed Wattle (*Acacia falciformis*) being prominent.

About 50 hectares of Mountain Gum (*Eucalyptus dalrympleana*) montane forest occurs above 1000 metres on the northern end of Bulls Head Range in the south of the LCC. Brittle Gum, Broad Leaved Peppermint and Narrow Leaved Peppermint (*Eucalyptus radiata*) open forest occupies the lower altitude slopes of Bulls Head Range and Thompsons Hill. Scribbly Gum (*Eucalyptus rossii*) is dominant on the west-facing slope above Condor Creek. Common mid-storey species include Red-stemmed Wattle, Broad Leaved Hickory Wattle and Cassinia sp. The understorey contains much bare ground, a Snow Grass (*Poa sieberiana*) and Spiny-headed Mat-rush (*Lomandra longifolia*).

6.5.1 Uncommon plant species and vegetation communities

Plant species recorded in the Lower Cotter Catchment that are uncommon in the ACT include:

- » Anchor Plant (*Discaria pubescens*), with one recorded location above the Cotter Reservoir
- » Brooklime (*Gratiola pumilio*), recorded at Bullocks Paddock community planting area
- » Emu Foot (*Cullen tenax*), Pale Flax-Lily (*Dianella longifolia*), Yellow Burr-daisy (*Calotis lappulacea*) and Varnish Wattle (*Acacia verniciflua*), recorded in areas disturbed or inundated as a result of the Cotter Dam enlargement (Biosis 2009). It is likely that at least some of these species remain in the Cotter Valley
- » about 200 plants of the mallee form of Mountain Swamp Gum (*Eucalyptus camphora* subsp. *humeana*), occurring at two nearby locations in the Upper Condor Creek–Shannons Flat area.

The 'Alpine Sphagnum Bogs and Associated Fens' ecological community is listed as an endangered ecological community under the EPBC Act. This is due to its small geographic distribution, coupled with significant demonstrable threats (including climate change and fire), continued decline of functionally important species, and the severe reduction of the community's integrity across its range.

The north west corner of the LCC contains two small wetland communities at Blundells Flat and Shannons Flat. At an elevation of 740 to 780 metres, Blundells Flat is unusual as a discrete flat with a range of wetland systems within otherwise steep and heavily forested terrain. It is intermediate between high altitude bogs dominated by *Sphagnum* moss, and fens of the lowlands which tend to be dominated by *Carex* sedges. Blundells Flat contains a core area of *Carex* within a broader flat containing some areas dominated by wet grassland, *Phragmites* on soaked ground, and *Poa labillardierei* on the gentle raised slopes. Dense *Eucalyptus viminalis* regeneration forms a hard line against parts of the fen and the surrounding slopes consist of regenerating *E. viminalis*-*E. robertsonii* wet forest.

Shannons Flat, at 700 to 720 metres, is considerably smaller and includes a series of hill slope seeps and soaks on different gradients draining from Wombat Creek. These are dominated by a mix of grassland and herb field vegetation. Shannons Flat is waterlogged in winter and is one of only two known locations of wild populations of Mountain Gum (*Eucalyptus camphora*) in the ACT.

The sphagnum bog and fen at Blundells Flat is close to public access roads and is at a particularly low elevation. It is one of only two examples of this community to occur in the ACT outside Namadgi National Park—the other is at Gibraltar (ACT Government 2009c). Management of the Blundells Flat and Shannons Flat wetlands will be guided by new management guidelines for the ACT's Sphagnum bogs and fens.

NATIVE VEGETATION

OBJECTIVE

Native plant species and communities are maintained and/or rehabilitated, with an increase in both extent and condition.

Populations of uncommon plant species are conserved.

POLICY

During management activities, disturbance to riparian or wetland vegetation, or areas supporting protected plant populations, will be avoided wherever possible.


Management of wetlands at Blundells Flat and Shannons flat will be guided by management guidelines for the ACT Sphagnum bogs and fens (in preparation).

ACTIONS

20. Continue restoration of native vegetation cover to stabilise the catchment.
21. Prioritise conservation of riparian vegetation, populations of uncommon plant species, and the bog/fen complexes at Blundells Flat and Shannons Flat.



Blundells Flat (Luke Johnston)



Left: Two-spined Blackfish (Mark Jekabsons), Macquarie Perch (Esther Beaton)

6.6 Native animals

6.6.1 Fish

Within the Lower Cotter Catchment, the Cotter River and its tributaries are important habitat for three threatened fish species—Macquarie Perch (*Macquaria australasica*) and Trout Cod (*Maccullochella macquariensis*), listed as endangered at both ACT and national levels, and Two-spined Blackfish (*Gadopsis bispinosus*), listed as vulnerable in the ACT. The Mountain Galaxias (*Galaxias olidus*) is also present.

The Cotter Dam has prevented invasion of the Cotter River system by some alien species such as Carp (*Cyprinus carpio*) and Redfin Perch (*Perca fluviatilis*), and the continued exclusion of these fish is important for the conservation of threatened species and the health of the aquatic environment generally. The threats to native fish species are outlined in ACT Action Plans and can be summarised as:

- » habitat destruction or modification (including the effects of dams and weirs)
- » introduction of alien species, and
- » illegal fishing.

Habitat destruction or modification is one of the main causes of native fish declines in Australia. The major types of habitat modification are:

- » barriers to fish passage (including from natural barriers, dams, road crossings and weirs)
- » alteration to flow or thermal regimes below dams and weirs
- » reduction of in stream habitat from sedimentation
- » reduction in water quality.

The introduction of alien species is often cited as a cause of native fish declines in Australia, although much of the evidence is anecdotal. However, there is evidence at a population level of Mountain Galaxias being adversely affected by Brown Trout and Rainbow Trout through predation, and competition for feeding, spawning or territory (Lintermans 2000) and evidence in the LCC of predation by trout on other species, including Two-spined Blackfish (ACT Government 2007b).

Further information on threats to native aquatic species is outlined in the ACT Aquatic Species and Riparian Zone Conservation Strategy (ACT Government 2007b) which is under review.

Rainbow Trout (*Oncorhynchus mykiss*) and Brown Trout (*Salmo trutta*) are located throughout the LCC, while Eastern Gambusia (*Gambusia holbrooki*), Oriental Weatherloach (*Misgurnus anguillicaudatus*) and Goldfish (*Carassius auratus*) are confined to the Cotter Reservoir and the river immediately upstream.

Another potential impact of alien species is their ability to introduce or spread diseases and parasites to native fish species, principally the disease Epizootic Haematopoietic Necrosis (EHN) virus. The spread of EHN has been aided by its relatively resistant characteristics and the ease with which it can be transmitted from one geographical location to another on nets, fishing lines, boats and other equipment. As part of the enlarged Cotter Dam Project, ACTEW Water developed the EHN Virus Management and Response Plan to ensure staff and contractors avoided contamination of the reservoir (ACTEW Water 2013a). Protocols for preventing the spread of EHN and other diseases have been developed and will be implemented in management operations in the LCC.

The Two-spined Blackfish (*Gadopsis bispinosus*) is listed as a vulnerable species in the ACT. It occurs in cool clear upland streams in a narrow band from north-eastern Victoria, extending through south-eastern NSW to the ACT, which is the northern extremity of its range. In the ACT, the species is now only found in the Cotter River catchment upstream of the Cotter Dam. Threats to the ACT Blackfish population include sediment loads and flow conditions as well as drought and exotic species (ACT Government 2007b).

Following the 2003 bushfire and subsequent sedimentation, Blackfish were found to be in reduced abundance in the LCC for a number of years. Through sediment mitigation in the catchment and provision of environmental flows, the species has recovered from more secure areas upstream. A key recovery action for Blackfish is to monitor the condition of the local population (in particular, recruitment) to inform decisions about adaptive flow and catchment management.

Macquarie Perch (*Macquaria australasica*) is listed as endangered in the ACT and nationally. Cotter Reservoir contains one of the most viable populations of Macquarie Perch in Australia. Macquarie Perch was once widely distributed in the region, but currently the only sustainable population in the ACT is found in the Cotter Reservoir and the Cotter River immediately upstream of Cotter Dam (ACT Government 2007b).

Macquarie Perch is the only native species known to make regular river-reach or larger migrations within the Cotter catchment. It spawns in flowing waters, in late spring/summer, when water temperatures reach approximately 16.5°C. The eggs are washed downstream where they lodge in gravel or rocky areas until hatching (Lintermans 2012).


Significant efforts have been taken to rehabilitate aquatic habitat in the LCC. Rock reefs have been constructed in the Cotter Reservoir to provide Macquarie Perch with shelter from predation. Structures, such as the Vanitys Crossing fish ladder built in 2001, have been constructed to allow Macquarie Perch and other fish species, to gain access to the Cotter River above the barrier of Vanitys Crossing into upstream habitat during their breeding migrations (Ebner 2007). The fish ladder was severely damaged in the high flows of spring/summer 2010 and was rebuilt in autumn 2011. Macquarie Perch have now been found breeding more than five kilometres above the crossing, and the resident population has also expanded.

Despite the mitigation of this man-made barrier, a number of natural barriers have been identified which, depending on flow level, may prevent Macquarie Perch (and other fish species) from the Cotter Reservoir accessing suitable upstream breeding sites (Broadhurst et.al 2016). Sedimentation, flow (including thermal pollution), and altered flow regimes may also have an impact and are adaptively managed through provision of environmental flows. Other threats to Macquarie Perch include alien species and disease.

The nationally endangered Trout Cod (*Maccullochella macquariensis*) was stocked in Bendora Reservoir as a conservation measure in the 1980s and 1990s and some individuals of this species have been displaced downstream of Bendora Dam and may be present in the Lower Cotter. Trout Cod are usually associated with in-stream cover, such as fallen timber or boulders (ACT Government 2007b).

Under the *Fisheries Act 2000*, the Cotter River upstream of the Cotter Dam wall to the junction of Condor Creek and including Cotter Reservoir is defined as Prohibited Waters, meaning that the waters are closed to fishing.

Fishway at Vanitys Crossing (Matt Beitzel), Trout Cod (Esther Beaton)



6.6.2 Invertebrates

The Murray River Crayfish (*Euastacus armatus*), listed as vulnerable in the ACT, has been observed in a short reach of river immediately upstream of the impounded waters of the old Cotter Dam and occasionally in the Cotter Reservoir. This species is widespread across the Murray River catchment. In the ACT it is found in low numbers in the adjacent Murrumbidgee River and in the Cotter River below the Cotter Dam (Ryan 2013).

The tributaries of the Cotter River, particularly Condor and Lees creeks, provide habitat for Alpine Spiny Crayfish (*Euastacus crassus*). Within the ACT it appears to be restricted to the tributaries of the Lower Cotter and upper Paddys River catchments. Distribution of the species in the ACT is currently under assessment.

A burrowing land crayfish (*Engaeus cymus*) is a widespread species across eastern Australia (McCormack 2016), is known to occur at Blundells Flat (Butz 2009), and is likely to occur in other areas in the LCC. It is one of the few *Engaeus* species found in habitats above 1000 metres and is therefore potentially at risk from climate change. Additional research would be required to determine the local and regional status of the species.

The regionally uncommon Flightless Matchstick Grasshopper (*Keyacris scurra*) has been recorded at Blundells Flat (NCPA 1989), but was not found during extensive searching in 1992 (Butz 2004). Threats to invertebrates and management actions to conserve them are outlined in Action Plan 29; ACT Aquatic Species and Riparian Zone Conservation Strategy (ACT Government 2007b) which is under review.

6.6.3 Amphibians

Until 1996, Blundells Flat supported a breeding population of the Corroboree Frog (*Pseudophryne corroboree*) (Rauhala 1997). This is the lowest altitudinal record of this species and one of the most northerly. However, it now appears to be extinct in the LCC. The Brown Toadlet (*Pseudophryne bibronii*), which is considered rare in the ACT, has been recorded in a phragmites swamp at Thompsons Corner, off Condor Creek.

The Brown-striped Frog (*Limnodynastes peronii*), considered to be uncommon in the ACT, has been recorded in the Cotter River (Rauhala 1997, Biosis 2009). Other common species found in the Lower Cotter Catchment are Peron's Tree Frog (*Litoria perroni*), [Verreaux's Tree Frog](#) (*Litoria verreauxii verreauxii*) and the Eastern Banjo Frog or Pobblebonk (*Limnodynastes dumerili*).



Murray River Crayfish (Mark Jekabsons) Pobblebonk (Esther Beaton)



6.6.4 Birds

A relatively large number of threatened and regionally declining woodland birds have been recorded within the Lower Cotter Catchment. Woodland birds are those species particularly associated with the wheat/sheep belt in the south west slopes area of NSW which includes varied habitats including woodlands and wet and dry sclerophyll forests. The Brown Treecreeper (*Climacteris picumnus*), Varied Sitella (*Daphoenositta chrysoptera*) and Scarlet Robin (*Petroica boodang*) are listed as vulnerable in the ACT and NSW.

Other species recorded in the LCC and listed as vulnerable in NSW include the Flame Robin (*Petroica phoenicea*), Red-capped Robin (*Petroica goodenovii*), Diamond Firetail (*Stagonopleura guttata*), Gang Gang Cockatoo (*Callocephalon fimbriatum*), Dusky Woodswallow (*Artamus cyanopterus*), White-browed Woodswallow (*Artamus superciliosus*), Crested Shrike Tit (*Falcunculus frontatus*) and Southern Whiteface (*Aphelocephala leucopsis*) (ACT Wildlife Atlas, Biosis 2009). The restoration of sections of former pine plantations to native vegetation, particularly the 'shrubbying up' of these areas, is likely to favour these and other species and enhance the wildlife connectivity of the catchment.



Spotted-tailed Quoll (Andrew Murray). Scarlet Robin.

6.6.5 Mammals

Three bat species listed as vulnerable in NSW have been recorded in the vicinity of the Cotter Reservoir. The Lower Cotter Catchment is likely to be foraging habitat for the Large-footed Myotis (*Myotis macropus*), Eastern False Pipistrelle (*Falsistrellus tasmaniensis*) and Eastern Bent-wing (*Miniopterus schreibersii oceanensis*) (Biosis 2009).

The area is also likely to provide habitat and connectivity between the Murrumbidgee River Corridor and Namadgi National Park for the Spotted-tailed Quoll (*Dasyurus maculatus*), a vulnerable species occasionally recorded in the LCC vicinity.

The physical shape and natural boundaries of the LCC make it a suitable site for re-introduction of locally extinct species such as the Eastern Bettong (*Bettongia gaimardi*). The mainland populations are thought to have become completely extinct by the 1920s, and were probably lost from the ACT by around 1906. A breeding population has been successfully introduced to Mulligans Flat Nature Reserve and Tidbinbilla from animals obtained in Tasmania (Ikin 2012).

6.6.6 Reptiles

The Nobby Dragon (*Amphibolurus nobbi*) was recorded in 1993 in the vicinity of the Cotter Dam wall. This is an uncommon species in the ACT. It may be found elsewhere in the vicinity of the Cotter River in open *Callitris* and *Eucalyptus* forest, on warm aspects that are rocky and have a large amount of bare ground with woody debris (Rauhala 1993).

The Pink-tailed Worm Lizard (*Aprasia parapulchella*) has been recorded at Uriarra Hill and Stoney Creek Nature Reserve just outside the LCC. There has been very little survey undertaken within the LCC to determine its likely occurrence. Revegetation works should avoid rocky areas that may provide habitat for the lizard.

NATIVE ANIMALS

OBJECTIVE

Populations of native animal species are maintained in secure habitat.

Threatened aquatic species are conserved and have improved connectivity to upstream habitat.

POLICIES

Management priority will be given to maintaining viable populations of the LCC's threatened aquatic fauna.

Threats to threatened aquatic fauna will be managed in accordance with *Action Plan 29; ACT Aquatic Species and Riparian Zone Conservation Strategy* (under review).

Revegetation will utilise native plant species and seek to provide habitat suitable for woodland birds and other species.

Fishing regulations to protect threatened native fish species, which include the requirement for fishers to return to the river unharmed any caught Macquarie Perch, Two-spined Blackfish, Trout Cod and Murray River Crayfish, will be enforced.

Protocols for preventing the spread of EHN and other diseases will be followed during management operations.

ACTIONS

22. Enforce fishing regulations and continue to prohibit the use of bait fishing in the LCC, as it may introduce alien species and carry parasites and diseases.
23. Undertake research into the threats to threatened aquatic species, including Macquarie Perch in accordance with Action Plan 29 (under review).
24. Prohibit the movement of any aquatic plants, aquatic animals or water from outside the Cotter catchment into the Cotter catchment.
25. Explore options to improve connectivity for aquatic species to upstream habitat, such as providing fish passage when road infrastructure is upgraded.

6.7 Management issues

6.7.1 Climate change

The ACT is already experiencing warming, with more hot days and fewer cold nights. Future rainfall is predicted to decrease in spring and winter, and increase in summer and autumn. The rainfall changes are also associated with changes in the frequency of extreme events, such as floods and droughts, as well as secondary impacts such as water quality and soil erosion that occur as a result of changes to rainfall intensity. Increases in average and severe fire weather are expected to occur mainly in summer and spring (OEH 2014). Prolonged dry periods and greater evaporation rates predicted to result from climate change are likely to place more pressure on water resources (ACT Government 2014a) and consequently to focus attention on minimising disturbance in water supply catchments.

The ongoing impacts of climate change on biodiversity are expected to be serious, even with a relatively small increase of 1–2°C in average temperature. Native species will likely experience quite different local environments than they do now and will need to adapt to those environmental changes, expand or change their range, or go extinct (Doerr et al 2013). Species with restricted climatic ranges, small populations and limited ability to adapt or migrate, are most likely to suffer dramatic declines or local extinction as suitable habitat disappears in the ACT (ACT Government 2012d). Doerr et al (2013) consider that within the ACT, the wildlife of the Murrumbidgee and North Canberra areas will be under greatest pressure from climate change.

Increased frequency and magnitude of fire may have multiple negative impacts on the region's biodiversity through ecosystem destruction and alteration, including changes to species distribution and abundance, and increased establishment of invasive species after a fire (Steffen & Hughes 2013). Habitat protection is considered the optimal action for assisting the majority of species to adapt to climate change within budgetary limitations (Steffen & Hughes 2013). Ecosystem resilience needs to be maximised by managing threats such as weeds, pest animals, and fire. Predicted climate change is likely to increase these threats, and a proactive approach to managing them is vital.

The LCC is important to enhancing the resilience of the ACT's wildlife to climate change, as it provides an altitudinal connectivity link between the landscapes of the Murrumbidgee and North Canberra and those of Namadgi National Park and the Australian Alps.

The link is between a range of ecosystem types and microclimates and is a potential route by which the current ranges of species may be altered in response to climate changes.

To help ecosystems and species adapt in the face of climate change, reserve managers will focus on ‘no regret’ options that emphasise natural resilience and are likely to benefit biodiversity regardless of the degree of climate change. Approaches might include:

- » increasing resilience by controlling or managing ‘non-climate change’ ecological stressors such as weeds, native and introduced herbivores, and introduced predators
- » for landscapes—identifying, managing and protecting potential climate refugia, and connections across communities and environmental gradients
- » for ecological communities—promoting resilience through native diversity, and in some cases, accepting transitions to new structural community types
- » for species—maintaining large, well connected and genetically diverse populations.

The ACT Government’s strategic approach to adapting to climate change is set out in the ACT Climate Change Adaptation Strategy: Living with a Warming Climate (ACT Government 2016). As a small jurisdiction, it is not possible for the ACT to address climate change and its impacts in isolation. A collaborative approach across the Australian Alps and Southern Tablelands region will be most effective in addressing the impacts of climate change. Restoration of the Cotter Catchment following bushfires in 2003 is a key ACT Government initiative related to water and climate change adaptation in the ACT (ACT Government 2014c).

CLIMATE CHANGE

OBJECTIVE

The resilience of natural systems against climate change impacts is strengthened.

POLICIES

Knowledge and understanding of potential climate change impacts will be incorporated into management of the LCC.

The protection of species and ecological communities considered to be at risk from climate change will be prioritised for active management.


The ecological connectivity of the LCC, particularly the Cotter River, will be maintained and improved.

ACTIONS

26. Promote resilience to climate change by:

- » controlling or managing ecological stressors such as weeds, herbivores and introduced predators
- » identifying, managing and protecting potential refugia and landscape connections
- » maintaining and restoring diversity in ecological communities
- » maintaining large, well connected and genetically diverse populations.

Figure 6: Diagram showing the warming of the future climate (ACT Government 2016)





Pine wildling removal in the Lower Cotter Catchment

6.7.2 Pest plants and animals

Introduced plants and animals are a management challenge within the Lower Cotter Catchment, as they thrive at the expense of ecological processes and native populations. A strategic approach to managing pest species involves determining priorities based on the damage that particular species cause and the feasibility and ease of their control. Methods may change due to a range of factors and the management regime will reflect nature and extent of problem.

Weeds are prolific in many areas of the catchment. Large patches of St Johns Wort occur in the former pine plantation areas. Blackberries heavily infest much of the riparian environment and adjacent areas. Priority control of blackberries will be targeted to:

- » sites containing threatened species
- » areas of high quality remnant, or regenerating, native vegetation
- » the perimeter of the LCC where there is a risk of blackberries spreading to other areas of conservation significance, such as Namadgi National Park.

Pine wildlings are widespread throughout the native areas bordering the former plantations. Management of pines is discussed further in Chapter 11.

The main animal species of concern are pigs, rabbits, foxes and wild dogs. More recently, the European Wasp has emerged as a significant environmental threat.

Feral pigs have a range of impacts, including digging for and feeding on native plants and animals, and wallowing and disturbing soils in dams, waterholes and other moist areas, destabilising creek banks and accelerating erosion. Feral pigs also spread weeds and disease and can present a direct physical risk to visitors. Predation, habitat degradation, competition and disease transmission by feral pigs is listed as a key threatening process under the EPBC Act. Feral pigs are present in the LCC, where they are subject to reactive control programs, mainly trapping and 1080 baiting, conducted in accordance with nationally-agreed methods.

There are a number of alien fish species established in the Cotter catchment, two of which are centred in the Cotter Reservoir [Eastern Gambusia (*Gambusia holbrooki*) and Goldfish (*Carassius auratus*)], one expanding upstream from Cotter Reservoir [Oriental Weatherloach (*Misgurnus anguillicaudatus*)], one restricted to the lower catchment, downstream of Bendora Dam [Brown Trout (*Salmo trutta*)], and one widespread throughout the catchment [Rainbow Trout (*Oncorhynchus mykiss*)] (Lintermans 2012). Carp (*Cyprinus carpio*) and Redfin Perch (*Perca fluviatilis*) are alien species common in the Murrumbidgee River but not known to occur above Cotter Dam. Preventing incursion of these species to the LCC and early detection and emergency response programs are a priority for the protection of threatened fish species.

Table 6.1 Pest animals in the Lower Cotter Catchment – status and control programs

Pest animals	Status	Control programs
Feral pig ^{1,2}	Groups of feral pigs appear in LCC each year.	Trapping and/or baiting whenever fresh signs are found.
Dingo/wild dog ^{1,2}	An important high order predator.	Wild dog control, using trapping and/or seasonal baiting, undertaken along Pipeline Road.
Fox (European Red Fox) ^{1,2}	Present.	Ongoing, catchment wide baiting with 1080 and also killed as part of wild dog baiting.
Rabbit ^{1,2}	Present in large numbers.	Warren ripping, rabbit haemorrhagic disease virus releases, ground baiting, fumigation. Follow-up shooting.
Hare (European Brown Hare) ²	Local populations.	Shooting. The management regime may change and will reflect the nature and extent of problem.
Goat ^{1,2}	Occasional animals.	Monitoring for goat incursion followed by trapping/shooting to control. The management regime may change and will reflect the nature and extent of problem.
Deer (Sambar, Red, and Fallow Deer) ¹	Emerging pest species in the ACT and region. Sightings in the LCC and vicinity.	Informal monitoring. Collaboration with other reserve managers on developing appropriate control methods, which may include shooting.
Feral cats ²	Present.	Trapping, baiting and opportunist shooting. The management regime may change and will reflect the nature and extent of problem.
European Wasp ¹	Voracious predator of native invertebrates. Aggressive species with painful multiple stinging capability.	Control and response measures: <ul style="list-style-type: none"> » public education, including identification, food handling and disposal » baiting and nest destruction.

Notes 1. Listed in Pest Plants and Animals (Pest Animals) Declaration 2005 (No. 1).
2. Listed in ACT Pest Animal Management Strategy 2012–2022 (ACT Government 2012c).



Rabbits and Feral pig in the Lower Cotter Catchment

6.7.3 Disease

Phytophthora cinnamomi is a water mould that grows through the roots of plants, preventing them from absorbing water and nutrients and resulting in dieback. Some plants such as Red Stringybark, Proteaceae (Banksia, Grevillea, Lomatia) and Xanthorrea are particularly susceptible to the fungus. Phytophthora was recently recorded near Pierces Creek.

The Cotter River fish populations are currently free from a number of exotic fish parasites and diseases, such as Epizootic Haematopoietic Necrosis (EHN) virus, carried by Redfin Perch).

The effects of introduced parasites and diseases on native fish can be severe, with EHN a notable case. This disease can be transported from one water body to another either on live fish, through water transfer or on fishing lines, boats and other fishing tackle. This disease is widespread in Canberra's urban lakes and the Murrumbidgee River but has not established in the Cotter system, probably due to the absence of the common carrier species (Redfin Perch), a policy of not stocking fish species for recreational fishing (since the 1980s), and restricted fishing access.

EHN has been shown to infect several native fish species, including some that occur in the Cotter River catchment. In particular, the threatened Macquarie Perch has been shown in laboratory trials to have 100% mortality to EHN (Langdon 1989).

Compliance with policies and procedures to prevent EHN entering the Cotter River system are critical to survival of Macquarie Perch populations.

PESTS AND DISEASE

OBJECTIVE

The damaging impacts of pests and disease on the values of the LCC are minimised through strategic and effective management programs and the application of protocols.

POLICIES

Weed control will focus on high priority areas and high priority species, particularly in areas adjacent to Namadgi National Park and within areas of high quality native vegetation.

Best efforts will be made to contain Phytophthora to existing infestations.

The LCC will be managed to avoid the introduction of the EHN virus and other aquatic pests and diseases.

Priorities for pest animal control will be guided by the impact particular animals are having, firstly on the water resource and then on restoration and protection of cultural and natural heritage values.

ACTIONS

27. Target weed control to priority areas and to where regeneration is occurring naturally.
28. Conduct a survey for Phytophthora and prioritise and manage infected areas to contain the disease.
29. Implement existing protocols for preventing the spread of EHN and other aquatic diseases and review their effectiveness as required.
30. Develop early detection programs and emergency response plans to prevent the introduction of alien fish species, such as Carp and Redfin, to the LCC.
31. Design and undertake management programs for pest animals and plants in accordance with the ACT Pest Animal Management Strategy 2012–2022, ACT Weeds Strategy and pest control priorities, and in cooperation with adjacent land managers.

6.8 Landscape recovery

The 2007 Lower Cotter Catchment Strategic Management Plan envisaged the return of the catchment, over an extended period, to native vegetation rather than plantation pines, using indicative modelling of pre-1750 structural vegetation types as a guide. The intention of the modelling was simply to inform the selection of dominant tree species and vegetation structure as it was not considered feasible to restore the pre-1750 vegetation communities. Revegetation was also to be integrated with fire management and take into account the habitat and ecological connectivity requirements of fauna and the role of fauna in improving landscape function. Initial management action focused on weed removal (pines), stabilisation and erosion control, as sites denuded of vegetation were exposed and prone to soil loss.

While the catchment is still recovering from the 2003 bushfires, the pattern of native vegetation in the LCC is expected in the long term to consist primarily of:

- » montane dry forest dominated by *E. dives* or *E. rubida*
- » tableland grass/shrub forest dominated by *E. macrorhyncha*
- » montane moist forest dominated by *E. robertsonii*/*E. viminalis*
- » montane forest dominated by *E. dalrympleana*.

A Vegetation Management Implementation Plan was prepared by Parks Conservation and Lands (PCL) to guide native vegetation regeneration over the 5 years from 2007 to 2011. The revegetation was undertaken utilising contractors and with considerable assistance from community groups and individual volunteers.

PCL prepared a Vegetation Monitoring Program for broad-scale monitoring across the catchment over different ecological communities and land management types, to establish a baseline monitoring program and to track ecosystem recovery and ecological function over time. Twenty one sites were selected including two reference sites outside the LCC which were not affected by the 2003 fires. The monitoring methodology incorporated Landscape Functional Analysis (LFA) and a rapid vegetation assessment to record changes in the floristic diversity and structural composition of the vegetation associations across the range of different areas within the LCC.

The monitoring was undertaken in 2008, 2011 and 2014 and has revealed significant changes occurring within the vegetation associations with all sites demonstrating an increasing trend in overall ecological function—increases in ground cover, perennial plants, numbers of trees and shrubs, leaf litter and development of soil crusts. The abundance of annual weeds has been reduced but blackberries remain a problem. Native plant diversity has also typically increased, with a higher diversity of native plants than of exotic species in many areas.



Gully erosion control, Lower Cotter Catchment



Five years growth after a Greening Australia community planting in the Lower Cotter Catchment. Before (top) and after (bottom) (Julian Robinson)

The monitoring also indicated that positive successional transition is taking place but is occurring at varying rates across the various ecological communities (DnA Environmental 2014). The monitoring will continue at three yearly intervals across the LCC.

In 2016 vegetation mapping was completed for the LCC. The project identified 6105 hectares of vegetated landscape in the LCC comprising: 1524 hectares of remnant vegetation (land that was not cleared for plantation); 1051 hectares of vegetation dominated by either exotic trees or shrubs (570 hectares of which is being managed for plantation pine); 3529 hectares (the majority of the LCC) dominated by native trees, shrubs and grasses with some pine wildlings and blackberries. These native dominated areas have been derived from the old pine plantations and represent a mixture of revegetated areas and natural regeneration.

The mapping revealed a few trends worth noting when compared with the expected long term vegetation patterns:


- » Revegetation of Tableland Dry Shrubby Woodland (*E. bridgesiana* / *E. dives*) has not progressed well and much of the predicted range of this species is under pine plantation or is dominated by blackberries with only sparse tree cover.

- » The areas predicted to have been Montane Dry Forest (*E. dives* / *E. rubida*), Tableland Grass/Shrub Forest (*E. Macrorhyncha*) and Montane Moist Forest (*E. radiata* and *E. viminalis*) are covered by exotic forests and woodlands dominated by pines and blackberries with scattered patches of native trees and shrubs.
- » Regenerating native forest and woodlands (mapped as Derived Native Forests and Derived Native Woodlands) cover the majority of the area, predominantly land that was predicted to support Montane Dry Forest (*E. dives* / *E. rubida*), Tableland Grass/Shrub Forest (*E. macrorhyncha*) and Montane Moist Forest (*E. radiata* / *E. viminalis*). Approximately 70-80% of these communities are dominated by native vegetation with the remainder being dominated by an exotic canopy of pines and shrub layer of blackberries.

Although the 2016 mapping did not assess the species composition of the regenerating areas, it appears to be a mix of *E. viminalis*, *E. mannifera* and *E. dives* which is not representative of any of the pre-1750s modelled communities. This could be a new community beginning to establish or may change into a more recognisable community over time (Greg Baines, pers. comm. Senior Ecologist, EPSDD, email, 5 May, 2017).

Revegetation is a key element of landscape recovery works. Priority has been given to riparian zones and other sensitive areas. Weed control is an ongoing challenge, as many weeds thrive in the post-fire environment when competition from native plants is minimal.

Figure 7: Vegetation map



Vegetation Communities 2016

Southern Tableland Dry Sclerophyll Forests

- Broad-leaved Peppermint - Mountain Gum shrubby tall open forest
- Broad-leaved Peppermint - Mountain Gum tall shrub-grass open forest
- Red Stringybark - Scribbly Gum - Red-anthered Wallaby Grass tall grass-shrub dry sclerophyll open forest
- Robertson's Peppermint - Red Stringybark very tall grass-forb sheltered open forest

Southern Tableland Wet Sclerophyll Forests

- Ribbon Gum - Robertson's Peppermint very tall wet sclerophyll open forest

Montane Bogs and Fens

- Carex Fen

- Derived Native Forest
- Derived Native Shrubland
- Derived Native Woodland
- Environmental Planting
- Exotic Grassland
- Exotic Shrubland
- Exotic Woodland
- Exotic Forest
- Plantation Exotic
- Disturbed
- Water

The tasks required to achieve native vegetation coverage consistent with the water quality objectives are principally weed control, removal of wildling pines, treatment of erosion hotspots with more intensive vegetation establishment, reduction/removal of surplus road infrastructure and remediation of the surrounds, continued monitoring of recovery, and management of fire fuel hazards.

In determining the future native vegetation regeneration priorities for the LCC, a detailed assessment of the current status of vegetation types and structure against the pre-1750s modelling is required to enable decisions to be made on a practical forward revegetation program over the next ten years. The priorities are:

- » targeted pine wildling removal in areas of high quality remnant native vegetation
- » follow-up remedial works in areas that have had past treatment, such as Blundells Flat
- » areas containing rare or unusual species, such as *Eucalyptus camphora* at Shannons Flat
- » areas adjacent to Namadgi National Park
- » riparian areas
- » areas that are dominated by blackberries and pine wildlings (approx. 500 ha)
- » areas that are still actively eroding
- » reintroduction of Aboriginal food sources in the landscape with the involvement of the Aboriginal community using traditional methods and practices, such as cultural burning, where possible
- » reduction of fire fuel hazards, and
- » replanting previous pine plantation areas with appropriate native species.

Revegetation should not occur in rocky areas that could be potential habitat for the Pink-tailed Worm Lizard (*Aprasia parapulchella*) or in the bog and fen areas of Blundells Flat and Shannons Flat.

LANDSCAPE RECOVERY

OBJECTIVES

Regeneration of the Lower Cotter Catchment will result in more resilient and self-regenerating ecosystems that are able to deliver clean water to rivers and streams.

Native vegetation and native animal habitat will occur across the majority of the LCC.

POLICIES

Existing pine plantations (approx. 448 hectares) will be managed on a non-commercial basis, progressively removed, and replaced with native vegetation appropriate to site conditions.

No new commercial or broad acre pine plantations will be established in the LCC.

Landscape recovery measures such as weed management, direct seeding and planting with native species will be implemented where necessary.

Revegetation works will be undertaken collaboratively with the community, and community stewardship of the LCC will be encouraged.

ACTIONS

32. Continue monitoring the effectiveness of the regeneration effort.
33. Assess the effectiveness of efforts to-date to inform the development of a new, 10 year vegetation recovery management plan.
34. Implement a long-term program of native vegetation regeneration incorporating community involvement, plantings and direct seeding.
35. Progressively remove existing pine plantations and replace with native species.

6.9 Research and monitoring

The LCC has a long history of use as a site for research and education. This research has occurred over a long period, driven primarily by the need to understand catchment processes. Recent investigations supporting the enlarged Cotter Dam project, and the research that has been conducted since the 2003 bushfires, has greatly expanded the already substantial information base about the LCC.

Impact mitigation research associated with the enlarged Cotter Dam project included a number of Fish Management Plans and associated research projects prepared and implemented by Icon Water (see Appendix 7). While some research and monitoring programs are already underway, the outcomes and recommendations from those studies should, where feasible, be used to inform and further improve management of threatened fish species.

The LCC provides further opportunities to research catchment behaviour following fire (particularly vegetation rehabilitation trials and monitoring the movement of water and pollutants within the catchment associated with various rehabilitation strategies), the impacts of climate change, water recharge associated with the forest growth life-cycle, and further research on threatened aquatic species in accordance with Action Plan 29 (under review).

Research and monitoring programs may be directed towards the following areas:

- » impacts of planned and unplanned fire on ecosystem services, particularly in relation to water resources and ecosystems
- » erosion hazard assessment and mapping
- » the response of weeds and feral animals to management activities
- » preferred fire regimes for species and communities of conservation concern
- » fuel load dynamics, including the relationship between fuel properties and fire behaviour
- » the effectiveness of fuel reduction strategies
- » mapping fire history for planned and unplanned fires
- » threatened and rare species management.

Monitoring is vital to provide information on changes over time and will inform management of the success or otherwise of the various programs and works in the Lower Cotter Catchment. The key indicators of success are whether water quality is improving, and whether catchment soils and vegetation are stabilising.

The LCC can provide opportunities to link study and monitoring of post-fire recovery to improving land management operations such as water quality control measures, road decommissioning, regeneration techniques and bushfire management.

Priorities for monitoring include:

- » water quality and in-stream health of streams and the reservoir
- » the biological condition of streams flowing through the LCC with particular focus on stream turbidity linked to operational activities
- » the status of threatened aquatic fauna and other aquatic fauna, including alien species
- » the structure of vegetation communities across the LCC
- » the condition of naturally regenerating areas and areas that may require more direct management or intervention
- » the progress, impact and outcomes of operational activities in the catchment
- » the level of support and understanding amongst visitors and the wider Canberra community of the LCC's role in providing potable water.

6.9.1 Translocation of wildlife

Conservation translocation is the deliberate movement of organisms from one site for release in another. It can entail releases either within or outside the species' natural range. An example is the population of Trout Cod in the LCC, which is a result of earlier stocking of Bendora Dam—regarded as a nationally significant achievement (Lintermans 2012). The characteristics of the aquatic system in the LCC, particularly the absence of EHN virus and strict controls on access, may also attract proposals to release aquatic species.

Recent genetic analysis of Macquarie Perch populations has confirmed that the population in the Cotter River in the ACT is genetically impoverished to the point that its long term survival and evolutionary adaptability to environmental change (such as climate change) would likely be compromised. A trial translocation of Macquarie Perch from Cataract Dam in NSW to the LCC is being undertaken in partnership with ANU to improve the genetic health of the Cotter population. Prior to release, the fish were held for quarantine disease screening and health checks to minimise the risk to the local population and environment.

There have been several proposals for translocation of wildlife into the LCC, including the release Eastern Bettongs (*Bettongia gaimardi*), which have been extinct in the region for more than a century.

The IUCN Guidelines for Reintroductions and Other Conservation Translocations (IUCN 2012) will be applied to proposals for translocation releases in the LCC, including that:

- » Any conservation translocation must be justified, with development of clear objectives, identification and assessment of risks, and with measures of performance.
- » Translocation must be intended to yield a measurable conservation benefit at the levels of a population, species or ecosystem, and not only provide benefit to translocated individuals.
- » There should generally be strong evidence that the threat(s) that caused any previous extinction have been correctly identified and removed or sufficiently reduced and that the reduction can be sustained by management intervention, such as fox control programs.
- » Resources are available to support population monitoring of the released species.

Eastern Bettong



RESEARCH AND MONITORING

OBJECTIVE

Research and monitoring assists in the recovery of functioning natural ecosystems in the LCC and improved management of threatened species.

POLICIES

Research projects must be linked to overall objectives and will require a research licence and/or written approval.

The results of all research projects will be lodged with PCS.

Monitoring programs will focus on the key desired outcomes for the management plan (s. 3.5), in particular the maintenance of water quality, restoration of ecological processes and the provision of low-impact recreational opportunities that are consistent with the protection of water catchment, natural and cultural heritage values.

ACTIONS

36. Continue to contribute to research and monitoring on changes in the distribution, abundance and ecology of specific fauna species in response to the 2003 fires, the enlargement of Cotter Dam and subsequent restoration activities.
37. Work with Icon Water to implement the recommendations of Fish Management Plans and associated research projects (Appendix 7), where feasible, to improve management of threatened aquatic species.
38. Require researchers to demonstrate that projects have sound methodology, are relevant to the LCC, are appropriately supervised, and minimise disturbance to important habitat areas.
39. Encourage and support survey, monitoring and research activities, particularly related to water supply, catchment management and fire management, and protection of natural and cultural heritage.
40. Monitor the impact of recreation (types of activities, levels of use and location) with a focus on activities that affect water quality.

CHAPTER 7

Fire management

View over Lower Cotter Catchment



7 FIRE MANAGEMENT

7.1 Primary management objective

The management of fire in the Lower Cotter Catchment strikes a balance between the need to reduce the risk of fire to life, property and the environment, and the requirement to protect existing and future domestic water supply, while recognising that the natural environment has high conservation value and is still recovering from the 2003 bushfire.

7.2 Background

The primary legislation for bushfire management in the ACT is the Emergencies Act 2004, which requires the ACT Emergency Services Commissioner to prepare a Strategic Bushfire Management Plan (SBMP). Under the Act, the land manager must as far as practicable ensure that the area is managed in accordance with the SBMP. If there is an inconsistency between the SBMP and a reserve management plan, the reserve management plan has no effect to the extent of the inconsistency.

The forests of south eastern Australia are among the most fire prone landscapes in the world. Current fire planning recognises the importance of fire management in the LCC in providing for the protection of both the values of the catchment and the nearby city of Canberra. Bushfire management plans and programs are based on a risk management framework that incorporates sound bushfire and environmental science.

It is predicted that climate change will result in an increased frequency of bushfires in the forests of south eastern Australia, possibly from every 40 years or so in the past, to every 20 years in the future. Worst-case scenarios suggest that major fires could occur as frequently as every 6–12 years. Fire intensity is expected to increase by approximately 25% (ACT Government 2014a).

Suppression of fires in the area surrounding the LCC, particularly to the west and south, is made difficult due to rugged terrain and difficulty of access, the extensive forest areas to the west and south in NSW, the possibility of multiple lightning strikes, and considerations of fire-fighter safety. Early suppression of bushfire occurring within the LCC is favoured by factors including its location close to Canberra, its relatively gentle topography and ready access using the intensive road and trail network.

Overall responsibility for fire management in the ACT lies with the ACT Emergency Services Agency, primarily with the Rural Fire Service which is responsible for fire suppression in the LCC. The ACT Parks and Conservation Service is responsible for all other aspects of fire management, including fire access maintenance, prescribed burning and other fire fuel management.

7.3 Fire history in the Lower Cotter Catchment

Fire is integral to the management of an Aboriginal cultural landscape and an important symbol in the lives of Aboriginal people. It is used for many everyday cultural purposes such as cooking, tool making and for providing warmth. Fire also has a role to play in ceremonies and in dreaming stories. All living things were considered advantaged by fire and burning the landscape was manipulated at both large and small scales for hunting and food harvesting. According to the seasons and after ceremonies were completed, certain areas of the higher country were burned as Aboriginal people travelled to lower country. This burning ensured that resources were available for the next journey back into higher country. Each burn had a specific purpose and was determined by the seasons, animal breeding periods and when plants flowered and fruited (Brown 2013).

Before the arrival of Europeans, the fire history of the ACT region was one of occasional intense bushfires with ignitions caused by lightning, and fires derived from Aboriginal burning (Banks 1982, 1989; Pryor 1939).

While Aboriginal burning is highly likely to have been a feature of lower elevation grassland, woodland and open forest environments (Benson and Redpath 1997; Lunt 1997, ACT Government 2017c), there is no evidence for burning of higher elevation areas such as the Brindabella Ranges. There is no known reason for Aboriginal people to have extensively burned high altitude eucalypt forest and woodland or the alpine zone (Banks 1982, 1989). These differences between lower and higher elevation fire regimes demonstrate the need for an understanding of the local history of fire (Griffiths 2002).

With the arrival of Europeans, the fire regime in the Brindabellas changed dramatically, with the frequency of fires increasing by more than five times during the period 1850 to 1950, but reducing thereafter. It is likely that large-scale, high-intensity fires will occur again under future climate change scenarios (ACT Government 2014a), while planned fire is intended to be introduced more frequently as a management tool (ACT Government 2014b). European arrival and the consequent displacement of Aboriginal people also resulted in the cessation of traditional Aboriginal burning of Country and impacted on the transfer of this knowledge to future generations.

The area has a history of relatively frequent arson ignition, although the presence of a commercial pine resource for much of the 20th century meant that management resources were directed to early suppression.

Most of the LCC was subject to very high fire severity during the 2003 bushfires and all of the native forest and pine plantations were significantly impacted. Much of the native remnant woodland and forest has re-established through epicormic and lignotuber sprouting, seed germination or other modes of recovery while the pine trees have regenerated from a mix of seedlings and regeneration.

The known historical pattern of fire in the LCC has varied and is now likely to be entering a new phase, with the introduction of a regime of regular planned fires to create fire-fighting advantages in protecting the catchment from bushfires.



7.4 Current fire planning

The Strategic Bushfire Management Plan 2014–2019 identifies areas in the LCC as either:

- » **Land Fire Management Zone**—Planned fire is applied for ecological and catchment requirements, recognising that in some plant communities, no planned fire will be applied. This zone covers about 65 % of the LCC; or
- » **Strategic Fire Management Zone**—This zone contains corridors that are established to break up major fire runs where conditions permit. These areas are strategically located to slow the spread of unplanned fires and reduce fire intensity and spotting. This zone covers about 35 % of the LCC.

Under the SBMP, regional fire management is planned and represented spatially in Regional Fire Management Plans (RFMPs). The Cotter Regional Fire Management Plan (CRFMP) (ACT Government 2009b) establishes the major fire fuel management, fire access management and fire infrastructure management actions for the period 2009–2019.

The RFMP accommodates ecological issues arising from the 2003 fires, including the preferred fire regimes for the range of vegetation communities present, and identifies areas to be subject to planned burning and the timing of that burning.

All programmed fuel reduction and fire management measures are to be reviewed in the event of bushfire.

Bushfire Operational Plans (BOPs) are also required under the Emergencies Act and are prepared annually by PCS. The BOPs provide details of all actions planned for the twelve month period across all land in the ACT managed by PCS, including the LCC.

The Aboriginal fire management framework is integrated into the annual BOPs. The framework was developed by the ACT PCS Murumbung Yurung Murra Rangers in conjunction with Registered Aboriginal organisations and local Traditional Custodians and establishes a set of guidelines and principles for rejuvenation of Aboriginal **cultural burning** practices. The framework aims to build a connection between the local Traditional Custodians and the ACT Parks and Conservation Service through involvement in fire management. It allows for the involvement of the local Aboriginal community in implementing and monitoring cultural-ecological burns within the fire management operations of PCS.

Fuel reduction burning in the Lower Cotter Catchment



7.5 Protecting water resources

The 2003 fire demonstrated the vulnerability of the Cotter Catchment, and thus Canberra's water supply, to the effects of broad-scale high-intensity fire. Impacts of the 2003 fire will be evident in the hydrology of the Lower Cotter Catchment for the life of this plan and will require both monitoring and careful consideration in fire management for the LCC. Developing more detailed programs and arrangements for fire management will need to involve ACT Parks and Conservation as the LCC manager, Icon Water, and the ACT Emergency Services Agency, drawing as required on research conducted by organisations such as the Bushfire CRC and university departments.

The following considerations are relevant to the impacts of fire (both planned and unplanned) on the role of the LCC in supplying potable water to Canberra:

- » Some 85 % of the LCC soils are rated as highly, very highly or extremely erodible—see Figure 8.
- » Soil erosion after a fire can lead to significant environmental degradation. The transport of nutrients, ash and sediment into streams, wetlands and water supply reservoirs after rain reduces water quality and has the potential for severe impacts on aquatic ecology and drinking water quality. This impact is significantly greater after high intensity large fires or very frequent fires.
- » The use of planned fire in water supply catchments considers risks of soil erosion, the techniques available to reduce impacts, and protection of areas sensitive to the impacts of fire.
- » Ground cover, both living plants and fallen and decaying organic material, provides habitat and a protective mantle against soil erosion in catchments, as well as being a potential fire 'fuel load' under suitable conditions.
- » The Sphagnum bog and wetland systems at Blundells Flat and Shannons Flat were severely burnt in 2003, and this has the potential of long-term impacts on catchment hydrology in terms of water storage, yield and water quality. It is important to exclude fire from this sensitive community.

7.6 Fire ecology


The frequency and intensity of fires influences the distribution and abundance of plants and animals, the successional stages characterising the vegetation, and the nature of the soils and watercourses. Fires occur as discrete events but their effects on the environment, ecological communities and component species depend upon the history of these events, the seasons in which the fires occurred, and their properties (such as intensity). Together, these comprise a fire regime (Gill et al. 2002). While individual species show adaptations to fire, a consideration of fire regimes is necessary to understand the responses to fire of different species and the ecological communities they are part of.

Fire is an important management tool for maintaining biodiversity. Changes in fire regimes can disrupt ecological processes so that some plants and animals (including invasive species) are favoured to the detriment of other species. Fire, at greater or lesser frequencies than species are adapted to, could cause localised extinction, and possibly total extinction if the range of a species is extremely limited or populations very small. Continued frequent fire, or exclusion of fire, may keep affected vegetation communities suspended in early seral stages without the representative range of successional stages of vegetation and age classes that is desirable to maintain biodiversity. Application of the Ecological Guidelines for Fuel and Fire Management Operations (ACT Government 2012b) aims to minimise impacts on vegetation communities.



Sediment deposited in creek following 2003 fires, Lower Cotter Catchment

Figure 8: Soil erodibility 2006 (ACT Government 2007a)



7.7 Planned burning

Increased impacts from fires across Australia, including the 2003 bushfire, has focussed attention on managing fire risks to the north and west of Canberra, including within the LCC. Managing bushfire fuels reduces the risks presented by large high-intensity bushfire in the catchment.

The objective of planned burning is to break up the fuel and minimise the intensity and spread of fire across the landscape. In addition to aiding the suppression of fire over the broader catchment area, the reduced fuel loads will decrease the intensity and spread of wildfire and reduce the adverse impacts of fire on catchment values, including water quality.

Conversely, it is recognised that frequent planned burning may also adversely affect water quality and quantity. The planned burning program within the LCC will consider the cumulative effects of frequent fuel management on a recovering landscape alongside the risks of impacts from a high intensity bushfire affecting an extensive area and causing adverse water quality outcomes.

To maintain biodiversity, key considerations in undertaking planned burning include the return interval between burns, the spatial arrangement of burns, and the burning prescription applied. The use of fire thresholds to define the return intervals between fires is utilised where possible and is based on achieving a mosaic of fire histories that is consistent with the time periods native vegetation types require to produce a viable means of propagation (either through producing seed or being able to re-sprout).

Both bushfires and bushfire prevention activities, which may be undertaken to reduce the likelihood of bushfires igniting and spreading, can reduce surface cover and may affect water quality and quantity. Planned burning objectives are to maintain some level of vegetation cover and not to expose mineral soil. It also considers the rate at which bushfire fuels accumulate in these communities while aiming to achieve a mosaic of fire regimes across the catchment. Some areas are thus likely to be burnt more frequently than indicated by the fire thresholds for the communities present in that area where it has least impact on catchment values and the recovery of each vegetation community.

The Cotter RFMP 2014–19 proposes a series of burns covering approximately 25 % of the LCC over this period. About 5 % of the area is indicated for physical removal of vegetation (mainly pine wildlings), while a further 5 % is shown as having been burnt in the preceding period 2009–2013.

The Ecological Guidelines for Fuel and Fire Management Operations (ACT Government 2012b) are to be followed for fire operations in the LCC. They may be modified during the life of this plan, but they currently require that:

- » Rare, threatened and fire-sensitive species and threatened ecological communities are protected.
- » Fire-fighting foam should not be used in the Cotter River Catchment, upstream of Cotter Dam.
- » Fire-fighting retardant should not be used in planned-burn operations.
- » All planned-burn operations in the Cotter River Catchment EHN Exclusion Zone 1 should minimise the potential for introduction of the EHN virus.
- » All water used for fire suppression in the Cotter River Catchment EHN Exclusion Zone should be sourced from potable supplies, or be extracted from the Cotter River above Cotter Dam, to prevent EHN virus being introduced to the catchment.
- » All drafting equipment used in EHN-infected waters (the rest of the ACT) should be sterilised in a chorine solution before being used in the Cotter Catchment, to prevent EHN virus being introduced.
- » Where possible, fire water storage units (tankers, buoy-walls etc.) should be sterilised using chlorine before entering the Cotter Catchment, to prevent EHN virus being introduced.

The Cotter RFMP 2014–2019 does not propose any planned burns adjacent to the Cotter Reservoir impoundment, instead favouring the physical removal of material or the exclusion of fire. Experience elsewhere has been that catchment disturbance caused by fires (both planned and unplanned) can result in the movement of sediment and ‘trash’—primarily burnt and unburnt vegetative material as well as ash.

This material can have a major impact on water quality in the impoundment and on water treatment infrastructure. The most effective means of minimising this impact is to ensure that unburnt buffer strips are left adjoining the impoundment and major creek lines.

For planned burns including back burns during bushfire suppression, it is proposed that a Water Quality Protection Area (WQPA) consisting of a vegetated buffer strip is maintained around the impoundment and along major stream lines using available roads and trails as boundaries where possible. This WQPA will be consistent with the ACT Parks and Conservation Service overarching operation codes on sustainable land management (under review), which are currently the ACT Code of Forest Practice version 1 (ACT Government 2005a) and the Ecological Guidelines for Fuel and Fire Management Operations 2012-13 (ACT Government 2012b).

An appropriate width for the buffer will be considered during preparation of a new code of operation practice, including a supporting manual for fire management. The buffer will apply when carrying out:

- » planned burning
- » physical removal of vegetation
- » vegetation management (trittering), and
- » access management and maintenance.

It is inevitable that some unplanned bushfires are likely to enter the WQPA under all but the mildest fire weather conditions.

7.8 Fire access

A network of strategically located fire trails is a key requirement for fire management. Trails are critical to rapid suppression of bushfire and provide fuel breaks for planned burning and indirect attack. The Lower Cotter Catchment contains an extensive road and trail network, relating to its early forestry use when mechanisation was less developed than today. Studies have shown that the road and trail network is a major contributor to erosion and sedimentation due to the highly erodible soils (Wasson 2003). Road and trail maintenance is also a significant ongoing cost to management.

Immediately following the 2003 fire, a program commenced to close many kilometres of roads and trails. These roads have either been rehabilitated to a natural state or closed but retained in a 'dormant' state for emergency use. The road and trail network will remain under review, with a priority given to ensuring adequate access for all management purposes. Further information is in Chapter 4.

7.9 Blue Range

The Blue Range straddles the north-western border of the LCC and is a potential conduit for fire entering the LCC from land to the north west. While only a small area of the Blue Range falls within the LCC, managing fuel hazard in the areas of planted pine and pine regrowth presents a major challenge, which is being addressed through a site-specific Blue Range Rehabilitation Plan. On-ground works involve major disturbance for significant pine regrowth removal, but are being undertaken in a manner that minimises damage to catchment values and that accords with the requirements of the *Environment Protection Act 1997*.

Management access trail, Lower Cotter Catchment





Figure 9: Location of Blue Range and the Lower Cotter Catchment



FIRE MANAGEMENT

OBJECTIVES

The adverse impact of wildfire is managed.

The recovery of native vegetation is promoted, erosion reduced and water quality improved.

Threatened and fire-sensitive species and ecological communities are protected.

POLICY

Fire management will aim to maximise compatibility between fire fuel management priorities and preferred water catchment and ecological outcomes.


ACTIONS

41. Set intervals for planned fires to create fire-fighting advantages across the landscape while also maintaining areas of each vegetation community within the fire thresholds (including the upper end of each threshold) for that community.
42. Include actions in the LCC underneath the overarching EPSDD annual Bushfire Operations Plans.
43. Consider long-term systematic monitoring and research programs to better understand the ecology of the LCC as a basis for fire management planning.
44. Develop an access strategy for fire management in the LCC that takes account of environmental, social and economic values. This strategy will include:
 - » the provision of an appropriate fire-trail network to assist in rapid suppression and/or management operations and to provide the basis for fire fuel management activities
 - » specified standards for the maintenance of fire trails and classification of trails according to classification standards identified in the SBMP, current codes of practice, and requirements under the *Environment Protection Act 1997*
 - » a network of water access points for vehicles and helicopters.
45. Protect sensitive areas in planned fire operations, including soils of extreme or very high erodibility that are actively eroding or showing signs of landscape dysfunction, and fire sensitive vegetation communities and aquatic communities.
46. Follow the Ecological Guidelines for Fuel and Fire Management Operations in all fire operations.
47. Identify in operational plans a Water Quality Protection Area (WQPA) comprising a vegetated buffer strip consistent with ACT Government overarching guidelines on sustainable land management. The approval of Icon Water must be obtained prior to the use of prescription burning, wetting agents, foaming agents, retardant or earth moving machinery within this buffer.
48. Define an appropriate width for a Water Quality Protection Area (WQPA) consisting of a vegetated buffer strip when preparing a future code/s of sustainable land management.
49. Involve the local Aboriginal community in implementing and monitoring cultural-ecological burns in fire management operations where possible.

CHAPTER 8

Cultural heritage values

Aboriginal grinding grooves



8 CULTURAL HERITAGE VALUES

8.1 Primary management objectives

Cultural heritage within the Lower Cotter Catchment is identified and conserved to retain its significance.

Cultural heritage is to be interpreted and (where appropriate) promoted to foster community appreciation of past and continuing connections.

8.2 Background

“All landscapes contain the imprint of human use. The way perceptions, beliefs, stories, experiences and practices give shape, form and meaning to the landscape is termed a cultural landscape” (AHC 1998).

The Lower Cotter Catchment retains evidence, mostly artefact scatters, of thousands of years of Aboriginal occupation and of travel routes between mountains and the Limestone Plains. The Ngunnawal people occupied and actively managed the **cultural landscape** of the area for more than 25,000 years prior to European settlement. The Ngunnawal people are recognised as the Traditional Custodians of the region and comprise various groups and families, with each having an ongoing responsibility to care for Country.

Historic heritage is represented by hut ruins and other remains that relate to early pastoral and later forestry activities (ACT Government 2007a).

8.3 Protection of cultural heritage

The main heritage legislation applicable to the Lower Cotter Catchment is the *Heritage Act 2004*, administered by the ACT Heritage Council. Heritage registers and lists should always be consulted for the latest information before commencing works or other activities that have any potential impacts in the landscape.

If works or development is intended on either an Aboriginal or European place listed in the ACT Heritage Register, then potential impacts are considered by the Heritage Council as part of the development approval process. All ACT Government agencies are required to identify, protect and manage heritage places and objects for which they are responsible. The appropriate mechanism for this is a conservation management plan.



Weir on Lees Creek (Mark Jakobsons)

Thirty five Aboriginal heritage sites in the LCC, and the old Cotter Dam and associated infrastructure are listed in the ACT Heritage Register. Many other Aboriginal sites in the LCC are recorded but not listed, and many more sites are still not recorded. All Aboriginal sites are protected, whether listed or not, with approval required before any site or object may be damaged. Anyone finding an (unregistered) Aboriginal object or place has an obligation to report it to the Heritage Council.

The Traditional Custodians and Representative Aboriginal Organisations (RAOs) of the Canberra region view all Aboriginal places and objects as an important part of their history and want not only to have them protected but also to have a greater involvement in their ongoing maintenance and interpretation where appropriate. Aboriginal heritage sites link generations of Aboriginal people over time, and represent the history of a complex Aboriginal belief system linked to the whole environment, which in turn sustains people and culture.

8.4 Aboriginal heritage

The Aboriginal history of the ACT extends from more than 25,000 years ago to the present day, evidenced by both the tangible and intangible aspects of Aboriginal culture and history. Archaeological investigations have demonstrated Aboriginal occupation going back to the last Ice Age.

Each year Bogong moths pass through the region on their way from breeding grounds on the plains to the mountains to aestivate for the summer. The moths are highly nutritious and easy to collect. The collecting of seasonal foods such as the Bogong moths, mountain pepper and other delicacies, and annual initiation ceremonies, marriage, corroborees and trade brought large gatherings of Aboriginal people from far and wide to Ngunnawal Country.

These gatherings were an essential part of Aboriginal life to exchange knowledge and maintain a spiritual, social and environmental connectivity among traditional caretakers. Groups hosted by the Ngunnawal included the Wiradjuri to the west, Walgalu to the south, Yuin to the east, Ngarigo to the south-east, Gundungurra to the north-east, and Ngambri. The Ngunnawal guided Aboriginal people through the mountains to high points for ceremonies. Many of these routes to moth 'camps' in the high country passed through the Lower Cotter Catchment (Butz 2009) and there are many stone arrangements on these high points where initiations were held.

From the early 1800s, Ngunnawal families were dispossessed of their lands by European settlers and migrants, although many families still remained in the area. Beginning in the late 1800s, a mission and reserve network was established throughout NSW, managed by the Aboriginal Protection Board and some co-managed with European missionaries. Many Aboriginal people in the region, including Ngunnawal families, were forcibly removed and displaced from their Countries and placed on missions and reserves at this time. Aboriginal people throughout the region also created their own camps, commonly on the outskirts of towns or along rivers, often on traditional camp grounds.

"In his 1927 History of and Legends relating to the Federal Capital Territory of the Commonwealth of Australia, long-time resident and well-known public figure, John Gale, records a conversation with 'the late Mrs John (82) McDonald', whose husband then owned the pastoral property 'Urayarra' on the western banks of the Murrumbidgee River not far from Canberra. Claiming that the name of their property was taken from an Aboriginal expression meaning 'running to the feast', Mrs McDonald related how hundreds of Aboriginal people from neighbouring districts used to gather in the nearby mountains every spring and summer to feast on the 'boogong moths' [sic] that 'swarmed' the heights. She linked the name 'Urayarra' to a large flat rock on their property, which she recalled being heated in order to roast the harvest of moths brought back down from the mountains in dilly bags. In good seasons, she claimed, the feast would continue for weeks around this rock, providing an opportunity for much socialising and "lounging around. ... It was a season of luscious feeling, something so far better than possums and yams, that the skins of the eaters literally shone, and their bodies showed a plumpness quite in contrast with the leanness of normal times" (Rigby 2011).



Aboriginal grinding grooves



Yurung Dhaura Aboriginal Land Management Team preparing seed for plant propagation

Aboriginal use of Uriarra for moth gathering and processing continued until 1859, and Aboriginal people continued to live and work at Uriarra Station until the late 19th century. The 1891 census for Queanbeyan and Canberra recorded 21 Aboriginal people located at Uriarra, Queanbeyan, the Gundaroo area and Tharwa (NSW Census 1891). Stations that continued to employ Kamberri individuals from the 1860s to the 1880s included Ginninderra, Glenwood, Uriarra, Naas, Gudgenby, Lanyon, Cuppacumbalong and Booroomba (Jackson-Nakano 2001:115).

Aboriginal names for the area of the Brindabella Range, the Cotter River, Mount Coree and Mount Blundell include 'Condore', or 'Condhoware' or 'Kunderwarre' of 'Goondawarra' (Jackson-Nakano 2005). These names could be considered for dual naming of the reserve, or parts of the reserve, in consultation with the Traditional Custodians.

As a result of the history of Aboriginal occupation, the LCC contains hundreds of archaeological sites, including scarred trees, grinding grooves, rock shelters and artefact scatters that reflect the sustained use of the landscape by Ngunnawal people into historic times. During construction of the enlarged Cotter Dam more than 2000 artefacts were collected, catalogued and recorded. Salvaged artefacts were returned to Country in late 2013 at the completion of the construction project.

8.5 Contemporary Aboriginal connection to Country

Today, when Aboriginal and Torres Strait Islander people care for the land, they also care for their culture. The Ngunnawal people have an ongoing deep **connection to Country**. Working on land management projects gives Aboriginal people a sense of personal pride and affirms their identity through a cultural belonging and connection to the land. This directly benefits the health and well-being of their community.

Caring for Country is the Aboriginal and Torres Strait Islander concept of natural resource management which includes the nurturing and management of the land as well as the cultural responsibility to protect the sites, values, stories, and ancestral obligations of that Country.

ACT Parks and Conservation Service Aboriginal staff are involved in various land management roles. They work to better involve local Traditional Custodians in identifying the traditional uses, values and connections to fire, land and water and to capture the contemporary aspirations for management of the **cultural landscape**. The ACT Parks and Conservation Service is establishing an ACT Parks Aboriginal advisory group to support the work of Aboriginal staff and provide ongoing advice on management of the parks and reserves across the ACT, including the Lower Cotter Catchment.

Traditional Custodians and the broader Aboriginal and Torres Strait Islander community may also utilise the LCC for cultural and social purposes. These uses could include ceremonies, gatherings, fishing, cooking, healing, resource collection and knowledge transference. The ACT Parks and Conservation Service supports access to Country by the Aboriginal community in accordance with Aboriginal access to Country cultural guidelines (under development).

8.6 MANAGEMENT CONSIDERATIONS AND ISSUES: ABORIGINAL CONNECTIONS AND HERITAGE

Recognition of Aboriginal culture, protection and conservation of Aboriginal heritage places and objects, and ongoing connection by Aboriginal people to their Country are important considerations for this reserve management plan. The following considerations and issues are pertinent to management:

- » Under the *Heritage Act 2004*, RAOs have a formal, statutory role in Aboriginal heritage assessment and management in the ACT.
- » Consultation with Aboriginal people (particularly Traditional Custodians) is a crucial first step in managing Aboriginal cultural heritage places.
- » Guidance for conserving and managing places of cultural significance is provided by the *Australia ICOMOS Charter for the Conservation of Places of Cultural Significance* (the Burra Charter).
- » Recreation and tourism activities need careful consideration where they could be incompatible with the significance or management objectives of an Aboriginal cultural heritage place.
- » A strategic approach to the interpretation of Aboriginal cultural heritage should be adopted, involving an inventory of all sites, knowledge about them and their significance, and considering all places within a broader cultural landscape framework.
- » All artefact scatters are considered to be significant by the Aboriginal community, and Aboriginal people generally express the desire for all such sites to be left in-situ wherever feasible.
- » Aboriginal ecological knowledge, and the interests of Aboriginal people in managing the environment as a cultural landscape, can make an important contribution to reserve management and should be actively facilitated.

- » Access to the Lower Cotter Catchment by Aboriginal people for cultural purposes should be addressed in guidelines prepared in consultation with Aboriginal people. The guidelines should consider whether restrictions need to be imposed regarding the protection of water quality or any cultural sensitivity regarding Aboriginal heritage places.
- » The potential for dual naming of reserves and places within them should be considered in consultation with Traditional Custodians.

Management of Aboriginal cultural heritage needs to consider:

- » the extent to which any proposal maintains and strengthens Aboriginal cultural connections to Country
- » how best to recognise the interests of Aboriginal people in the protection and conservation of their heritage, including their involvement in managing cultural information and research
- » that provision should be made for access by Aboriginal people to their sites and places, including access for transferring cultural knowledge or gathering materials for cultural or ceremonial purposes, and vehicle access by elders to sites not open to public vehicles
- » the extent to which management can assist in developing employment, education and training opportunities for Aboriginal people
- » the best means to protect and conserve Aboriginal sites and objects, and what particular risks need to be planned for
- » the level of access by LCC visitors that will be allowed to Aboriginal cultural heritage places (ranging from prohibition to open access) in recognition of cultural sensitivity
- » the interpretation of Aboriginal cultural heritage places as part of the recreation, tourism and education policies in the plan. Not providing information can be a form of protection in some circumstances.
- » the desire of Traditional Custodians to undertake the interpretation of their cultural heritage in the LCC.

8.7 Historic heritage

In 1828 Garret Cotter, seeking relief grazing for drought-starved stock and guided by local Aboriginal people, (particularly Onyong, 'chief' of the 'Namadgi') set up camp on the lower Cotter River near Vanity's Crossing. Cotter "lived in a cave and a hut in the upper Cotter ... during his exile and learned his bushcraft from an Aboriginal man named Onyong (also spelled Hongyong, Honyong and Hong Kong), who was a feared fighter for his people. Cotter and Onyong developed an enduring friendship, and Cotter learned from him the mountain routes through to south and west" (Higgins 2009:24). "Cotter also established good relations with the Ngunnawal, and according to oral traditions was led to good grazing land by Onyong of whom he made a lifelong friend" (Bell 1975: 44).

From 1826, the Murrumbidgee River marked the western limit of occupation, beyond which settlers were not permitted by the Government to take land. However, the drought of 1827–28 saw squatters expand beyond the legal limit and by the late 1830s two runs had been established on the lower portions of the LCC. These were the 23,000 acres Urayarra property, shortly acquired by Robert Campbell of Duntroon, and a smaller enterprise on Cotter's original camp held by Phillip Pierce (Navin Officer 2008).

The Free Selection Act of 1861 allowed for more equitable distribution of land between squatters and free selectors of lesser financial means. Most selections in the LCC were taken up by people who already had connections in the area, either as station hands or to protect existing holdings. John MacDonald and brothers, Joseph and William Webb, selected most of the land within the Parish of Urayarra. John Blundell reared a large family at his isolated selection on Condor Creek, while David Perrott selected 640 acres at Vanitys Crossing (Navin Officer 2008). In 1900, Samuel Shannon took up a holding downstream from John Blundell, at what became Shannons Flat (Butz 2004). The distribution of Ngunnawal land impacted severely on the Ngunnawal people causing widespread displacement on access and traditional land ownership.

A Travelling Stock Reserve was declared in the 1880s between Condor Creek (Thompsons Corner area) and the Goodradigbee River at Brindabella, passing along an unnamed range. This formalised a long-established route leading from the Canberra area across the Brindabellas to the mountain pastures of the Snowy Mountains which was also likely to have been an Aboriginal pathway through the landscape (Butz 2009).



Early selections were largely self-sufficient mixed farms, which evolved into large-scale sheep and cattle grazing properties. Partial clearing of flats and milder slopes occurred. The ruins of five huts remain from this early pastoral period (ACT Government 2007a).

On 1 January 1911, the Australian Capital Territory came into existence. Protecting the Cotter catchment as the main source of water for the National Capital resulted in grazing leases in the catchment being terminated and freehold land being resumed between 1911 and 1913. Work on the Cotter Dam and the associated Water Supply Pipeline and Cotter Pumping Station began in 1912 and finished by 1916. The wall was subsequently raised by 7.5 metres in 1949 and 1950 (Navin Officer 2008).

In 2009, a European Heritage Impact Mitigation Program (Construction and Inundation) Conservation Management Plan (CMP) was developed for the management of European heritage items impacted by the Enlarged Cotter Dam project. The CMP was approved by the ACT Heritage Council under the Heritage Act. The original Cotter Dam wall was left in-situ and inundated, and remains as part of the new reservoir.

The Forestry and Timber Bureau was initiated in 1927, and one of its functions was to establish experimental stations for the study of silviculture, forest management and forest protection. Consequently, in the period 1928 to 1969, 34 arboreta were established in and near the ACT to test various species for possible introduction into Australia for timber. A particular aim was to reduce the need for imported softwood.



Aerial view of Blundells Flat arboretum, September 1999 (Mark Butz)

The species planted were therefore mainly conifers. The plantings of different provenances of Radiata Pine, Bishop Pine and Knobcone Pine confirmed the suitability of Radiata Pine for plantation forestry around Australia.

Twenty-one arboreta were established in the Brindabella Ranges. All but Bendora arboretum were destroyed in the 2003 fires. Within the LCC, arboreta were located at Blundells Flat and Reids Pinch. Blundells Flat arboretum (Arboretum Number One), was the largest of the ACT arboreta at 6.1 hectares with over 150 plots containing 80 species (National Capital Planning Authority 1989) and some of the conifers planted there were rare, uncommon or unusual in Australia (Butz 2009).

In the 1990s facilities, such as labelling of plots and a marked trail through the arboretum to Blundell's farmhouse, were established to assist interpretation and education. As a result of the 2003 fires, nearly all of the trees in the conifer arboretum were killed but some re-sprouted and others germinated from seedlings. The facilities were also destroyed in the fires.

A Poplar arboretum was established on the eastern side of Blundells Flat in the late 1950s as a trial research program to improve the availability of matchsticks in Australia. The arboretum was burnt in the 2003 fires, although numerous suckers have arisen since then. An endangered seed orchard was also established on the eastern side of Blundells Flat as a gene preservation stand of Small Leaved Gum (*Eucalyptus parvifolia*). The species was selected as it was considered to be endangered due to restricted distribution and impacts from grazing and its high level of resistance to cold when planted in the northern hemisphere. It is naturally found on wet to swampy sites at about 1,100 metres in shallow valleys to the south east of Nimmitabel. The trees were burnt in the 2003 fires but have since re-sprouted from epicormic buds and/or lignotubers and the planting rows are still visible. Although the Blundells Flat and Shannons Flat areas are not heritage listed, a comprehensive conservation management plan was prepared in 2009 and contains recommendations for managing and presenting cultural heritage values of the area (Butz 2009).

8.8 Management considerations and issues: Historic heritage

Most of the obvious evidence of early occupation of the Lower Cotter Catchment by migrants and settlers was destroyed in the 2003 fires. Conversely, the removal of the vegetation by the wildfire also resulted in much better visibility of small-scale features and artefacts, such as building foundations, pottery fragments and evidence of farming practices. These provide the basis for being able to tell the story of struggling pioneers and successive changes in use of the area.

The remnants of the arboretum at Blundells Flat also provide links to the forestry research history of the area. There is increasing recognition that the stories and evidence of earlier lifestyles and their continuing links with the community are an important part of our cultural heritage. The intensity and range of past uses was related to local topography, presence of natural resources, and economic and social factors.

The following considerations and issues are pertinent to management:

- » Cultural heritage management best practices are set out in the Australia ICOMOS Charter for Conservation of Places of Cultural Significance (the Burra Charter).
- » A conservation management plan is recognised as the appropriate basis for managing significant heritage places.
- » Recreational and tourism use of some heritage places has the potential to alter, damage or even destroy them. Access needs to be planned to ensure it is appropriate to the significance of the place and its conservation requirements.
- » The fabric of cultural heritage places is fragile, vulnerable, and expensive to maintain, and the resources for maintenance are limited. There is an important opportunity to use the skills, knowledge and volunteer labour of people and community groups that have a special interest in protecting and conserving cultural heritage and in managing cultural heritage places.

MANAGEMENT OF CULTURAL HERITAGE

OBJECTIVES

The cultural heritage values of the Lower Cotter Catchment are protected, understood and interpreted.

Aboriginal connection to Country, past and present, is better understood, acknowledged and supported.

Traditional Custodians and Aboriginal staff are actively involved in conserving and interpreting Aboriginal cultural landscape values through land management programs.

POLICIES

Relationships with Traditional Custodians will be strengthened, and opportunities for their involvement in managing the cultural landscape will be encouraged and facilitated.

Cultural heritage values in the LCC will be managed in accordance with relevant legislative and planning frameworks including the *Australia ICOMOS Charter for the Conservation of Places of Cultural Significance* (the Burra Charter) and its guidelines.

The principles of *Ask First: A guide to respecting Indigenous heritage places and values* (Australian Heritage Commission 2002b) will guide engagement with Aboriginal people in identifying, conserving and interpreting Aboriginal heritage.

ACTIONS

50. Support an ACT Parks Aboriginal advisory group to increase the involvement of Aboriginal staff, Traditional Custodians and other Aboriginal groups in land management programs that encourage greater understanding and connection with the cultural landscape.
51. Consult with Traditional Custodians about dual-naming of the reserve or places within the reserve.
52. In collaboration with Traditional Custodians and an ACT Parks Aboriginal advisory group, prepare conservation management plans for significant Aboriginal cultural heritage places as the primary basis for their ongoing management.
53. Support the development of guidelines for Aboriginal people's access to Country for cultural purposes.
54. Increase awareness and appreciation of cultural heritage, including through the involvement of local Aboriginal people and their stories.
55. Explore opportunities to conserve and interpret migrant and settler cultural heritage. For example, the Conservation Management Plan for Blundells Flat and Shannons Flat contains a detailed history of the area and conservation policies and works that could be implemented for ongoing protection and management of cultural heritage features.

A man is shown from the side, standing in a river and fly fishing. He is wearing a plaid shirt, waders, and sunglasses. He is holding a fishing rod and casting a line. The background features a rocky bank and some vegetation. The water is calm, reflecting the surrounding environment. The overall scene is peaceful and scenic.

CHAPTER 9

Recreation

Fly fishing on Cotter River (Mark Jekabsons)

9 RECREATION

9.1 Primary management objective

The Lower Cotter Catchment will be managed to provide a variety of recreational opportunities that are consistent with the protection of the water supply catchment, reservoir water quality, and natural and cultural heritage values.

9.2 Recreational activities

Walking, cycling, fishing and trail-bike riding are the most popular recreational activities in the LCC. Bird watching is also popular. The area to the west of Brindabella Road is popular for picnicking and sightseeing. All of these activities have been facilitated by the extensive road network that was constructed to enable management of the former commercial pine plantations.

Visitor facilities within the LCC are minimal and existing recreational use is widespread across the area, rather than being concentrated on developed nodes. Consistent with the primary objective of protecting water supply, it is intended that recreational use of the Lower Cotter Catchment remains low impact, with a matching level of facilities.

This section contains policies and actions for specific recreational activities in the LCC. It also refers to public vehicle use on management trails (permitted only in certain circumstances). Permitted and prohibited activities in the LCC are listed in Table 9.1.

Permits for events are required under the *Public Unleased Land Act 2013* and restrictions may be applied to protect reserve values. Fees are charged for some types of events and activities. An application for the use of public land or to hold a group event must be submitted to ACT Parks and Conservation Service well in advance of the event.

Camping

Camping is prohibited in the LCC.

Car rallies and other motor sports

Car rallies and other motor sports were popular activities in the LCC prior to the 2003 fires. While many of the previously used roads and management trails have now been closed, there may be limited opportunities for events on the publicly accessible roads and management trails.

A permit will be required for events and applications will be considered on a case by case basis.

Conditions will apply, including the requirement to prepare a comprehensive risk assessment and whether the event could be held outside of the LCC.

Cycling

Cycling includes mountain bikes and power assisted pedal cycles. Cycling is permitted on publicly accessible roads and vehicle management trails within the LCC. Single track or off-road or trail cycling is not permitted in the LCC in order to minimise the potential for erosion developing within the recovering landscape. No single tracks for recreational use have been purposely constructed within the LCC. In this reserve management plan, 'single track' refers to any track informally (and illegally) developed through use by motor bikes. Excellent facilities for cycling, including technical courses of national and international standard, are available outside the LCC.

In the ACT, a **bicycle** includes **power assisted pedal cycles** (pedalecs). See Glossary for definitions.

Domestic animals

Domestic animals are not allowed in the LCC as they disturb wildlife, may introduce pathogens into the water supply, and may cause conflict among visitors. There is also a risk to the safety of domestic animals as poisons are regularly used by management to control feral animals in the catchment. Companion animals and guide dogs are permitted. Dog walking on-leash is permitted on the fire trails around the southern boundary of Uriarra Village (see Figure 5).

Drones

Drones, also known as unmanned aerial vehicles (UAV) or remotely piloted aircraft (UAP), are considered by the Civil Aviation Safety Authority (CASA) to be aircraft and their use is governed by Commonwealth aviation regulations.

While the ACT Parks and Conservation Service recognises that drones can be useful for search and rescue, event photography, management activities and scientific research, their recreational use can adversely affect wildlife and impact on the privacy and enjoyment of visitors. Drones can also represent a serious risk to park operations such as fire management.

The ACT Parks and Conservation Service is developing a policy on the use of drones which will be applicable to all parks and reserves.

Fires

The lighting of fires in the Lower Cotter Catchment is prohibited, except for management purposes.

Firewood collection

Firewood collection in the Lower Cotter Catchment is prohibited.

Firearms and other weapons

Recreational use of firearms is not permitted in the LCC. Under the *Nature Conservation Act 2014*, it is also an offence to use or possess other weapons (such as bow and arrow), or a trap, net, snare or other device capable of capturing animals, without the written consent of the ACT Conservator of Flora and Fauna. Firearms may be used for management purposes in accordance with prevailing legislation and ACT Government policy including relevant codes of practice.

Fishing

Fishing is a popular recreational pastime in ACT streams. Trout fishing, using lure or fly only, is permitted in the Cotter River and its tributaries above the junction with Condor Creek as far upstream as Bendora Dam, consistent with the Fisheries Act. However, fishing within Cotter Reservoir has been prohibited since the dam was built, initially in order to protect water quality, and more recently to protect the population of threatened fish species.



Fishing prohibited sign on the Cotter River in the LCC

In 1997 the ACT Environment Advisory Committee conducted a review into the recreational use of Cotter Reservoir and concluded that:

“We find the arguments about the threats to the Macquarie perch population compelling, given the fact that this species is regarded as threatened at the national level. Overfishing, the potential for introductions of carp and redfin, and the political pressure to stock the area provide unacceptable risks. We believe the costs of management to protect this species should the area be opened to recreational fishing to be high, and we do not see a way that these and the capital costs could be recovered from users.”

There has been no change to the rationale for these restrictions and it is not proposed to change the prohibition on fishing in the reservoir. In accordance with the *Fish Stocking Plan for the Australian Capital Territory 2015–2020* (ACT Government 2015b), fish stocking for recreational purposes is not undertaken in the LCC.

Recreational fishing in the public waters of the ACT does not require a licence, but the regulations within the *Fisheries Act 2000* apply in relation to bag limits, use of lures, closed seasons etc. The Act identifies the Cotter River and reservoir above the Cotter Dam wall up to the junction with Condor Creek as Prohibited Waters, meaning that fishing is not permitted in this area at any time. Consideration may be given to moving the Prohibited Waters boundary upstream to Vanitys Crossing under a future review of the Fisheries Act, in order to protect the spawning aggregations and migrations of the Macquarie Perch population. The regulations that apply to the LCC protect threatened native species and effectively limit fishing to Rainbow Trout and Brown Trout, using lures or flies only, to minimise the potential risk to threatened aquatic species and the aquatic environment.

Fishing for yabbies within the LCC is not permitted.

Flying: Non-powered (for example, hang gliding, paragliding, balloon flying)

There are no suitable take off sites for hang gliding and paragliding in the LCC. Hot air balloons may be associated with special events.

Flying: powered, low altitude (for example ultralights, helicopters)

A permit is required for low-altitude flying over the reserve, except for emergency and management purposes.

Geocaching

‘Geocaching’ is an organised adventure game based on a ‘treasure hunt’ theme where participants in one party use a handheld GPS device to search for sealed caches left by other parties. Geocaching is only permitted in the LCC where it does not involve digging holes and burying objects, depositing objects within cultural heritage sites, or littering (not collecting objects previously deposited). The placement of a physical cache in the LCC requires the permission of the reserve manager.

Group activities, commercial and non-commercial (for example, bushwalking clubs, social clubs, tour groups, conference groups)

Many group activities occur in reserve areas around Canberra and do not require permits or special arrangements. Large organised group activities that require considerable space, parking, and are likely to affect other users are considered under Special Events, Sporting events (large scale) and Orienteering, Rogaining and Mountain Running. These larger events require a permit if they are to be held in the Core Catchment Zone.

No permit or special arrangements are required for small group activities that are in accordance with the management objectives for the LCC. Exclusive use of facilities and locations normally open to visitors (such as picnic areas) will generally not be granted to groups. See policies for Special Events (below). Special access privileges may be granted to groups where this is likely to be of benefit to the management of the LCC or for scientific or educational purposes, or for Aboriginal cultural purposes where access is not in conflict with management objectives and policies.

Horse riding

The ACT Government has an MOU with the ACT Equestrian Association Inc. (February 2014), which states:

It is noted that the equestrian sector seeks the provision of access to Blue Range and in the Lower Cotter Catchment (LCC) for organised trekking and endurance training and competition. It is agreed that any access to the LCC be consistent with the LCC Strategic Management Plan and the LCC Recreation Strategy. Access to the Blue Range outside of the LCC is agreed to. It is noted that access to these areas may be subject to change at short notice (such as, for example, to protect the ACT’s water supply).

Horse riding is permitted in the LCC in the area west of Brindabella Road. A permit is required for access. An extensive network of trails is available to horse riders in the adjacent Sherwood Forest area to the north of the LCC.

Nature-based activities including wildlife viewing and bird watching

Other areas such as Tidbinbilla have a better resource and established patterns of use for nature study. Nevertheless, wildlife viewing is a popular activity, particularly around water bodies; it is consistent with preferred low-impact usage of the LCC, and is encouraged as a means of informing the community about catchment values. The bushfire-affected landscape also holds particular interest for some visitors. Wildlife viewing can be expected to increase as the area recovers.

Orienteering, rogaining, mountain running

Orienteering is a sport in which individual participants walk or run around a course, navigating with a map and compass.

Rogaining is the sport of long-distance cross-country navigation, in which teams of two to five people visit orienteering type control points within a set time period. The control points are generally set off roads or trails and teams do not have to visit control points in any order.

Mountain running is conducted on trails in natural and semi-natural areas and includes an altitudinal component.

The LCC is a suitable location for these activities provided that approval for events considers the following factors:

- » potential impacts of the large number of participants on natural and cultural values and the role of the LCC as a catchment (for example, trampling of vegetation and disturbance to wildlife)
- » the need for toilet facilities, parking, and sites capable of withstanding high-intensity use for short periods as staging areas.

Environmental impacts can be mitigated by the careful selection of staging areas and course routes, avoiding sensitive areas or sites, cancelling or postponing events in adverse conditions (such as after heavy rain), providing appropriate facilities (such as portable toilets), and using buses or car-pooling to reduce parking requirements. Social impacts may be more difficult to overcome; however, public notification of major events is important to

advise other users. The impacts of the activities will be monitored as a basis for management policy.

Picnicking

Picnicking is a low impact recreational activity in the LCC and is usually combined with sightseeing and scenic driving, particularly along Brindabella Road. There are no existing facilities in the LCC other than the road and trail network. Picnic and barbeque areas exist in adjoining areas, ranging from highly developed sites in the Cotter Precinct to bush picnic areas at Bulls Head and Blue Range Hut.

Blundells Flat is one area that previously had picnic facilities, but these were destroyed in the 2003 fires. Despite the facilities having not been replaced, this area continues to attract visitors, particularly those aware of the former arboretum nearby. Blundells Flat presents an opportunity to provide information to visitors about past uses at a location that is a sufficient distance from Cotter Reservoir to minimise water quality impacts. Consideration may be given to installing low key facilities for visitors, including information on catchment values.

Public vehicle use on management trails

General public vehicle use on restricted management trails (behind locked gates or signposted as closed) will not be permitted in the LCC. Access to management trails may be permitted for specific purposes such as research projects, group conference tours, open days (under ranger supervision), to support the work of volunteers, or approved events or tourism operations.

Rock Climbing and Abseiling

There are very few areas suitable for rock climbing in the Lower Cotter Catchment and the existing sites are well known by local climbers. This activity is considered to be low-impact and permitted, provided that any sites identified as having cultural heritage values are avoided.

Scenic Driving 2WD

The major roads bordering or passing through the LCC, including Tidbinbilla Road and Brindabella Road, are popular for scenic driving using two wheel drive vehicles. Users are typically heading to other visitor nodes such as Tidbinbilla, the Mount Franklin area or the Brindabella Valley. There are numerous points along these roads offering views of the LCC and Cotter Reservoir. Other unsealed public access roads suitable for two wheel drive in most conditions include Bullock Paddock Road, Blue Range Road and Warks Road.

Special events

Special events encompass a range of activities such as large group gatherings (tour groups and conference groups), weddings, ceremonies, concerts, Aboriginal cultural events and other large public gatherings. In general, a water catchment such as the LCC is not the place to hold large events that do not relate to, or are incompatible with, the values of the area as defined in this management plan. Aboriginal people's access to Country for cultural purposes will be permitted if in accordance with approved guidelines (under development). Large group gatherings will require a permit, which will specify appropriate conditions.

Sporting events (large scale)

The use of the water catchment for large scale sporting events will require a permit. Applications will be considered on a case by case basis and will be subject to conditions, including the preparation of a comprehensive risk assessment and whether the event could be held outside of the LCC.

Events involving 200 or more participants, or requiring complex arrangements, should be planned in consultation between ACT Parks and Conservation Service, other government agencies such as ACT Roads, and the event organisers concerned.

Event organisers are strongly encouraged to consider possible impacts on reserve values, particularly water quality, when planning an event. Some of the issues the event organiser should consider when seeking a permit for a group event, and by ACT Parks and Conservation Service will consider when assessing the permit application, are:

- » any requirement to submit a risk management plan as part of their application
- » whether the activity could be held outside of the LCC
- » restrictions on some activities in Zone 1: Core Catchment
- » seasonal conditions, for example during total fire bans, wet weather conditions or drought, impacting on soil condition and potential erosion of roads and trails
- » operational requirements, for example fire fuel reduction, weed or feral animal control, or restoration activities
- » potential safety issues, for example risk of bushfire
- » potential conflicts with other visitors or booked events
- » the need for event infrastructure, for example toilet facilities, waste/rubbish disposal, parking, staging areas, and the site's capability to withstand high intensity use for short periods
- » ensuring formed vehicle (management) trails or roads are used wherever possible, and no new tracks are formed
- » the need for special arrangements to cater for occasional large national or international events (a detailed event management plan will be required for large events)

Impacts can be avoided or mitigated by the careful selection of staging areas and the routes of courses, by avoiding sensitive areas or sites, by cancelling or postponing events in adverse conditions, and by providing appropriate facilities. Public notification of major events is important to advise other visitors/users. Monitoring of activities will inform ACT Parks and Conservation Service future management decisions.

Swimming

In order to protect water quality, swimming is prohibited in the LCC.

Trail-bike riding

Trail bike riding is a popular activity in the LCC. Bikes must be registered vehicles and riding is only permitted on publicly accessible roads and trails in Zone 2. There is evidence that trail bike riding is occurring in areas that are not open to the public and is resulting in the creation of tracks that are causing significant erosion problems and environmental degradation (single tracks). A comprehensive community engagement program is required to ensure that people who undertake this activity are aware of the risks it poses to water quality and that penalties apply for illegal access.



Motor bike damage at Vanitys Crossing



Condor Creek (Mark Jekabsons)

Visiting natural and cultural heritage sites

There is little demand at present for visiting natural and cultural heritage sites in the LCC and very few facilities are provided. However, this use should be encouraged as part of any community engagement program to promote the values of the LCC, particularly its catchment values and the recovery of the landscape from bushfire.

Walking

Day walks are permitted both on and off roads and trails in the LCC. However, overnight bush camping is not permitted in order to minimise the risk of contaminating the water supply. The extensive road and trail network is well signposted.

Watercraft, including canoeing, kayaking, rafting, jet-skiing and paddle-boarding

Cotter Reservoir has never been available for recreational boating, even during the 40-year period it was not relied upon for domestic water. In order to protect water quality, the water supply reservoirs and the creeks and rivers that directly feed into them within the ACT are not open to any recreational water craft activities, including canoeing, kayaking, wind surfing, rafting, jet-skiing and paddle-boarding.

The only exceptions to the prohibition on watercraft are boats used for: (a) management purposes, including research and water quality monitoring; and (b) emergency purposes such as rescue. Such craft must be maintained to a high standard and use motors with the lowest possible hydrocarbon input to the waterway. Hygiene protocols apply to the use of watercraft for management and emergency purposes.

Table 9.1 Summary of policies for recreational activities and permitted/prohibited activities in the Lower Cotter Catchment

Access to the waters of the Cotter Reservoir is prohibited for all recreational activities.

Note: in managing any activities, consideration will be given to providing a buffer around the water impoundment as a primary means of protecting water quality.

Recreational Activity	Core Catchment Zone	Road Corridors Zone
Camping (car based or pack camping)	Prohibited.	Prohibited.
Car rallies and other motor sports	Prohibited.	Public unleased land permit required. Permitted west of Brindabella Road only. Transport sections of car rallies permitted by registered vehicles on publicly accessible roads and trails only.
Cycling (including mountain-bike riding) Cycling will be permitted on roads and management trails only. Construction of single track will not be permitted.	Permitted on roads and management trails. No single track or off-track permitted.	Permitted on roads and management trails. No single track or off-track permitted.
Domestic animals (companion animals and guide dogs are permitted).	Prohibited.	Not generally permitted. Dogs are permitted to be walked on-leash on the fire trails around the southern boundary of Uriarra Village as indicated in Figure 5.
Drones	Subject to ACT Parks and Conservation Service policy on use of drones in parks and reserves.	Subject to ACT Parks and Conservation Service policy on use of drones in parks and reserves.
Firearms and other weapons for recreational use (for example, hunting, netting, trapping, snaring or other devices for capturing animals) Only permitted for management purposes.	Prohibited.	Prohibited.
Fires only permitted for management purposes.	Prohibited.	Prohibited.
Firewood collection	Prohibited.	Prohibited.
Fishing (with lure or fly only) Yabby fishing is prohibited.	Fishing in the Cotter River and tributaries is permitted consistent with the <i>Fisheries Act 2000</i> .	Fishing in the Cotter River and tributaries is permitted consistent with the <i>Fisheries Act 2000</i> .
Flying-non-powered (for example, hang gliding, paragliding, balloon flying) No suitable take-off sites exist for hang gliding or paragliding.	Permit required for events.	Permit required for events.
Flying (powered, low altitude, for example, ultralights)	Emergency and management purposes only.	Emergency and management purposes only.
Geocaching	Permitted with conditions (consistent with this plan).	Permitted with conditions (consistent with this plan).

Recreational Activity	Core Catchment Zone	Road Corridors Zone
Group activities – Commercial and non-commercial (undertaken by organisations, businesses or individuals for example, tour groups, conference groups, bushwalking clubs, social clubs, family and other groups)	Public unleased land permit required for events.	Permitted.
Horse riding	Not permitted.	Permitted west of Brindabella Road for events. Public unleased land permit required.
Nature-based activities (including wildlife viewing and bird watching)	Permitted.	Permitted.
Orienteering, rogaining, mountain running	Permitted. Public unleased land permit required for events.	Permitted. Public unleased land permit required for events.
Picnicking (not including use of barbecues)	Permitted.	Permitted.
Public vehicle use on closed roads and management trails (behind locked gates or signed as closed to the public) All vehicles must be registered.	Prohibited. May be permitted for specific authorised purposes.	Permitted on publicly accessible roads.
Rock climbing and abseiling	Permitted (except sites specifically excluded for their cultural heritage values)	Permitted (except for significant Aboriginal cultural heritage sites)
Scenic driving All vehicles must be registered (trail bikes, 2WD and 4WD vehicles, other powered vehicles). All vehicles must be registered.	Prohibited. May be permitted for specific authorised purposes.	Permitted.
Special events (weddings, ceremonies, concerts, Aboriginal cultural events and other public gatherings).	Public unleased land permit required for events. Aboriginal people's access to Country for cultural purposes permitted in accordance with approved guidelines.	Permitted. Public unleased land permit required for events. Aboriginal people's access to Country for cultural purposes permitted in accordance with approved guidelines.
Sporting and group events (large scale >200 participants)	Public unleased land permit required.	Permitted west of Brindabella Road. Public unleased land permit required.
Swimming	Prohibited.	Prohibited.
Trail-bike riding (all trail bikes must be registered). Only permitted where cars are permitted.	Prohibited.	Permitted on publicly accessible roads and management trails only. No single track or off-road.
Visiting natural and cultural heritage sites	Permitted.	Permitted.
Walking The LCC is available for day walks only (no overnight bush camping). Walking is permitted everywhere.	Permitted.	Permitted.
Watercraft (only permitted for management purposes, such as water quality monitoring, research or emergencies). Hygiene protocols apply.	Prohibited.	Prohibited.

9.4 Management considerations and issues

The most effective way to protect drinking water quality and protect public health is to adopt a preventive management approach that encompasses all steps in water production from the catchment to the consumer. The key aspect of this approach is to prevent contamination of water by creating multiple barriers. These barriers may be grouped into those that operate before extracting the water (catchment management and source water protection, detention in protected reservoirs or storages) and those in place from the point of extraction (extraction management, treatment, distribution). The strength of this approach is that a failure of one barrier may be compensated by the effective operation of the remaining barriers (NHMRC, NRMCC 2011).

Recreational access to water supply catchments can be a contentious issue and is generally prohibited or restricted in Australia. Where recreational access is permitted, it involves trade-offs between public amenity and public safety (through contamination of the water supply) and requires an appropriate risk management strategy. Such recreational planning means that some activities will be allowed, others will be prohibited, and all will be subject to restrictions. An important aspect of managing recreational use in a water supply catchment is making users aware of that primary purpose and of the need to adjust their behaviour accordingly.

Completion of the project to enlarge and recommission Cotter Dam as a key part of domestic water supply and the higher priority thereby placed on water values demand a change to the historical pattern of use of the LCC. This change applies particularly to those activities that pose a threat to water quality, such as indiscriminate off-road vehicle use, (for example trail bike riding), and anti-social activities such as car dumping.

Management of recreation in the LCC now has to consider:

- » Historical patterns of use. Some of the uses (whether previously legal or illegal) are no longer compatible with protecting the water supply. Both the Strategic Management Plan (ACT Government 2007a) and the draft LCC Recreation Strategy (ACT Government 2010c) introduced new controls (for example, on motor sport events, horse riding and trail-bike riding) while reiterating previous controls on camping and firewood collection.
- » Proximity of urban development and increasing demand for recreation. Newly developed residential areas in the Uriarra settlement and Molonglo Valley are less than 10 kilometres away by direct and upgraded road links. The Molonglo Valley will eventually house up to 55,000 people. Development of Stromlo Forest Park as an off-road cycling node has already created additional demand for suitable cycling opportunities in nearby areas such as the LCC.
- » The Cotter Precinct. The recent major investment in recreation infrastructure in the Cotter Precinct below the Cotter Dam wall has provided a new focus on recreation in the area immediately adjacent to the LCC, which will draw more people into the area. It is inevitable that this will lead to increasing recreation generally in the area.

Changing behaviour patterns will require engaging the community and disseminating messages about catchment values, as well as applying appropriate compliance and enforcement actions.

9.4.1 Managing visitor safety

Some level of risk is associated with all recreational activities. Risk is not an absolute in itself, as the competency of those undertaking the activity is a significant factor in mitigating the risk. Outdoor pursuits sometimes require critical judgements to be made, which are based on a combination of skills, knowledge and experience.

The duty of management is to identify foreseeable risks and take reasonable steps to reduce them, particularly for people who may not have the skills, knowledge or experience to recognise the risk or its magnitude. Actions may include signs, closure of particular areas, maintenance or reconstruction work, and visitor education. However, managers cannot take responsibility for the safety of participants who visit the LCC.

9.3 New recreational activities and facilities

Over the life of this plan new recreational activities, or community proposals for additional facilities, may emerge that have not been catered for, or specifically considered in this plan. In determining whether or not a recreational activity or facility should be permitted in the LCC, consideration will be given to:

- » the risk the activity or facility poses to water quality
- » its relationship to the objectives and policies outlined in this plan
- » relevant legislative provisions and government policies
- » the capacity to undertake the activity outside the LCC
- » relevant policy within Namadgi National Park and the other Australian Alps national parks
- » the potential impact of the activity or facility on the natural and cultural heritage values of the LCC and on visitors and other recreational activities
- » public health and safety and the exposure of park management to risk.

RECREATION

OBJECTIVE

Levels and types of recreational use are consistent with the protection of water quality and catchment values.

POLICIES (see also Table 9.1)

Recreational activities inconsistent with protection of water quality and catchment values will not be permitted.

All body contact recreation is prohibited in the reservoir (e.g. swimming, windsurfing, water skiing).

Permitted recreational uses and their impacts will be monitored and remain under review over the life of this plan.

Additional restrictions on recreational use may be applied through Activities Declarations where activities are found to be having an adverse impact on water quality or other catchment values.

Fish stocking for recreational purposes will not be undertaken in the LCC.

ACTIONS

56. Prohibit or restrict recreational activity that has the potential to adversely affect water quality or other reserve values.
57. Monitor the impacts of recreational activities on reserve values and increase/decrease restrictions as appropriate.
58. Undertake a risk assessment for any new recreational activity or facility prior to permitting the activity in the LCC.
59. Develop a strategy to inform visitors to the LCC on appropriate recreational activities.

CHAPTER 10

Community participation



Signage on Brindabella Road

10 COMMUNITY PARTICIPATION

10.1 Primary management objectives

The community is actively engaged and supported in restoring and rehabilitating the Lower Cotter Catchment to a fully functioning natural ecosystem.

Visitors to the LCC understand and respect the importance of protecting the catchment from damaging activities.

10.2 Interpretation, education and community participation

Interpretation and environmental education activities help the community, including reserve visitors, to understand and appreciate the values and management objectives for the LCC. Successful community participation fosters stewardship—an aware and engaged community is more likely to become involved in the protection and maintenance of reserve values. An important element of community engagement is ensuring that recreational users understand the potential impacts of recreational activities and the reasons for the limitations placed on some activities in some areas.

The proximity of the LCC to Canberra means that the catchment can play an important role in enhancing community understanding of the area and its contribution to Canberra's water supply, as well as the natural and cultural values of the region and how ecosystems recover after fire and other major disturbances. Information about the LCC is on the ACT Parks and Conservation Service website, in brochures, on signs, and on ACT Government ACTMAPI.

10.3 Community participation in management

There is a strong recent history of community participation in the LCC since the 2003 fire, with nearly 15,000 volunteers spending more than 47,000 hours planting over 306,000 trees and shrubs over 500 hectares. The community plantings have been highly successful and monitoring has indicated that survival rates are nearly 80% (Greening Australia 2015).

Waterwatch volunteers have been surveying macroinvertebrates and riparian condition as markers of river health at Vanitys Crossing and raising awareness in schools and the community about the importance of maintaining good water quality and catchment health.

The Yurung Dhaura (meaning Strong Earth) Indigenous Land Management Team was formed under the federally funded Caring for Country initiative in March 2011 which focussed on improving the health of the Cotter catchment and supporting Aboriginal people to be engaged in natural resource management programs.



Community planting in the Lower Cotter Catchment

The team entered a two year contract in partnership with PCS and worked on Country to undertake environmental restoration in the catchment and to apply and record traditional ecological knowledge.

Over the two years, the team were involved in a variety of projects including weed control, fencing, pine wildling removal, track maintenance, water monitoring, river and landscape restoration and revegetation. The team restored over six kilometres of stream banks and 76 hectares of high conservation ecosystems in the Cotter Catchment.

Future community participation in the LCC could include involvement in a range of activities including, but not limited to, water quality monitoring, research, heritage restoration and maintenance, track construction and maintenance, interpretation programs, provision of visitor services, erosion control, bushfire recovery, weed control, feral animal control, and engagement in policy and program development through meetings and forums. The LCC also offers opportunities for further land management programs that involve the local Aboriginal community and provide them with meaningful work on Country and economic development opportunities.

10.4 Neighbours

Neighbours are mainly concerned with the interface between the LCC and their land. Their focus is generally on issues that apply across land tenures and arise through shared boundaries. Neighbours adjoining or near to the LCC include:

- » ACT rural landholders
- » Uriarra Village
- » Icon Water
- » NSW Office of Environment and Heritage
- » Tidbinbilla Nature Reserve and Namadgi National Park.

The southern part of the Uriarra Village lease is within the public land boundary of the LCC. A land management agreement applies to the area and the provisions of this management plan do not apply. (Further information is in Chapter 4)

Communication between ACT rural landholders and ACT Parks and Conservation Service rangers occurs frequently but on an ad hoc basis. The ACT Rural Forum, which is open to all ACT rural lessees, meets three or four times a year to provide the opportunity for government agencies and rural lessees to exchange information and views, and coordinate management programs.



Yurung Dhaura Aboriginal Land Management Team constructing a walking track and bridge near Blue Range Camp

10.5 Community participation: management considerations

Groups that regularly use protected areas—and may have done so over a long period—feel a sense of stewardship; they seek opportunities to take on responsibilities, especially to address issues relating directly to the use they and others engage in. Examples include the volunteers involved in the revegetation project run by Greening Australia, Waterwatch monitoring groups, and the Friends of ACT Arboreta who have long had an interest in the Blundells Flat area.

Volunteer activities are recognised as making a significant contribution to land management programs in the LCC and further involvement of volunteers will be encouraged and supported. Additional opportunities for community involvement in citizen science and research programs will be explored and considered on a case by case basis.

Volunteers require ongoing planning, support and coordination to ensure that:

- » they enjoy their work and feel appreciated for their efforts
- » occupational, health and safety standards are met
- » due process is followed, so that work, accidents and other relevant matters are properly recorded for risk management purposes
- » roles and responsibilities are clearly defined and understood.

Generally, volunteer involvement is centrally coordinated within ACT Parks and Conservation Service. Government agencies managing neighbouring lands have formal and informal communication mechanisms and are represented in cross-jurisdictional planning bodies such as the Australian Alps co-operative management program, and regional natural resource management and catchment management programs.

COMMUNITY PARTICIPATION AND NEIGHBOUR RELATIONS

OBJECTIVE

The community is engaged in the protection and management of the LCC.

POLICIES

Education and interpretation activities will seek to inform and enrich the visitor experience and increase community understanding of the values of the LCC.

Opportunities will be identified for the community, particularly local Aboriginal people, to actively participate in land management activities.

ACTIONS

60. Develop and implement education and communication strategies to improve community knowledge about the values of the LCC, appropriate use, and the importance of access restrictions in protecting water quality.
61. Continue to support community involvement and input from Aboriginal groups in revegetation and other environmental improvement activities.
62. Develop and implement a strategy to encourage new and expanded volunteer participation in restoration activities, citizen science and research projects.
63. Enhance partnerships with Aboriginal groups in managing the reserve.
64. Enhance partnerships with neighbours in managing reserve boundaries.

CHAPTER 11

Environmental protection and management operations

Restoration works on previous forestry trail

11 ENVIRONMENTAL PROTECTION AND MANAGEMENT OPERATIONS

11.1 Primary management objectives

The damaging impacts of illegal activities in the Lower Cotter Catchment are reduced through increased compliance and enforcement measures.

11.2 Introduction

This chapter considers a number of management issues, functions and requirements not addressed elsewhere in this plan.

11.3 Environmental impact assessment

Development is defined in s.7 of the *Planning and Development Act 2007* and includes building, earthworks or other construction work, carrying out work that would affect the landscape and using the land. It is preferable that environmental considerations be part of the early stages of any development proposal (an environmental planning approach). Where a number of projects are planned, it is desirable to address these collectively in order to determine cumulative impacts.

Environmental assessment requirements for developments in the ACT are contained in the *Planning and Development Act 2007*. Schedule 4 of the Act lists development proposals which trigger the requirement for environmental impact assessment (Part 4.3), and which of those activities might allow the Conservator of Flora and Fauna to provide an Environmental Significance Opinion (ESO) indicating that the proposal is not likely to have a significant adverse environmental impact.

Any proposal that is likely to have a significant adverse environmental impact on a domestic water supply catchment (such as the LCC) will require an environmental impact assessment and there is no provision for the Conservator to provide an ESO.

As noted in Chapter 3, the *Environment Protection and Biodiversity Conservation Act 1999* can be applied to the LCC in relation to Commonwealth-listed species. The Commonwealth and ACT governments have a bilateral agreement under the EPBC Act in relation to environmental impact assessment (DEWHA 2009b).

ENVIRONMENTAL IMPACT ASSESSMENT

OBJECTIVE

Development proposals are subject to environmental assessments and result in the protection of reserve values.

POLICIES

All developments will gain approval as required under the Planning and Development Act. Wherever relevant, proposed developments are to be assessed collectively.

ACTIONS

65. Ensure that staff and contractors are aware of their responsibilities in adhering to the requirements of the development assessment process in the Planning and Development Act and Territory Plan.

11.4 Management operations

Maintenance works undertaken by the ACT Parks and Conservation Service are subject to the relevant approved code/s of practice and require works plans to be prepared.

MANAGEMENT OPERATIONS AND ENVIRONMENTAL PROTECTION

OBJECTIVE

Best practice standards are applied to all management operations to maintain the environmental quality of the LCC and to ensure the health and safety of visitors.

ACTIONS

66. Prepare work plans that incorporate licensing and environmental protection requirements for all works undertaken in the reserve.

11.5 Resource extraction

Resource extraction (especially timber) is part of the history of the Lower Cotter Catchment. However, with the increased focus on protecting water quality, this will be limited into the future. Resource extraction is limited to: small-scale use of local soil or gravel for roads and management trails; the use of groundwater; and the possible use of local materials in interpretation. Local sourcing of trail and track material is often preferable to obtaining materials from elsewhere, which may introduce weeds or pathogens. The following activities are prohibited:

- » timber cutting and firewood removal (except for management purposes and forestry activities in the remaining pine plantations)
- » taking rocks, gravel or soil (except for management purposes)
- » taking, killing, picking, defacing or otherwise disturbing natural or cultural features (except for purposes authorised by the Conservator, such as research)
- » bee-keeping.

11.6 Commercial forestry

An ACT Government decision in July 2008 agreed to the *Lower Cotter Catchment Strategic Management Plan 2007*. The strategy proposed that the LCC would not be returned to commercial pine plantations and that existing planted pines would be progressively removed and replaced with native species, with the objective of complete restoration of the LCC to native vegetation within 30 years (2037). In the meantime, the management techniques applied to the approximately 448 hectares of existing pine plantation will be the minimum required to support this objective and to comply with bushfire risk management.

There are already extensive areas of pine wildlings across the LCC and while ever the plantations (and wildlings) remain, they will be a source of further seed. The existing wildlings are already sufficiently mature to provide a seed source. As the goal of returning the LCC to native vegetation will only become more difficult and expensive the longer pines are present, it is preferable that they are removed as soon as feasible.

COMMERCIAL FORESTRY

OBJECTIVE

Commercial forestry operations do not result in any adverse impacts on catchment values.

POLICIES

Non-native plant species will be progressively removed consistent with the primary land management objective of protecting the water supply.

No further commercial pine plantations will be established within the LCC.

11.7 Compliance and enforcement

The ACT Parks and Conservation Service has implemented a risk-based approach to regulation, aimed at promoting voluntary compliance through education and prioritising compliance and enforcement activities based on risk of harm.

PCS staff are authorised Conservation Officers under the *Nature Conservation Act 2014* (NCA), and may exercise a range of powers to protect, conserve and enhance the biodiversity of the ACT. These powers include issuing directions to protect and restore damage to our nature reserves. Where appropriate, infringement notices may be issued for a range of offences or prosecution action may be commenced via the Office of the Director of Public Prosecutions for breaches of the NCA or other legislation.

Members of the public can assist PCS by reporting suspected offences via Access Canberra on 132 281.

COMPLIANCE AND ENFORCEMENT

OBJECTIVE

Visitors are aware of and comply with all legislative and policy requirements.

POLICY

Activities inconsistent with protection of water quality values will not be permitted.

ACTIONS

67. Develop and implement a strategy for raising awareness of the necessary restrictions on activities in the LCC to promote appropriate behaviour and improve compliance.

Reflections on Cotter Reservoir (Mark Jekabsons)



APPENDICES

Cotter River (Mark Jekabsons)



APPENDICES

Appendix 1: Table of Actions

Priority for implementation of actions

High: Implemented within three years of the publication of this plan.

Medium: Implemented within five years of the publication of this plan.

Low: Implemented within the life of this plan.

***Ongoing actions:** Some actions will be ongoing throughout the life of the plan.

Actions	Priority	Responsibility
Chapter 4: Zoning and access		
1. Monitor and assess the use of roads and trails by management and other organisations, and maintain strict oversight of the issue of keys for locked gates.	High*	EPSDD
2. Ensure that roads and trails are maintained to appropriate standards.	High*	EPSDD
3. Manage the construction, maintenance and use of roads and trails to minimise impacts such as erosion, the spread of weeds or other factors that may adversely affect reserve values.	High*	EPSDD
4. Request amendment/s be made to the Territory Plan to establish an identifiable boundary for the LCC.	High	EPSDD
Chapter 5: Water resources		
5. Work with Icon Water to continue releases of environmental flows to maintain the health of downstream aquatic systems, timed to have maximum ecological benefits, particularly to assist with recruitment and sustainability of threatened fish populations.	Medium*	Icon Water EPSDD
6. Work with Traditional Custodians to achieve their objectives for cultural flows and incorporate into relevant management practices.	Medium*	EPSDD
7. Control and minimise road and trail runoff and active erosion.	High*	EPSDD
8. Review the current condition of wetlands and riparian areas and prepare and implement appropriate management responses to protect them.	High*	EPSDD
9. Undertake risk-based assessments for any works and events that pose a contamination risk to the reservoir or streams in relation to pathogens, chemicals, or erosion and sediment delivery.	Medium*	EPSDD
10. Restrict recreational activities in the Core Catchment Zone and prohibit recreational access in the Restricted Access Zone (in or on the waters of the Cotter Reservoir).	High*	EPSDD
11. Monitor the effectiveness of existing erosion control structures and undertake stabilisation and erosion control measures in areas that show evidence of active erosion.	Medium*	EPSDD
12. Develop and implement a long term erosion control plan for the LCC.	High	EPSDD
13. Manage grazing pressure from native and feral animals to limit loss of ground cover and consequent erosion.	Medium*	EPSDD
14. Identify and manage sources of excessive nutrient input as far as practicable.	Medium*	EPSDD
15. Minimise nutrient inputs by restricting visitor activities such as camping.	High*	EPSDD

Actions	Priority	Responsibility
16. Apply the Ecological Guidelines for Fuel and Fire Management Operations (ACT Government 2012b) to all fire management operations.	High*	EPSDD
17. As far as practicable, use chemicals outside an appropriate buffer distance from the reservoir and away from catchment drainage lines and wetlands. Strictly control the use of chemicals for weed control in riparian and shoreline areas to minimise contamination of the water body, and advise Icon Water when chemicals are in use.	High*	EPSDD ICON
Chapter 6: Landscape and ecological values		
18. Prioritise habitat connectivity in landscape rehabilitation activities in the LCC.	Medium*	EPSDD
19. Continue to regenerate hill slopes with suitable native species, stabilise gullies, and remediate erosion from roads and trails.	High*	EPSDD
20. Continue restoration of native vegetation cover to stabilise the catchment.	Medium*	EPSDD
21. Prioritise conservation of riparian vegetation, populations of uncommon plant species, and the bog/fen complexes at Blundells Flat and Shannons Flat.	High*	EPSDD
22. Enforce fishing regulations and continue to prohibit the use of bait fishing in the LCC, as it may introduce alien species and carry parasites and diseases.	High*	EPSDD
23. Undertake research into the threats to threatened aquatic species, including Macquarie Perch in accordance with Action Plan 29 (under review).	Medium	EPSDD
24. Prohibit the movement of any aquatic plants, aquatic animals or water from outside the Cotter catchment into the Cotter catchment.	High*	EPSDD
25. Explore options to improve connectivity for aquatic species to upstream habitat, such as providing fish passage when road infrastructure is upgraded.	Low*	EPSDD
26. Promote resilience to climate change by: <ul style="list-style-type: none"> » controlling or managing ecological stressors such as weeds, herbivores and introduced predators » identifying, managing and protecting potential refugia and landscape connections » maintaining and restoring diversity in ecological communities » maintaining large, well connected and genetically diverse populations 	Low*	EPSDD
27. Target weed control to priority areas and to where regeneration is occurring naturally.	Medium*	EPSDD
28. Conduct a survey for Phytophthora and prioritise and manage infected areas to contain the disease.	Medium	EPSDD
29. Implement existing protocols for preventing the spread of EHN and other aquatic diseases and review their effectiveness as required.	High	EPSDD
30. Develop early detection programs and emergency response plans to prevent the introduction of alien fish species, such as Carp and Redfin, to the LCC	High	EPSDD
31. Design and undertake management programs for pest animals and plants in accordance with the ACT Pest Animal Management Strategy 2012–22, ACT Weeds Strategy and pest control priorities, and in cooperation with adjacent land managers.	High*	EPSDD
32. Continue monitoring the effectiveness of the regeneration effort.	Medium*	EPSDD
33. Assess the effectiveness of efforts to-date to inform the development of a new, 10 year vegetation recovery management plan.	High	EPSDD

Actions	Priority	Responsibility
34. Implement a long-term program of native vegetation regeneration incorporating community involvement, plantings and direct seeding.	Medium*	EPSDD
35. Progressively remove existing pine plantations and replace with native species.	Low*	EPSDD
36. Continue to contribute to research and monitoring on changes in the distribution, abundance and ecology of specific fauna species in response to the 2003 fires, the enlargement of Cotter Dam and subsequent restoration activities.	Medium*	EPSDD
37. Work with Icon Water to implement the recommendations of Fish Management Plans and associated research projects (Appendix 7), where feasible, to improve management of threatened aquatic species.	Medium*	EPSDD ICON
38. Require researchers to demonstrate that projects have sound methodology, are relevant to the LCC, are appropriately supervised, and minimise disturbance to important habitat areas.	Medium*	EPSDD
39. Encourage and support survey, monitoring and research activities, particularly related to water supply, catchment management and fire management, and protection of natural and cultural heritage.	Medium*	EPSDD
40. Monitor the impact of recreation (types of activities, levels of use and location) with a focus on activities that affect water quality.	Medium*	EPSDD
Chapter 7: Fire management		
41. Set intervals for planned fires to create fire-fighting advantages across the landscape while also maintaining areas of each vegetation community within the fire thresholds (including the upper end of each threshold) for that community.	High*	EPSDD
42. Include actions in the LCC underneath the overarching EPSDD annual Bushfire Operations Plans.	High*	EPSDD
43. Consider long-term systematic monitoring and research programs to better understand the ecology of the LCC as a basis for fire management planning.	High	EPSDD
44. Develop an access strategy for fire management in the LCC that takes account of environmental, social and economic values. This strategy will include: <ul style="list-style-type: none"> » the provision of an appropriate fire-trail network to assist in rapid suppression and/or management operations and to provide the basis for fire fuel management activities » specified standards for the maintenance of fire trails and classification of trails according to classification standards identified in the SBMP, current codes of practice, and requirements under the <i>Environment Protection Act 1997</i> » a network of water access points for vehicles and helicopters. 	High	EPSDD
45. Protect sensitive areas in planned fire operations, including soils of extreme or very high erodibility that are actively eroding or showing signs of landscape dysfunction, and fire sensitive vegetation communities and aquatic communities.	High*	EPSDD
46. Follow the Ecological Guidelines for Fuel and Fire Management Operations in all fire operations.	High*	EPSDD
47. Identify in operational plans a Water Quality Protection Area (WQPA) comprising a vegetated buffer strip consistent with ACT Government overarching guidelines on sustainable land management. The approval of Icon Water must be obtained prior to the use of prescription burning, wetting agents, foaming agents, retardant or earth moving machinery within this buffer.	Medium	EPSDD
48. Define an appropriate width for a WQPA consisting of a vegetated buffer strip when preparing a future code/s of sustainable land management.	Medium	EPSDD
49. Involve the local Aboriginal community in implementing and monitoring cultural-ecological burns in fire management operations where possible.	Medium*	EPSDD

Actions	Priority	Responsibility
Chapter 8: Cultural heritage values		
50. Support an ACT Parks Aboriginal advisory group to increase the involvement of Aboriginal staff, Traditional Custodians and other Aboriginal groups in land management programs that encourage greater understanding and connection with the cultural landscape.	Medium*	EPSDD
51. Consult with Traditional Custodians about dual-naming of the reserve or places within the reserve.	Medium*	EPSDD
52. In collaboration with Traditional Custodians and an ACT Parks Aboriginal advisory group, prepare conservation management plans for significant Aboriginal cultural heritage places as the primary basis for their ongoing management.	Medium*	EPSDD
53. Support the development of guidelines for Aboriginal people's access to Country for cultural purposes.	Medium*	EPSDD
54. Increase awareness and appreciation of cultural heritage, including through the involvement of local Aboriginal people and their stories.	Medium*	EPSDD
55. Explore opportunities to conserve and interpret migrant and settler cultural heritage. For example, the Conservation Management Plan for Blundells Flat and Shannons Flat contains a detailed history of the area and conservation policies and works that could be implemented for ongoing protection and management of cultural heritage features.	Medium*	EPSDD
Chapter 9: Recreation		
56. Prohibit or restrict recreational activity that has the potential to adversely affect water quality or other reserve values.	High	EPSDD
57. Monitor the impacts of recreational activities on reserve values and increase/decrease restrictions as appropriate.	High*	EPSDD
58. Undertake a risk assessment for any new recreational activity or facility prior to permitting the activity in the LCC.	High*	EPSDD
59. Develop a strategy to inform visitors to the LCC on appropriate recreational activities.	Medium*	EPSDD
Chapter 10: Community engagement		
60. Develop and implement education and communication strategies to improve community knowledge about the values of the LCC, appropriate use, and the importance of access restrictions in protecting water quality.	High*	EPSDD
61. Continue to support community involvement and input from Aboriginal groups in revegetation and other environmental improvement activities.	Medium*	EPSDD
62. Develop and implement a strategy to encourage new and expanded volunteer participation in restoration activities, citizen science and research projects.	Medium*	EPSDD
63. Enhance partnerships with Aboriginal groups in managing the reserve	Medium*	EPSDD
64. Enhance partnerships with neighbours in managing reserve boundaries.	Medium*	EPSDD
Chapter 11: Environmental protection and management operations		
65. Ensure that staff and contractors are aware of their responsibilities in adhering to the requirements of the development assessment process in the Planning and Development Act and Territory Plan.	High*	EPSDD
66. Prepare work plans that incorporate licensing and environmental protection requirements for all works undertaken in the reserve.	High*	EPSDD
67. Develop and implement a strategy for raising awareness of the necessary restrictions on activities in the LCC to promote appropriate behaviour and improve compliance.	High*	EPSDD

Appendix 2: ACT legislation relevant to the management of the Lower Cotter Catchment.

Legislation	Relevance to the Lower Cotter Catchment
<i>Nature Conservation Act 2014</i>	Requires the preparation of management plans for wilderness areas, national parks, nature reserves and water catchment areas. Provides for the protection and conservation of native plants and animals, declaration of threatened species and ecological communities, and provides management authority for areas reserved for conservation of the natural environment.
<i>Heritage Act 2004</i>	Establishes a system for the recognition, registration and conservation of natural and cultural heritage places and objects. A list of these places is maintained on the ACT Heritage Register.
<i>Emergencies Act 2004</i>	Primary object is to protect and preserve life, property and the environment. The Act requires the preparation of a Strategic Bushfire Management Plan for the ACT. It also establishes the ACT Rural Fire Service as the body responsible for operational planning and fire response in rural areas, which includes the LCC.
<i>Water Resources Act 2007</i>	Provides for the sustainable use and management of ACT water resources, the protection of aquatic ecosystems and aquifers from damage and, where practicable, the reversal of past damage. The ACT water resources strategy and environmental flow guidelines for streams are established under the Act (ACT Government 2004a, 2006).
<i>Environment Protection Act 1997</i>	Provides the regulatory framework to help reduce and eliminate the discharge of pollutants into the air, land and water. Environmental protection policies are established under the Act, which also sets water quality standards. The Act regulates activities that have the potential to cause environmental harm.
<i>Pest Plants and Animals Act 2005</i>	Main objects are to protect the land and water resources of the ACT from threats from pest plants and animals and to promote a strategic and sustainable approach to pest management. The Act lists pest plants and animals and provides for development of pest animal and pest plant management plans.
<i>Domestic Animals Act 2000</i>	Provides for the identification and registration of certain animals including dogs, and sets out the duties of owners, carers and keepers.
<i>Crimes Act 1990</i>	Consolidates statutes related to criminal law.
<i>Firearms Act 1996</i>	Provides for the use of firearms by park personnel.
<i>Prohibited Weapons Act 1996</i>	Prohibits the possession of certain dangerous weapons and other articles.
<i>Fisheries Act 2000</i>	Objects are to conserve native fish species and habitats and to sustainably manage ACT fisheries. The Act regulates recreational fishing, prohibits fishing in the Cotter Reservoir, and protects threatened fish species.
<i>Litter Act 2004</i>	Provides for the control and regulation of litter, including dumping.
<i>Animal Diseases Act 2005</i>	Provides for the control of endemic and exotic diseases of animals.
<i>Animal Welfare Act 1992</i>	Primary purposes are to promote vertebrate animal welfare and control activities that cause suffering to animals. The Act covers scientific research and gazetted codes of practice for management and control of animals: Code of Practice for the Humane Destruction of Kangaroos in the ACT (1994) (DI 1994–149); Australian code for the care and use of animals for scientific purposes (NHMRC 2013)—gazetted under the Animal Welfare Act (DI 2014–195).
<i>Public Health Act 1997</i>	Provides for the protection of the public from public health risks.
<i>Roads and Public Places Act 1937</i>	Provides for temporary roads, temporary closure of roads and use of public places.
<i>Stock Act 2005</i>	Contains regulations for the control of stock and ruminants.
<i>Trespass on Territory Land Act 1932</i>	Provides for the regulation of straying stock, illegal camping, and unauthorised occupation of public or private land.
<i>Human Rights Act 2004</i>	Acknowledges that Aboriginal and Torres Strait Islander peoples hold distinct cultural rights and must not be denied the right to maintain, protect and develop their culture. The Act also recognises their material and economic relationships with the land, waters and other resources.

Appendix 3: ACT Government strategies and plans relevant to the Lower Cotter Catchment

ACT Nature Conservation Strategy 2013–23.

Prepared under the Nature Conservation Act, this strategy establishes a policy framework for conservation of biodiversity in the ACT.

ACT Native Grassland Conservation Strategy and Action Plans. This strategy provides guidance on the conservation of native grasslands and component species in the ACT consistent with the ACT Nature Conservation Strategy 2013–23, regardless of tenure and landuse. (ACT Government 2017c).

Action Plans for threatened species/ecological communities under the Nature Conservation Act.

Action Plan No. 27: Woodlands for wildlife, ACT Lowland Woodland Conservation Strategy. This strategy focuses on lowland woodland in the approximate altitudinal range 600–1000 metres. It includes the threatened Yellow Box–Red Gum Grassy Woodland and threatened species associated with woodland habitat (ACT Government 2004).

Action Plan No. 29: Ribbons of Life: ACT Aquatic Species and Riparian Zone Conservation Strategy. This strategy focuses on aquatic and riparian species in the ACT. (ACT Government 2007b) (This strategy is under review).

Action Plan No. 30: Spotted-tailed Quoll *Dasuyurus maculatus*—a vulnerable species (ACT Government 2005b).

Bush Capital Legacy: iconic city, iconic natural assets. Plan for Managing the Natural Resources of the ACT (2009): This plan, prepared by the ACT Natural Resource Management Council, contains sixteen targets to guide natural resource investment in the ACT. These are based on issues of concern under the categories of community, land, water and biodiversity (ACT NRM Council 2009).

ACT Weeds Strategy 2009–2019: The strategy aims to reduce the impact of weeds on the environment, the economy, human health and amenity. It recognises that weed management is an integral component of sustainable management of natural resources and the environment (ACT Government 2009a).

ACT Strategic Bushfire Management Plan, Version 3 2014. This plan sets out the objectives, strategies, policies, and specific actions by which the ACT community and the ACT Government can better manage bushfires and reduce the bushfire risk to life, property and the environment (ACT Government 2014b).

ACT Kangaroo Management Plan (2010): This plan sets out the approach to be adopted in maintaining wild populations of eastern grey kangaroos in the ACT while managing their environmental, economic and social impacts and ensuring their welfare (ACT Government 2010b).

ACT Water Strategy 2014–44: Striking the Balance (2014). This strategy focuses on three outcomes: 1. Healthy catchments and water bodies; 2. A sustainable water supply used efficiently; and 3. A community that values and enjoys clean, healthy catchments. Strategies and actions are identified to achieve these outcomes (ACT Government 2014c).

AP2: A new climate change strategy and action plan for the Australian Capital Territory: This updates the Territory's 2007 Climate Change Strategy: Weathering the Change and provides a pathway to achieve the Territory's legislated 2020 greenhouse gas reduction targets, and a set of actions to progress the strategy to its next review point in 2015 (ACT Government 2012d).

ACT Pest Animal Management Strategy 2012–22: This sets out the key principles, objectives and strategic actions for reducing the damage caused by pest animals in the ACT (ACT Government 2012c).

Appendix 4: Sites of geological significance in the Lower Cotter Catchment

Two sites of geological significance lie partly within the LCC:

- » A narrow linear ridge, 100 metres high and 2 kilometres long, extends south-west from the Pierces Creek picnic area. This ridge lies along a splinter of the Winslade Fault, which is a major structural feature of the northern ACT. The ridge marks where a slice of sedimentary rock has been faulted against intrusive volcanics. The ridge is an unusual example of fault-developed topography.
- » Sugarloaf Hill, on the eastern edge of LCC, is a cone-shaped hill rising to 753 metres and is a distinctive remnant of sedimentary rock rising above intrusive granitic rocks. The hill has interesting exposures of these rocks and their contact zones.



Appendix 5: Interesting, uncommon, threatened, and rare species of the Lower Cotter Catchment

The following interesting, uncommon, rare and threatened species and communities have been recorded in the Lower Cotter Catchment. Over time, other species or communities may be recorded in the area, particularly after suitable habitat has recovered or is restored as a result of implementing this plan.

Macquarie Perch (*Macquaria australasica*)—

Found in four ACT Rivers. In the lower Cotter River, Macquarie Perch is restricted to the section of the river from the junction with the Murrumbidgee to Bendora Dam (since Vanity's Crossing and other fish ladders were built). Declared endangered in the ACT and under Commonwealth legislation, and vulnerable in NSW (ACT Government 2007b).

Trout Cod (*Maccullochella macquariensis*)—

8750 Trout Cod were released into Bendora Dam in 1989–90 as part of a national recovery plan. Breeding occurred in 2002. Declared endangered in the ACT and NSW (ACT Government, 2007b).

Murray River Crayfish (*Euastacus armatus*)—Has a large geographic range in the Murray-Darling Basin. In the ACT it is found mainly in the Murrumbidgee River and has been recorded below Cotter Dam and at Bracks Hole above Cotter Dam. Declared vulnerable in the ACT (ACT Government, 2007b).

Two-spined Blackfish (*Gadopsis bispinosus*)—

Found in selected rivers in the ACT region. In the ACT, the species is now found only in the Cotter River catchment upstream of the Cotter Dam. Declared vulnerable in the ACT (ACT Government, 2007b).

Northern Corroboree Frog (*Pseudophryne pengilleyi*)—

The lowest altitude population of this species was recorded at Blundells Flat in the late 1980s (Butz 2004). Declared endangered in the ACT, critically endangered in NSW and vulnerable under Commonwealth legislation.

A burrowing land crayfish (*Engaeus cymus*)—

Considered uncommon in the ACT. Known locations include Blundells Flat, Two Sticks Road and Condor Creek (Butz 2004).

Key's Matchstick Grasshopper (*Keyacris scurra*)—

Flightless grasshopper formerly common in grasslands and grassy woodlands in south-eastern Australia but now uncommon in the ACT region. Recorded at Blundells Flat in the 1950s (Butz 2004).

Mountain Swamp Gum (*Eucalyptus camphora*)—

A regionally uncommon species only found in the wild at two locations in the ACT, one of which is at Shannons Flat in the LCC. Despite its limited range, Mountain Swamp Gum is not listed as a threatened species (Butz 2004).

***Pomaderris pallida*—**A narrow leaved shrub 1–2 metres high with cream-coloured flowers. Occupies open forest and has been recorded from the Paddys-Cotter rivers area. Declared vulnerable under Commonwealth and NSW threatened species legislation (ACT Government 2007b).

Blundells Flat and Shannons Flat wetlands –

Montane peatlands in the north western area of the Lower Cotter catchment characterised by flats below steeper slopes to the west and fed by hillslope seeps.

APPENDIX 6: Lower Cotter Catchment risk treatment plan – reconciliation with reserve management plan

Risk ID and Statement	Existing Control Measures	Risk Rating and Priority	Actions	Position Responsible and authority Accountable	Timeframe/ Milestones and Monitor/ Review	LCC Reserve Management Plan reference
<p>The following risks acknowledge a common treatment initiative that is the Statutory Management Plan for the Lower Cotter Catchment. This Report will serve to further strengthen the initiatives and actions within the Plan of Management that will address the risks listed below. The fact that the Residual Risk Rating was calculated as HIGH, demonstrates the need for this Plan to be finalised and effectively implemented.</p> <p>Treatment Plan To finalise the development of the Statutory Management Plan (SMP) for The Lower Cotter Catchment, following public consultation and endorsement. Develop an implementation strategy (targeting high risk and non-compliances). Clearly articulate roles and responsibility for implementation actions.</p>						
<p>G1</p> <p>There is a risk that uncoordinated governance and ineffective implementation of legislative frameworks will impact on the key LCC land use objectives serving to:</p> <ul style="list-style-type: none"> • Ensure the effective management of the LCC as a Drinking Water Catchment to preserve the high water quality • Respect its environmental value, recognising it is a 'recovering landscape'; and • Ensure effective land management as a recreational opportunity 	<ul style="list-style-type: none"> • DG Water Group • Access Management Group • LCCIC Group • Legislative review processes • Parliamentary Council • Strategic Management Plan (2007) • Territory Plan • Budgetary Processes 	HIGH 18	<p>Provide a review and report on implementation and coordination</p> <p>Include and review the accountability structure in the SMP</p>	<p>LCCRM Working Group</p> <p>LCCRM Working Group</p> <p>Project Officer PCS</p>	<p>End 2016 Annually</p> <p>By July 2017 July 2017</p>	<p>Appendix 1: LCCRM Table of Actions: Priority and Responsibility. Provides basis for development of an Implementation Plan.</p> <p>Implementation report to Minister every 5 years</p> <p>Ch 3 of LCCRM sets out responsibilities for management of the LCC</p>
<p>NA2</p> <p>There is a risk that an introduction of disease (e.g. EHN) will threaten the viability of native aquatic fauna (including threatened fish species) populations resulting in a significant decline of one or more species.</p>	<ul style="list-style-type: none"> • Restrict of public access and recreational activities • Protocol for fire Management • Protocols for boat use 	HIGH 18	<p>Include protocols for disease for prevention in SMP</p>	<p>Project Officer PCS</p>	<p>By July 2017 July 2017</p>	<p>Chapter 6 of LCCRM includes action to implement protocols for preventing the spread of EHN and other aquatic diseases.</p>
<p>NA4</p> <p>There is a risk that bushfire during elevated fire danger conditions will lead to habitat change resulting in decline of one or more fauna populations</p>	<ul style="list-style-type: none"> • Ecological input into SBMP, regional fire management plans and BOPS. • Ecological guidelines and/ or conservator directions applied to treatment areas. • Prescribed burn and fuel management research and ecological monitoring. 	HIGH 18	<p>Include protocols for prevention in SMP</p>	<p>Project Officer PCS</p>	<p>By July 2017 July 2017</p>	<p>Ecological Guidelines for Fuel and Fire Management Operations to be followed in LCC. No water for fire fighting to be taken from within EHN exclusion zone (not in Cotter Reservoir).</p>

Risk ID and Statement	Existing Control Measures	Risk Rating and Priority	Actions	Position Responsible and authority Accountable	Timeframe/ Milestones and Monitor/ Review	LCC Reserve Management Plan reference
NV4 There is a risk that bushfire during elevated fire danger conditions will lead to vegetation change resulting in decline in composition structure or function of vegetation communities	<ul style="list-style-type: none"> Ecological input into SBMP, Regional Fire Management Plans and BOP Ecological guidelines and or conservator directions applied to treatment areas Prescribed burn and fuel management research and ecological monitoring 	HIGH 18	Include protocols for monitoring change in vegetation communities in SMP and Regional Fire Management Plan	Project Officer PCS	By July 2017 July 2017	Monitoring of vegetation communities is ongoing every three years. New action included to prepare vegetation regeneration plan for next ten years (Ch 6). Also Identified in Actions for Fire Management (Ch 7)
A1 There is a risk that unmanaged public access will impact on water quality in the Cotter Dam	<ul style="list-style-type: none"> Gates, locks and natural barriers to public access PCS and ICON COP BOP Enforcement of powers LCC Statutory Management Plan 	HIGH 18	Ensure that adequate resources are available to implement SMP	Director PCS PCS	Annually Annually	LCCRMP provides a statutory basis for restricting access within LCC. Resourcing is beyond scope of LCCRMP.
R1 There is a risk that unauthorised activities within the LCC will impact on the water quality in Cotter Dam	<ul style="list-style-type: none"> Barriers to entry to parts of LCC PCS and ICON COP LCC Statutory Management Plan Recreation Strategy Enforcement of powers 	HIGH 17	Ensure that adequate resources are available to implement SMP	Director PCS PCS	Annually Annually	Beyond scope of LCCRMP
			Include protocols for prevention and enforcement in SMP	Project Officer PCS	July 2017 July 2017	LCCRMP includes policies for limiting recreation access in LCC e.g. no swimming, boating fishing etc in Cotter Reservoir.
R2 There is a risk that ineffective management of expectations management will create inappropriate recreational opportunities	<ul style="list-style-type: none"> Barriers to entry to parts of LCC PCS and ICON COP LCC Statutory Management Plan LCC signs project Recreation Strategy 	HIGH 17	Proactive engagement of community	Director PCS PCS	Ongoing Annually	LCCRMP identifies need for communications strategy and ongoing community engagement. Implementation is beyond scope of LCCRMP
R3 There is a risk that unregulated high impact use of the LCC will impact the quality of water in the Cotter Dam	<ul style="list-style-type: none"> Barriers to entry to parts of LCC PCS and ICON COP LCC Statutory Management Plan Recreation Strategy 	HIGH 17	Proactive engagement of community and strengthen compliance and enforcement	Director PCS PCS	Ongoing Annually	The LCCRMP identifies action to develop and implement Communications Strategy and prohibits all recreational activities in Cotter Reservoir.
R4 There is a risk that unrestricted public access will increase illegal fishing pressures resulting in declines in one or more aquatic species.	<ul style="list-style-type: none"> Restrict public access Fishing regulations Public education 	HIGH 17	Proactive engagement of community and strengthen compliance and enforcement	Director PCS PCS	Ongoing Annually	The LCCRMP identifies action to develop and implement Communications Strategy. Fishing is regulated by Fisheries Act. The LCCRMP prohibits fishing in Cotter Reservoir.

Risk ID and Statement	Existing Control Measures	Risk Rating and Priority	Actions	Position Responsible and authority Accountable	Timeframe/ Milestones and Monitor/ Review	LCC Reserve Management Plan reference
R5 There is a risk that unauthorised recreational activities (e.g. swimming, canoeing, driving) will impact on human safety and result in loss of life	<ul style="list-style-type: none"> Barriers to entry to parts of LCC PCS and ICON COP LCC Statutory Management Plan Recreation Strategy Enforcement of powers 	HIGH 18	Proactive engagement of community and strengthen compliance and enforcement	Director PCS PCS	Ongoing Annually	The LCCRMP prohibits all recreational activities in Cotter Reservoir. Zoning limits driving to publicly accessible roads.
WM2 There is a risk that ineffective management of the LCC will result in a reduction in water quality leading to potential public health impact	<ul style="list-style-type: none"> SBMP Strategic Management Plan other operational policies and procedures for land management 	HIGH 18	<p>Ensure that adequate resources are available to implement SMP</p> <p>Include and review the accountability structure in the SMP</p>	<p>Director PCS PCS</p> <p>Project Officer PCS</p>	<p>Annual Annually</p> <p>By July 2017 July 2017</p>	<p>Resourcing is beyond scope of LCCRMP</p> <p>Ch 3 of LCCRMP sets out responsibilities for management of the LCC</p>
WM3 There is a risk that competing legislative priorities/objectives (threatened species Management versus water security, fire management risk mitigation) will impact on the LCC water quantity and quality	<ul style="list-style-type: none"> SBMP Strategic Management Plan Other operational policies and procedures for land management 	HIGH 18	Review and elevate to DG Water Group for resolution	Each respective Agency LCCRM Working Group	As required Annually	Beyond scope of LCCRMP
WM4 There is a risk that fire during elevated fire danger conditions will result in significant reduction in water quantity and quality	<ul style="list-style-type: none"> SBMP Early detection capabilities Rapid response Restricted access Equipment and resources Protocols and principles Asset condition monitoring program Regional coordination Appropriate increase of resources available during periods of elevated fire danger 	EXTREME 24	Review strategies for the LCC under the SBMP and Regional Fire Management Plan	Chair LCCICG ESA	By July 2017 Annually	Beyond scope of LCCRMP

Appendix 7: Fish management plan references

ACTEW Water 2013a, *Enlarged Cotter Dam Fish Management Plan Version 3, November 2013*. ACTEW, Canberra.

Broadhurst, BT, Clear, RC, Fulton, C and Lintermans, M 2015, *Enlarged Cotter Reservoir ecological monitoring program: Technical Report 2015*. Institute for Applied Ecology, University of Canberra, Canberra.

Hugh, S. 2010, *Predicting barriers to the movement of Macquarie perch (Macquaria australasica)* Report to the ActewAGL Bulk Water Alliance, Fenner School of Environment and Society, Australian National University, Canberra.

Lintermans, M 2005. *ACT Future Water Options Fish Impact Study: A Review of Potential Impacts on Fish and Crayfish of Future Water Supply Options for the Australian Capital Territory: Stage 1*. ACTEW Corporation, Canberra. 125 p.

Lintermans, M 2012, Managing potential impacts of reservoir enlargement on threatened *Macquaria australasica* and *Gadopsis bispinosus* in southeastern Australia. *Endangered Species Research* 16: 1-16.

Lintermans, M., Broadhurst, B. Thiem, J. D., Ebner, B. C., Wright, D., Clear, R., and Norris, R. H. 2010. Constructed homes for threatened fishes in the Cotter River catchment: Phase 2 final report. Report to ACTEW Corporation. Institute for Applied Ecology, University of Canberra, Canberra. 205 p.

Lintermans, M, Broadhurst B, Clear, R 2011, Characterising potential predation of Macquarie perch *Macquaria australasica* by cormorants in Cotter Reservoir. Report to Bulk Water Alliance. Institute for Applied Ecology, University of Canberra, Canberra.

Lintermans, M (ed.) 2013, *Using translocation to establish new populations of Macquarie perch, Trout cod and Two-spined blackfish in the Canberra region*, Final report to ACTEW Water. Institute for Applied Ecology, University of Canberra, Canberra.

MacDonald, AJ, Young, MJ, Lintermans, M and Sarre, SD 2014, Primers for detection of Macquarie perch from environmental and trace DNA samples. *Conservation Genetics Resources* 6:551–553. DOI 10.1007/s12686-014-0196-6.

Norris, RH, Wright, DW, Lintermans, M, Bourke DF, Harrison, ET 2012, Food resources for *Macquarie perch* in *Cotter Reservoir*. Final Report to the Bulk Water Alliance. Institute for Applied Ecology, University of Canberra, Canberra.

Ryan, KA, Lintermans, M, Ebner, B and Norris, R 2013, Using fine-scale overlap in predator-prey distribution to assess avian predation risk to a reservoir population of threatened Macquarie perch. *Freshwater Science* 32 (4): 1057-1072.

Starrs, D, Ebner, BC, Lintermans, M and Fulton, CJ 2011, Using sprint swimming performance to predict upstream passage of the endangered Macquarie perch in a highly regulated river. *Fisheries Management and Ecology*, 18, 360–374.

GLOSSARY

adaptive management

Adaptive management is defined as: management research involving the development of prior hypotheses about a dynamic natural resource; experimental application of a management treatment; collection of data sufficient to evaluate the effect of the intervention; and analysis (adapted from Walters 1986). Under this approach, management intervention is conducted in a rigorous experimental framework where the intervention is implemented as a scientific experiment (Georges, Hone and Norris 2008).

aestivation

Aestivation is a period of dormancy in the life cycle of an animal, occurring during the period of summer heat (opposite of hibernation).

bicycle* (including power assisted pedal cycles)**

In the ACT, a bicycle (defined in the *ACT Road Transport (General Act 1999)*) means a vehicle with 2 or more wheels that is built to be propelled by human power through a belt, chain or gears (whether or not it has an auxiliary motor). The definition includes a power assisted pedal cycle but excludes any vehicle that has an internal combustion engine.

A power assisted pedal cycle** is defined as a pedal cycle to which is attached one or more auxiliary propulsion motors having a combined maximum power output not exceeding 200 watts, or a pedalec.

A Pedalec*** is a power assisted pedal cycle that may have one or more auxiliary propulsion motors generating a combined continuous rated power output not exceeding 250 watts.

* See *Road Transport (General) Act 1999*

** See *Vehicle Standard (Australian Design Rule-definitions and Vehicle Categories) 2005*. These are vehicle standards determined under the *Motor Vehicles Standards Act 1989* (Cwlth).

*** See *European Committee for Standardisation EN 15194:2009 or EN 15194:2009+A1:2011 Cycles – electrically power assisted cycles – EPAC Bicycles*.

biodiversity (biological diversity)

Biodiversity is the variability among living organisms from all sources (including terrestrial, aquatic, marine and other ecosystems and ecological complexes of which they are part), which includes genetic diversity, species diversity and ecosystem

diversity (National Biodiversity Strategy Review Task Group 2009).

connection to Country

Connection to country refers to Aboriginal and Torres Strait Islander people being on, or remembering, Country, acknowledging the specific localised knowledge of that area's natural and cultural landscape and ancestral stories (EPSDD).

connectivity

Habitat connectivity is the degree to which an organism can move around the landscape due to the presence of suitable habitat. For fauna, connectivity has been defined as the 'degree to which the landscape facilitates or impedes movement among patches' (Bennett 1999).

conservation

When applied to natural heritage, conservation means all the processes and actions of looking after a place so as to retain its natural significance, and always includes protection, maintenance and monitoring. It may also involve actions to repair degradation and includes conserving natural processes of change (Australian Heritage Commission, 2002a).

As applied to species and ecological communities, conservation refers to all the processes and actions aimed at the maintenance of those entities in perpetuity. This is also expressed as the 'conservation of biological diversity'.

When applied to cultural heritage, conservation means all the processes of looking after a place so as to retain its cultural significance. Cultural significance means aesthetic, scientific, social or spiritual value for past, present or future generations (Australia ICOMOS, 2013). Conservation may also be applied to specific objects.

Controlled Land

Under the *Nature Conservation Act 1980* (repealed), controlled land means:

- (a) public land; or
- (b) Territory land that is not subject to a territory lease.

cultural burning

Cultural burning is based on historical Indigenous knowledge and skill, and fosters the involvement of Traditional Custodians in Caring for Country.

cultural landscape

An Aboriginal cultural landscape is “a place or area valued by an Aboriginal group (or groups) because of their long and complex relationship with that land. It expresses their unity with the natural and spiritual environment. It embodies their traditional knowledge of spirits, places, land uses, and ecology. Material remains of the association may be prominent, but will often be minimal or absent.” (Buggey 1999).

cultural significance

Cultural significance means aesthetic, historic, scientific, social or spiritual value for past, present or future generations (Australia ICOMOS, 2013).

custodian

The *Planning and Development Act 2007* (ACT) defines a *custodian* for an area of land as an administrative unit or other entity* with administrative responsibility for land in the ACT that is unleased land, public land or both.

* An entity includes an unincorporated body and a person (including a person occupying a position) (*Legislation Act 2001*).

ecological community

An ecological community is an assemblage of plant and animal species that occur together in space and time.

ecosystem

An ecosystem is a dynamic complex of organisms and their environment, interacting as a functional unit (Australian Heritage Commission 2002a).

ecosystem services

Ecosystem services are functions of natural ecosystems that maintain the atmosphere; provide clean water; control soil erosion, pollution and pests; pollinate plants; and provide many other essential services. The functioning of natural ecosystems provides services essential to human survival. Collectively, these services maintain the earth in a state that can support life (National Biodiversity Strategy Review Task Group 2009). Few ecosystem services have been valued economically and most are unrecognised and under-priced (PMSEIC 2002). High quality water from well-managed catchments is an example of an ecosystem service, and one which is better recognised and valued than many others.

fire intensity

Fire intensity is a measure of the energy generated by the burning of the fuels in the fire (Carey et al. 2003).

fire severity

Fire severity is a measure of the impact of the fire on vegetation (Carey et al. 2003).

geodiversity

Geodiversity is the natural range (diversity) of geological (bedrock), geomorphological (landform) and soil features, assemblages, systems and processes (Australian Heritage Commission 2002a).

hydrology

Hydrology is the science dealing with water on the land, or under the earth's surface, its properties, laws, geographical distribution, etc. (Macquarie Dictionary).

MLDRIN

The Murray Lower Darling Rivers Indigenous Nations (MLDRIN) is a confederation of Indigenous Nations or traditional owners in the lower southern part of the Murray Darling Basin.

natural significance

Natural significance means the importance of ecosystems, biodiversity and geodiversity for their existence value or for present or future generations, in terms of their scientific, social, aesthetic and life-support value [Australian Natural Heritage Charter. 2nd edition (Australian Heritage Commission 2002a)].

National Reserve System

The National Reserve System is the system of formally recognised parks, reserves and protected areas primarily dedicated to the long-term protection of Australia's biodiversity. The protected areas occur on public, private and Indigenous land and are formally protected through legal or other effective means and managed in perpetuity (National Reserve System Task Group 2009).

pine wildlings

Pine wildlings are invasive trees growing outside the net stocked area of plantation. Not to be confused with pine regrowth.

rehabilitation

Rehabilitation refers to the improvement in condition of land and/or ecological communities and their component species following degrading disturbance. Rehabilitation may involve regeneration, restoration or reinstatement, representing progressively greater degrees of human intervention. These terms are defined in the Australian Natural Heritage Charter (Australian Heritage Commission 2002a).

Regeneration means the natural recovery of natural integrity following disturbance or degradation.

Restoration means returning existing habitats to a known past state or to an approximation of the natural condition by repairing degradation, by removing introduced species or by reinstatement.

Reinstatement means to introduce to a place one or more species or elements of habitat or geodiversity that are known to have existed there naturally at a previous time, but that can no longer be found at that place.

social impact

Social impact refers to how reserve users and their activities affect others. This includes:

- » the number of encounters with other people in more remote areas
- » incompatible activities, or behaviour affecting other people (e.g. noise)
- » presence of too many people (crowding), especially where low numbers are expected
- » the presence of management facilities that may detract from the outdoor experience.

survey, monitoring, research

Survey involves establishing the characteristics (or baseline condition) of something in a comprehensive or general way, e.g. a building, vegetation of an area, a group of people. It often involves the counting, measurement and/or assessment of a variable or variables.

Monitoring involves the assessment of the characteristics of something over a period of time and will often involve the repeated counting, measurement and/or assessment of a variable or variables. It is only fully effective when a standardised method is used each time. Monitoring is focused on baseline conditions and long-term trends.

Research involves systematic investigations into a significant question (usually deriving from an established discipline) or 'problem' with the aim of establishing new knowledge. It is conducted over a period of time, may involve the investigation of relationships between variables and varying levels of analysis, and will be related to the philosophical and theoretical foundations of a discipline. Research can involve survey and monitoring.

threatened

Threatened is an umbrella term for various categories of risk of premature extinction.

values

A value is a property or characteristic of something that makes it esteemed, desirable or useful. A value expresses worth, merit or importance. In land management, values are characterised as natural (deriving from the natural environment, i.e. from landforms, geology, soils, vegetation, flora and fauna, hydrology, waterways) or cultural (deriving from human use and/or settlement). Natural and cultural values may be inter-related, or may overlap or be perceived as inseparable by some people.

REFERENCES

- Abell, RS 1992, Canberra 1:100 000 scale geological map. 8727. 1st Edition, BMR, Canberra.
- ACT Government 2000, An Integrated Catchment Management framework for the ACT. Environment ACT, Canberra.
- ACT Government 2003, *Shaping our Territory Final Report: Opportunities for Non-Urban ACT*. ACT Government Publishing Services, Canberra.
- ACT Government 2004, *Woodlands for Wildlife: ACT Lowland Woodland Conservation Strategy*. Action Plan No. 27. Environment ACT. Canberra.
- ACT Government 2005a, *ACT Code of Forest Practice*, Environment ACT, Canberra.
- ACT Government 2005b, Issues and Proposed Works in the Lower Cotter: Report from Lower Cotter Catchment Working Group to Agency Heads Water Catchment Management Group, Canberra, unpublished.
- ACT Government 2007a, *Lower Cotter Catchment – Strategic Management Plan*. A report prepared in collaboration with ACTEW, Ecowise Environmental and Emergency Services Agency. Environment and Recreation, TAMS.
- ACT Government 2007b, *Ribbons of Life: ACT Aquatic Species and Riparian Zone Conservation Strategy*. Action Plan No 29. Department of Territory and Municipal Services, Canberra.
- ACT Government 2008, *ACT Water Report 2007–2008* (Department of Territory and Municipal Services, Canberra).
- ACT Government 2009a, *ACT Weeds Strategy 2009–2019* (Department of the Environment, Climate Change, Energy and Water, Canberra).
- ACT Government 2009b, *Cotter Regional Fire Management Plan 2009–2019* (ACT Emergency Services Agency, Canberra). www.esa.act.gov.au
- ACT Government 2009c, Technical Report 20. *Sphagnum Bog Mapping and Recovery Plan*. ACT Climate Change Strategy Action Plan 2007–2011, Action 35 Project Report (Macdonald, T).
- ACT Government 2010a, *Namadgi National Park: Plan of Management*. Department of Territory and Municipal Services, Canberra.
- ACT Government 2010b, *ACT Kangaroo Management Plan*. Department of Territory and Municipal Services, Canberra.
- ACT Government 2010c, Lower Cotter Catchment Recreation Strategy (Draft) www.tams.act.gov.au/data/assets/pdf_file/0009/391923/Lower-Cotter-Catchment-Rec-Strategy-Accessible-Version.pdf
- ACT Government 2012a, *Tidbinbilla Plan of Management*. Territory and Municipal Services Directorate, Canberra.
- ACT Government 2012b, Ecological Guidelines for Fuel and Fire Management. www.tams.act.gov.au/data/assets/pdf_file/0011/411113/2_2012-13_Ecological_Guidelines_FINAL_for_web.pdf
- ACT Government 2012c, *ACT Pest Animal Management Strategy 2012–22*. Environment and Sustainable Development Directorate, Canberra.
- ACT Government 2012d, *AP2: A new climate change strategy and action plan for the Australian Capital Territory*. Environment and Sustainable Development Directorate, Canberra.
- ACT Government 2013a, www.legislation.act.gov.au/di/2013-44/current/pdf/2013-44.pdf
- ACT Government 2013b, *ACT Nature Conservation Strategy 2013–23*. Environment and Sustainable Development Directorate, Canberra.
- ACT Government 2014a, *Adapting to a changing climate: Directions for the ACT*. www.environment.act.gov.au/cc/what-government-is-doing/climate-change-adaptation-and-resilience.
- ACT Government 2014b, *ACT Strategic Bushfire Management Plan Version 3, 2014*. ACT ESA (Emergency Services Agency), Canberra.
- ACT Government 2014c, *ACT Water Strategy 2014–44: Striking the Balance*. Environment and Planning Directorate, Canberra.
- ACT Government 2015a, *Restoration of the Lower Cotter Catchment Report*. ACT Auditor General's Report No 3/2015.
- ACT Government 2015b, *Fish Stocking Plan for the Australian Capital Territory 2015–2020*. Environment and Planning Directorate, Canberra. www.environment.act.gov.au/data/assets/pdf_file/0009/720873/Fish-stockplan-2015-20.pdf

ACT Government 2016, *ACT Climate Change Adaptation Strategy: Living with a Warming Climate*. Environment and Planning Directorate, Canberra.

ACT Government 2017a, *Eastern Grey Kangaroo: Controlled Native Species Management Plan, 2017*. Environment, Planning and Sustainable Development Directorate, Canberra.

ACT Government 2017b, *Lower Cotter Catchment Road Network Improvement Plan*. Environment, Planning and Sustainable Development Directorate, Canberra.

ACT Government 2017c, *ACT Native Grassland Conservation Strategy and Action Plans*. Environment, Planning and sustainable Development Directorate, Canberra.

ACT Government, *Fish in the Lower Cotter catchment*. www.environment.act.gov.au/_data/assets/pdf_file/0012/576696/Native_Fish_in_the_Lower_Cotter_Catchment.pdf

AHC 1998, *Protecting local heritage places: a guide for communities*, Australian Heritage Commission, Canberra.

ACT Heritage Council 2005, *Aboriginal Places in Pierces Creek Forest, ACT*. Interim Heritage Listing. ACT Heritage Register.

ACT Heritage Council 2012, *Decision about Provisional Registration of Arboreta Notice 2012*.

ACT Natural Resource Management Council 2009, *Bush Capital Legacy: iconic city, iconic natural assets. Plan for Managing the Natural Resources of the ACT*. ACT NRM Council, Canberra.

ACTEW 2005, *Future Water Options for the ACT Region in the 21st Century, Future Water Options for the ACT Region Implementation Plan – A Recommended Strategy to increase the ACT's Water Supply*, Canberra.

ACTEW 2007, *Submission to the Water use and Management Inquiry of Standing Committee on Planning and Environment, November 2007*. www.parliament.act.gov.au/in-committees/previous-assemblies/Standing-Committees-Sixth-Assembly/Standing-Committee-on-Planning-and-Environment/Water-Use-and-Management/Submissions

ACTEW 2009, *Cotter: nature's gift to Canberra - water supply and recreation*. ACTEW, Canberra.

ACTEW 2013a, *Enlarged Cotter Dam Fish Management Plan Version 3, November 2013*. ACTEW, Canberra.

ACTEW 2013b, *Annual Heritage Report 2013: As required under Section 108 of the Heritage Act 2004 (ACT)* (Benjamin Bryant and Alastair Smith of ACTEW Environment & Sustainability Section, Mt Stromlo ACT).

ACTPLA (ACT Planning and Land Authority) 2008, *Territory Plan* (ACT Government, Canberra). www.actpla.act.gov.au

ANZECC and ARMCANZ 2000a, *National Water Quality Management Strategy*, Australian and New Zealand Environment and Conservation Council and the Agriculture and Resource Management Council of Australia and New Zealand.

ANZECC and ARMCANZ 2000b, *Australian Guidelines for Fresh and Marine Water Quality*, Australian and New Zealand Environment and Conservation Council and the Agriculture and Resource Management Council of Australia and New Zealand.

Australian National University 1973, *A resource and management survey of the Cotter River Catchment*. Resource and Environment Consultant Group, Department of Forestry, ANU, Canberra.

Australia ICOMOS 1999, *The Burra Charter: The Australia ICOMOS Charter for the Conservation of Places of Cultural Significance*. Australia ICOMOS Incorporated. icomos.org/australia/burra.html

Australian Heritage Commission 2000, *Protecting Local Heritage Places: A guide for communities*. Australian Heritage Commission, Canberra.

Australian Heritage Commission 2002a, *Australian Natural Heritage Charter for the conservation of places of natural heritage significance* 2nd edit. Australian Heritage Commission and Australian Committee for IUCN, Canberra.

Australian Heritage Commission 2002b, *Ask First: A guide to respecting Indigenous heritage places and values*. Australian Heritage Commission, Canberra.

Australian Heritage Commission 2003, *Protecting Natural Heritage: using the Australian Natural Heritage Charter*. Australian Heritage Commission and Australian Committee for IUCN, Canberra.

Banks, JCG 1982, *Man, Fire and Snow Gum in the Brindabella Range, New South Wales*, Paper to XIII International Botanical Congress, Sydney, 21–28 August 1981.

Banks, JCG 1989, A History of Forest Fire in the Australian Alps, in Good RG ed., *The Scientific Significance of the Australian Alps*. Proceedings of the First Fenner Conference. (Australian Academy of Science, Canberra), pp. 265–280.

Bell, D 1975, From Moth Hunters to Black Trackers: an Interpretive Analysis of the Black and White Experience. Unpublished BA Honours thesis, Monash University, Melbourne.

Bennett, AF 1998, 2003, *Linkages in the Landscape: The Role of Corridors and Connectivity in Wildlife Conservation*. IUCN, Gland, Switzerland and Cambridge, UK.

Benson, JS and Redpath, PA 1997, The nature of pre-European native vegetation in Australia: a critique of Ryan, DG, Ryan, JR and Starr, BJ 1995, The Australian Landscape - Observations of Explorers and Early Settlers. *Cunninghamia* 5(2), pp 285–32.

Biosis 2009, *Cotter Dam Enlargement EIS: Terrestrial Flora and Fauna Impact Assessment*. Report for ACTEW Corporation. ACTEW, Canberra.

Broadhurst, BT, Clear, RC and Lintermans, M 2016, *Potential barriers to upstream migration of Macquarie perch to spawning areas in the Cotter River, ACT*. Institute for Applied Ecology, University of Canberra, Canberra.

Broadhurst, BT, Ebner, BC, Lintermans, M, Thiem, JD and Clear, R C, 2013. 'Jailbreak: A fishway releases the endangered Macquarie perch from confinement below an anthropogenic barrier'. *Marine and Freshwater Research* 64: 900-908.

Brown, C 2013 Personal comment

Buggey, S 1999, *An approach to Aboriginal cultural landscapes*, Historic Sites and Monuments Board of Canada, Ottawa. www.pc.gc.ca/docs/r/pca-acl/images/Aboriginal_Cultural_Landscapes_e.pdf Viewed 17 November 2016

Butz, M 2004, *Blundells Flat area, ACT: Management of natural and cultural heritage values* - Background study for the Friends of ACT Arboreta.

Butz, M 2009, *Conservation Management Plan: Blundells Flat and Shannons Flat, ACT*. ACT Government Heritage Grants Program – HG04/22.

Carey A, Evans M, Hann P, Lintermans M, MacDonald T, Ormay P, Sharp S, Shorthouse D and Webb N 2003, *Wildfires in the ACT: Report on Initial Impacts on Natural Ecosystems*. Environment ACT Technical Report No. 7.

Commonwealth Department of Works 1965, "On the investigation of turbidity in the Cotter River catchment and Canberra's water supply." Canberra ACT, Report No. CD 65/1, Part 1, December 1965.

DECCW (Department of Environment, Climate Change and Water) NSW 2006, *Proceedings of the 2006 Aboriginal Joint Management Meeting*. Department of Environment, Climate Change and Water NSW, Sydney.

DEWHA (Department of the Environment, Water, Heritage, and the Arts) 2009a, Australia's Bioregions. Viewed 15 June 2009. www.environment.gov.au/parks/nrs/science/ibra.html

DEWHA (Department of the Environment, Water, Heritage and the Arts) 2009b, An Agreement between the Commonwealth of Australia and the Australian Capital Territory under section 45 of the *Environment Protection and Biodiversity Conservation Act 1999* (Cwlth) relating to Environmental Impact Assessment. Australian Government, Department of the Environment, Water, Heritage and the Arts, Canberra). Viewed 31/8/2009. environment.gov.au/epbc/assessments/bilateral/index.html

Department of the Environment 2015, *National recovery plan for the Alpine Sphagnum Bogs and Associated Fens ecological community*. Department of the Environment, Canberra.

DoE (Department of the Environment) 2016, Matters of National Environmental Significance threatened species and ecological-communities. www.environment.gov.au/topics/threatened-species-ecological-communities

Doerr, VAJ, Doerr, ED, and Davies, MJ 2010, Does structural connectivity facilitate dispersal of native species in Australia's fragmented terrestrial landscapes? CEE review 08-007 (SR44). Collaboration for Environmental Evidence: Accessed 15/07/2016. www.environmentalevidence.org/wp-content/uploads/2014/07/SR44.pdf.

Doerr, V, Williams, K, Drielsma, M, Doerr, E, Davies, M, Love, J, Langston, A, Low Choy, S, Manion, G, Cawsey, M, McGinness, H, Jovanovic, T, Crawford, D, Austin, M and Ferrier, S 2013, *Designing landscapes for biodiversity under climate change: final report*, National Climate Change Adaptation Research Facility Gold Coast p. 276

DNA Environmental 2011, *Lower Cotter Catchment Vegetation Monitoring Program*. Prepared for the ACT Parks and Conservation Service, TAMS.

DnA Environmental 2014, *Lower Cotter Catchment Vegetation Monitoring Program*. Prepared for the ACT Parks and Conservation Service, EPSDD.

Dowling, P undated, *Birrigai Rock Shelter, Tidbinbilla A human history from 21,000 years ago*. ACT National Trust Notes.

DSE (Department of Sustainability and Environment) 2003, Alpine Spiny Crayfish *Euastacus crassus*. *Flora and Fauna Guarantee Act 1988* Action Statement No. 136. Department of Sustainability and Environment, Victoria.

DSEWPC (Department of Sustainability, Water, Population and Communities) 2010, Natural Resource Management Ministerial Council. Australia's Biodiversity Conservation Strategy 2010–2030.

Ebner B, Lintermans M 2007, *Fish passage, movement requirements and habitat use for Macquarie perch*. Final Report to the Department of Agriculture, Fisheries and Forestry Australia. Parks, Conservation and Lands, Canberra.

EPSDD (Environment, Planning and Sustainable Development Directorate) *Aboriginal Heritage and the Cultural Landscape of the ACT*, www.environment.act.gov.au/parks-conservation/caring_for_ngunnawal_country/aboriginal_heritage_and_cultural_landscape ACT Government, accessed 18 November 2016.

Feary, S 2010, Submission on *Tidbinbilla Draft Plan of Management May 2010* (Dr Sue Feary, Conservation Management, Vincentia, NSW).

Finlayson, DM (compiler) 2008, *A Geological Guide to the Canberra Region and Namadgi National Park* (Geological Society of Australia (ACT Division)).

Flood, J 1980, *The Moth Hunters: Aboriginal Prehistory of the Australian Alps* (Australian Institute of Aboriginal Studies, Canberra).

Coughran, J and Furse, JM 2011, *An assessment of genus Euastacus (49 species) versus IUCN Red List criteria*. International Association of Astacology, Hinterthal, Austria and Griffith University, Queensland.

Echuca Declaration 2007, Murray Lower Darling Rivers Indigenous Nations (MLDRIN).

Georges, A, Hone, L J and Norris, RH 2008, Applied Ecology. In SE Jorgensen and BD Fath (Eds.), *Encyclopaedia of Ecology* (pp. 227-232). Oxford: Elsevier.

Gill, AM, Bradstock, RA and Williams, JE 2002, Fire regimes and biodiversity: legacy and vision. In: Bradstock, RA, Williams, JE and Gill, AM (eds.) *Flammable Australia: the Fire Regimes and Biodiversity of a Continent*, pp. 429-446.

Greening Australia 2015, *Regreening the Cotter*. Report produced for ACT Parks and Conservation Service.

Griffiths, T 2002, 'How many trees make a forest? Cultural debates about vegetation change in Australia', *Australian Journal of Botany*, vol. 50: pp 375– 89

Higgins, M 1994, Watershed in history: some themes in European history and the heritage of the Brindabellas; in Fraser, Ian and McJannett, Margaret (eds.) 1994. Brindabella heritage: from a series of illustrated talks by local experts on the heritage of the Brindabellas.

Higgins, M 2009, *Rugged Beyond Imagination: Stories from an Australian Mountain Region*. National Museum Australia, Canberra.

Ikin, K 2012, ACT Management Plan for the Eastern Bettong (*Bettongia gaimardi*). Prepared for the Eastern Bettong Management Group.

Ingwersen, F and Wade, A 2004, Impact of the fires of January 2003 on the vegetation of the Cotter catchment – early assessment and photo-monitoring. Report to ActewAGL, March 2004, 75pp.

IUCN Red List of Threatened Species (2010) *Engaeus cymus*. www.iucnredlist.org/details/153678/0 (Accessed 7 May 2013).

IUCN Species Survival Commission 2012, *Guidelines for Reintroductions and Other Conservation Translocations*.

Jackson-Nakano, A 2001, *The Kamberri: A History of Aboriginal People in the ACT and Surrounds*. Aboriginal History Inc. O'Connor, Australia.

Jackson-Nakano, A 2005, Ngambri ancestral names for geographical places and features in the Australian Capital Territory and surrounds, Canberra.

Langdon, JS 1989, *Journal of Fish Diseases*. Vol. 12: pp 295–310.

Landloch 2008, Soil Erosion and Soil Amelioration in the Lower Cotter Catchment. A report prepared by Landloch Pty Ltd for ACT Territory and Municipal Services.

Landloch 2016, Condition audit: Sediment and Erosion Control Devices in the Lower Cotter Catchment. A report prepared by Landloch Pty Ltd for ACT Parks and Conservation Service, Canberra.

Lennon, J and Mathews, S 1996, *Cultural Landscape Management: guidelines for identifying, assessing and managing cultural landscapes in the Australian Alps national parks* (Jane Lennon and Associates for the Cultural Heritage Working Group, Australian Alps Liaison Committee).

Lintermans, M 1998, The Ecology of the two spine blackfish. MSc Thesis, ANU Canberra.

Lintermans, M 2000, Recolonisation by the mountain galaxias *Galaxias olidus* of a montane stream after the eradication of rainbow trout *Oncorhynchus mykiss*. *Marine and Freshwater Research* 51: 799-804.

Lintermans, M 2012, Managing potential impacts of reservoir enlargement on threatened *Macquaria australasica* and *Gadopsis bispinosus* in southeastern Australia. Inter-Research Vol. 16, Published online.

Lunt, ID 1997, 'Effects of long-term vegetation management on remnant grassy forests and anthropogenic native grasslands in south-eastern Australia'. *Biological Conservation* vol. 81, pp. 287--297.

Martin, Eric and Associates 2007, *Cotter Pumping Station Conservation Management Plan*.

McCormack, RB 2016, *The Freshwater Crayfish of NSW, Australia*.

MLDRIN (Murray Lower Darling Rivers Indigenous Nations), Echuca Declaration, 2007, National Cultural Flows Research Project culturalflows.com.au Accessed 14 November 2016.

National Biodiversity Strategy Review Task Group 2009, *Australia's Biodiversity Conservation Strategy 2010–2020* Consultation Draft. Australian Government, Department of the Environment, Water, Heritage and the Arts, Canberra.

National Health and Medical Research Council 2013, Australian code for the care and use of animals for scientific purposes, 8th edition. Canberra: National Health and Medical Research Council. www.nhmrc.gov.au/files/nhmrc/publications/attachments/ea28_code_care_use_animals_131209.pdf

National Reserve System Task Group 2009, *Australia's Strategy for the National Reserve System 2009–2030* (Australian Government, Department of the Environment, Water, Heritage and the Arts, Canberra).

Navin Officer 2008, *Water Security Program. Enlarged Cotter Dam*. Cultural Heritage Impact Assessment. A report to ActewAGL.

NCA (National Capital Authority) 2008, *National Capital Plan* (Consolidated). Commonwealth of Australia, National Capital Authority, Canberra. www.nationalcapital.gov.au/index.php?option=com_content&view=article&id=372&Itemid=2

NCDC (National Capital Development Commission) 1986, *Cotter River Catchment Environmental Analysis*. Technical Paper 45. National Capital Development Commission, Canberra.

NCPA (National Capital Planning Authority) 1989, *Sites of Significance in the ACT: Vol 8, Cotter River Catchment*. NCDC Technical Paper 56.

NHMRC, NRMCC 2011, Australian Drinking Water Guidelines Paper 6 National Water Quality Management Strategy. Commonwealth of Australia, Canberra. Updated 2016.

NSW NPWS (National Parks and Wildlife Service) 2006, *2006 Plan of Management Kosciuszko National Park* (Department of Environment and Conservation NSW, Sydney).

OEH (NSW Government Office of Environment and Heritage) 2014, *Australian Capital Territory Climate change snapshot*, Sydney.

PMSEIC (Prime Minister's Science, Engineering and Innovation Council) 2002, Sustaining our Natural Systems and Biodiversity. Eighth Meeting, 31 May 2002.

Pryor, LD 1939, 'The Bushfire Problem in the Australian Capital Territory', *Australian Forestry* vol. 4, no. 1, pp. 31–38.

Rauhala, M 1993, *Distribution and Habitat of the Nobby Dragon (Amphibolurus nobbi) in the Australian Capital Territory*. Technical Report 5. Dept. of Environment, Land and Planning. ACT Government.

Rauhala, M 1997, *Frog Fauna of the Australian Capital Territory: A Review*. Technical Report 14. ACT Parks and Conservation Service.

Rigby, K 2011, 'Getting a Taste for the Bogong Moth'. *Australian Humanities Review*, Issue 50.

Rustomji, PK and Hairsine, PB 2006, Revegetation of water supply catchments following bushfire: A review of the scientific literature relevant to the Lower Cotter. CSIRO Land and Water Science Report 9/06.

Ryan, K, Jekabsons, M, Beitzel, M and Evans, L 2013, Murray River Crayfish monitoring in the Australian Capital Territory, ACT Government report to the MDBA.

Sharp, S, Macdonald, T, Kitchin, M and Dunford, M 2007, *Setting Conservation Targets for Vegetation Communities in the ACT*. Department of Territory and Municipal Services, Canberra.

Starr, B 1999, *A review of Lanyon Bowl soil erosion and sedimentation and management recommendations*. Lanyon Bowl Landcare Group.

TAMS (Department of Territory and Municipal Services) 2009, ACT Heritage Register. Viewed 22 June 2009. www.tams.act.gov.au/live/heritage/act-heritage-register/act-heritage-register-district/pdf

Teakle, LJH 1962a (unpublished), Interim report on Cotter Dam catchment, 17 August 1962, ['Teakle Report' to NCDC].

Teakle, LJH 1962b (unpublished), Cotter Dam catchment investigation programme for 1963, 1 November 1962. ['Second Teakle Report' to NCDC].

Teakle, LJH 1965 (unpublished), Draft report – Canberra Water Supply catchment control related to water quality, September 1965. [Report to NCDC].

URS Australia 2009, *Report Erosion Potential Mapping*. Unpublished internal report Parks, Conservation and Lands, ACT Government, Canberra.

Walters, C 1986, *Adaptive management of renewable resources*. MacMillan, New York, New York, USA.

Wasson, R 2003, *Erosion and Turbidity in the Cotter Catchment*, Centre for Resource and Environmental Studies, Australian National University, Canberra, unpublished paper.

Whelan, RJ 2002, Managing Fire Regimes for Conservation and Property Protection: an Australian Response. *Conservation Biology* 16(No. 6): 1659-61.

White, I, Wade, A, Barnes, R, Mueller, N, Worthy, M and Knee, R 2005? Impacts of the January 2003 Wildfires on ACT Water Supply Catchments. Centre for Resource and Environmental Studies, Australian National University. www.icrc.act.gov.au/wp-content/uploads/2013/02/CRES_Submission_2.pdf

Worboys, G, Lockwood, M and de Lacy, T 2005, Protected Area Management: *Principles and Practice*. 2nd edn. (Oxford University Press, South Melbourne).

